

全国がん登録

都道府県版標準集計表 2022

(山梨県)

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	3,719	2,738	6,457	100.0	100.0	100.0	943.9	671.1	805.1	397.8	327.5	356.1	279.9	243.8	257.6	33.1	26.6	29.6
口腔・咽頭	C00-C14	120	48	168	3.2	1.8	2.6	30.5	11.8	20.9	14.5	6.4	10.3	10.6	5.0	7.7	1.4	0.5	0.9
食道	C15	130	28	158	3.5	1.0	2.4	33.0	6.9	19.7	14.4	3.8	8.8	10.0	2.7	6.2	1.2	0.3	0.7
胃	C16	447	197	644	12.0	7.2	10.0	113.5	48.3	80.3	45.3	16.6	30.1	31.1	11.3	20.7	3.8	1.2	2.5
大腸（結腸・直腸）	C18-C20	533	455	988	14.3	16.6	15.3	135.3	111.5	123.2	61.3	41.4	51.0	43.8	29.5	36.5	5.3	3.5	4.4
結腸	C18	336	341	677	9.0	12.5	10.5	85.3	83.6	84.4	37.6	28.9	33.2	26.6	20.4	23.5	3.2	2.3	2.8
直腸	C19-C20	197	114	311	5.3	4.2	4.8	50.0	27.9	38.8	23.6	12.5	17.8	17.1	9.1	13.0	2.2	1.1	1.6
肝および肝内胆管	C22	191	85	276	5.1	3.1	4.3	48.5	20.8	34.4	18.7	5.8	11.9	13.0	3.9	8.2	1.5	0.4	1.0
胆のう・胆管	C23-C24	73	81	154	2.0	3.0	2.4	18.5	19.9	19.2	6.6	4.9	5.7	4.3	3.2	3.8	0.5	0.3	0.4
膵臓	C25	173	146	319	4.7	5.3	4.9	43.9	35.8	39.8	17.6	13.2	15.2	12.2	9.5	10.6	1.3	1.0	1.2
喉頭	C32	30	0	30	0.8	0.0	0.5	7.6	0.0	3.7	3.1	0.0	1.5	2.1	0.0	1.0	0.3	0.0	0.1
肺	C33-C34	501	231	732	13.5	8.4	11.3	127.2	56.6	91.3	49.0	21.7	34.3	33.2	15.3	23.5	3.8	1.9	2.8
皮膚	C43-C44	109	74	183	2.9	2.7	2.8	27.7	18.1	22.8	10.4	5.9	8.0	7.2	4.2	5.6	0.7	0.4	0.6
乳房	C50	8	642	650	0.2	23.4	10.1	2.0	157.4	81.0	0.8	101.0	51.0	0.5	77.2	38.8	0.1	8.7	4.3
子宮	C53-C55	-	164	164	-	6.0	2.5	-	40.2	-	-	31.4	-	-	24.6	-	-	2.5	-
子宮頸部	C53	-	53	53	-	1.9	0.8	-	13.0	-	-	11.3	-	-	9.0	-	-	0.8	-
子宮体部	C54	-	109	109	-	4.0	1.7	-	26.7	-	-	19.9	-	-	15.5	-	-	1.6	-
卵巣	C56	-	76	76	-	2.8	1.2	-	18.6	-	-	14.0	-	-	11.1	-	-	1.1	-
前立腺	C61	731	-	731	19.7	-	11.3	185.5	-	-	72.9	-	-	49.8	-	-	6.5	-	-
膀胱	C67	121	50	171	3.3	1.8	2.6	30.7	12.3	21.3	10.9	4.0	7.2	7.2	2.8	4.8	0.9	0.3	0.6
腎・尿路（膀胱除く）	C64-C66 C68	135	69	204	3.6	2.5	3.2	34.3	16.9	25.4	16.0	6.9	11.2	11.4	4.8	8.0	1.3	0.5	0.9
脳・中枢神経系	C70-C72	22	16	38	0.6	0.6	0.6	5.6	3.9	4.7	4.3	1.5	2.9	3.7	1.1	2.4	0.3	0.1	0.2
甲状腺	C73	38	76	114	1.0	2.8	1.8	9.6	18.6	14.2	6.9	15.5	11.1	5.4	12.2	8.7	0.5	1.2	0.8
悪性リンパ腫	C81-C85 C96	146	116	262	3.9	4.2	4.1	37.1	28.4	32.7	16.1	12.3	14.0	11.5	8.8	10.0	1.4	1.0	1.2
多発性骨髄腫	C88-C90	37	25	62	1.0	0.9	1.0	9.4	6.1	7.7	4.2	1.8	3.0	2.9	1.2	2.0	0.3	0.1	0.2
白血病	C91-C95	44	30	74	1.2	1.1	1.1	11.2	7.4	9.2	7.2	5.0	6.0	6.7	4.4	5.5	0.6	0.5	0.5

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	4,068	3,119	7,187	100.0	100.0	100.0	1,032.5	764.5	896.1	439.8	405.9	415.1	310.1	305.8	302.8	36.8	32.6	34.4
食道	C15 D001	145	35	180	3.6	1.1	2.5	36.8	8.6	22.4	16.6	4.7	10.4	11.7	3.4	7.4	1.4	0.4	0.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	657	532	1,189	16.2	17.1	16.5	166.8	130.4	148.3	78.4	50.8	64.3	56.5	36.5	46.3	7.0	4.3	5.7
結腸 *2	C18 D010	420	397	817	10.3	12.7	11.4	106.6	97.3	101.9	48.9	35.3	42.0	34.9	25.1	30.0	4.2	2.9	3.6
直腸 *2	C19-C20 D011-D012	237	135	372	5.8	4.3	5.2	60.2	33.1	46.4	29.5	15.5	22.2	21.6	11.4	16.3	2.8	1.4	2.1
肺	C33-C34 D021-D022	507	247	754	12.5	7.9	10.5	128.7	60.5	94.0	50.0	23.8	35.8	33.9	16.9	24.7	3.9	2.0	3.0
皮膚	C43-C44 D030-D049	118	85	203	2.9	2.7	2.8	29.9	20.8	25.3	11.4	6.5	8.8	7.9	4.6	6.1	0.8	0.5	0.6
乳房	C50 D05	9	728	737	0.2	23.3	10.3	2.3	178.4	91.9	0.9	116.8	58.9	0.6	89.7	45.0	0.1	10.0	5.0
子宮	C53-C55 D06	-	299	299	-	9.6	4.2	-	73.3	-	-	76.0	-	-	61.1	-	-	5.6	-
子宮頸部	C53 D06	-	188	188	-	6.0	2.6	-	46.1	-	-	55.9	-	-	45.4	-	-	3.9	-
膀胱	C67 D090	282	82	364	6.9	2.6	5.1	71.6	20.1	45.4	27.5	7.6	16.9	18.5	5.3	11.5	2.1	0.6	1.4

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	3,719	4	1	0	0	1	3	9	20	21	40	106	164	294	460	748	667	577	392	154	54	4	0
	口腔・咽頭	C00-C14	120	0	0	0	0	0	1	0	0	0	2	11	9	9	13	38	17	8	9	2	1	0	0
	食道	C15	130	0	0	0	0	0	0	0	0	0	0	6	8	12	19	25	33	13	9	4	1	0	0
	胃	C16	447	0	0	0	0	0	0	0	0	1	3	10	12	38	63	89	84	80	48	14	4	1	0
	大腸（結腸・直腸）	C18-C20	533	0	0	0	0	0	1	1	3	3	8	21	35	54	70	106	88	72	48	18	5	0	0
	結腸	C18	336	0	0	0	0	0	1	1	2	1	6	11	20	27	48	63	57	52	32	12	3	0	0
	直腸	C19-C20	197	0	0	0	0	0	0	0	1	2	2	10	15	27	22	43	31	20	16	6	2	0	0
	肝および肝内胆管	C22	191	0	0	0	0	0	0	0	0	1	1	4	8	16	23	30	30	35	30	9	4	0	0
	胆のう・胆管	C23-C24	73	0	0	0	0	0	0	0	0	0	1	1	1	3	5	17	19	10	9	6	1	0	0
	膵臓	C25	173	0	0	0	0	0	0	0	1	1	3	2	5	14	23	27	37	25	24	10	1	0	0
	喉頭	C32	30	0	0	0	0	0	0	0	0	0	0	0	3	1	5	8	5	5	2	1	0	0	0
	肺	C33-C34	501	0	0	0	0	0	0	0	2	3	2	13	16	30	52	99	103	83	55	37	6	0	0
	皮膚	C43-C44	109	0	0	0	0	0	0	1	0	0	4	4	4	2	11	16	13	22	19	5	6	2	0
	乳房	C50	8	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	4	1	0	0	0	0
	前立腺	C61	731	0	0	0	0	0	0	0	0	0	0	1	28	61	106	177	144	112	67	20	15	0	0
	膀胱	C67	121	0	0	0	0	0	0	0	0	0	0	3	2	5	13	27	22	24	16	6	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	135	0	0	0	0	0	0	0	0	2	3	11	7	18	11	22	16	29	9	5	2	0	0
	脳・中枢神経系	C70-C72	22	1	0	0	0	0	0	1	2	2	0	3	1	2	1	1	3	3	1	0	1	0	0
	甲状腺	C73	38	0	0	0	0	0	1	2	3	2	4	1	4	4	2	2	3	3	5	2	0	0	0
	悪性リンパ腫	C81-C85 C96	146	0	0	0	0	0	0	0	1	2	3	4	8	14	16	33	17	23	17	5	3	0	0
	多発性骨髄腫	C88-C90	37	0	0	0	0	0	0	0	1	1	0	2	2	1	6	4	7	6	7	0	0	0	0
	白血病	C91-C95	44	2	1	0	0	0	0	1	3	2	0	1	3	2	5	7	4	5	4	4	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	2,738	1	0	0	3	5	9	16	43	81	123	182	163	203	251	399	385	336	276	180	72	10	0
	口腔・咽頭	C00-C14	48	0	0	0	1	0	1	1	0	1	2	2	5	5	3	4	9	4	5	3	2	0	0
	食道	C15	28	0	0	0	0	0	0	0	0	0	2	4	4	2	2	2	8	1	3	0	0	0	0
	胃	C16	197	0	0	0	0	0	0	0	2	2	3	3	7	9	19	23	41	32	29	19	7	1	0
	大腸（結腸・直腸）	C18-C20	455	0	0	0	0	0	0	0	3	7	12	14	15	27	43	80	65	63	64	48	14	0	0
	結腸	C18	341	0	0	0	0	0	0	0	3	3	7	11	12	16	29	54	51	44	56	42	13	0	0
	直腸	C19-C20	114	0	0	0	0	0	0	0	0	4	5	3	3	11	14	26	14	19	8	6	1	0	0
	肝および肝内胆管	C22	85	0	0	0	0	0	0	0	0	0	0	0	1	7	3	16	15	15	14	11	3	0	0
	胆のう・胆管	C23-C24	81	0	0	0	0	0	0	0	0	0	0	2	2	4	2	6	12	16	19	14	4	0	0
	膵臓	C25	146	0	0	0	1	0	0	0	1	0	3	4	7	12	11	20	20	31	13	14	8	1	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	231	0	0	0	0	1	0	1	1	1	3	11	7	12	22	50	42	32	23	19	6	0	0
	皮膚	C43-C44	74	0	0	0	0	0	0	0	1	0	1	3	3	5	5	6	7	15	11	7	6	4	0
	乳房	C50	642	0	0	0	0	0	1	3	13	37	65	63	54	70	76	96	72	48	27	13	4	0	0
	子宮	C53-C55	164	0	0	0	0	0	3	6	10	7	16	27	18	14	16	12	13	10	8	3	1	0	0
	子宮頸部	C53	53	0	0	0	0	0	1	2	8	5	8	3	0	6	3	5	4	4	3	0	1	0	0
	子宮体部	C54	109	0	0	0	0	0	2	4	2	2	8	24	18	8	12	7	9	6	4	3	0	0	0
	卵巣	C56	76	0	0	0	0	1	2	1	5	3	3	16	4	9	7	7	9	5	2	1	1	0	0
	膀胱	C67	50	0	0	0	0	0	0	0	0	0	0	2	4	3	3	7	6	8	7	7	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	69	0	0	0	0	0	0	0	1	4	3	1	3	1	2	14	13	8	13	3	2	1	0
	脳・中枢神経系	C70-C72	16	0	0	0	0	0	0	0	0	0	1	2	1	0	1	2	1	3	5	0	0	0	0
	甲状腺	C73	76	0	0	0	1	1	0	2	5	12	5	10	7	3	6	8	8	4	4	0	0	0	0
	悪性リンパ腫	C81-C85 C96	116	0	0	0	0	1	0	2	0	2	0	2	6	12	13	19	22	18	12	2	5	0	0
	多発性骨髄腫	C88-C90	25	0	0	0	0	0	0	0	0	0	0	1	1	0	2	4	5	4	4	3	1	0	0
	白血病	C91-C95	30	1	0	0	0	1	0	0	1	1	0	4	6	1	3	6	0	2	1	2	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	6,457	5	1	0	3	6	12	25	63	102	163	288	327	497	711	1,147	1,052	913	668	334	126	14	0
	口腔・咽頭	C00-C14	168	0	0	0	1	0	2	1	0	1	4	13	14	14	16	42	26	12	14	5	3	0	0
	食道	C15	158	0	0	0	0	0	0	0	0	0	2	10	12	14	21	27	41	14	12	4	1	0	0
	胃	C16	644	0	0	0	0	0	0	0	2	3	6	13	19	47	82	112	125	112	77	33	11	2	0
	大腸（結腸・直腸）	C18-C20	988	0	0	0	0	0	1	1	6	10	20	35	50	81	113	186	153	135	112	66	19	0	0
	結腸	C18	677	0	0	0	0	0	1	1	5	4	13	22	32	43	77	117	108	96	88	54	16	0	0
	直腸	C19-C20	311	0	0	0	0	0	0	0	1	6	7	13	18	38	36	69	45	39	24	12	3	0	0
	肝および肝内胆管	C22	276	0	0	0	0	0	0	0	0	1	1	4	9	23	26	46	45	50	44	20	7	0	0
	胆のう・胆管	C23-C24	154	0	0	0	0	0	0	0	0	0	1	3	3	7	7	23	31	26	28	20	5	0	0
	膵臓	C25	319	0	0	0	1	0	0	0	2	1	6	6	12	26	34	47	57	56	37	24	9	1	0
	喉頭	C32	30	0	0	0	0	0	0	0	0	0	0	0	3	1	5	8	5	5	2	1	0	0	0
	肺	C33-C34	732	0	0	0	0	1	0	1	3	4	5	24	23	42	74	149	145	115	78	56	12	0	0
	皮膚	C43-C44	183	0	0	0	0	0	0	1	1	0	5	7	7	7	16	22	20	37	30	12	12	6	0
	乳房	C50	650	0	0	0	0	0	1	3	13	37	66	63	54	70	77	97	72	52	28	13	4	0	0
	子宮	C53-C55	164	0	0	0	0	0	3	6	10	7	16	27	18	14	16	12	13	10	8	3	1	0	0
	子宮頸部	C53	53	0	0	0	0	0	1	2	8	5	8	3	0	6	3	5	4	4	3	0	1	0	0
	子宮体部	C54	109	0	0	0	0	0	2	4	2	2	8	24	18	8	12	7	9	6	4	3	0	0	0
	卵巣	C56	76	0	0	0	0	1	2	1	5	3	3	16	4	9	7	7	9	5	2	1	1	0	0
	前立腺	C61	731	0	0	0	0	0	0	0	0	0	0	1	28	61	106	177	144	112	67	20	15	0	0
	膀胱	C67	171	0	0	0	0	0	0	0	0	0	0	5	6	8	16	34	28	32	23	13	4	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	204	0	0	0	0	0	0	0	1	6	6	12	10	19	13	36	29	37	22	8	4	1	0
	脳・中枢神経系	C70-C72	38	1	0	0	0	0	0	1	2	2	1	5	2	2	2	3	4	6	6	0	1	0	0
	甲状腺	C73	114	0	0	0	1	1	1	4	8	14	9	11	11	7	8	10	11	7	9	2	0	0	0
	悪性リンパ腫	C81-C85 C96	262	0	0	0	0	1	0	2	1	4	3	6	14	26	29	52	39	41	29	7	8	0	0
	多発性骨髄腫	C88-C90	62	0	0	0	0	0	0	0	1	1	0	3	3	1	8	8	12	10	11	3	1	0	0
	白血病	C91-C95	74	3	1	0	0	1	0	1	4	3	0	5	9	3	8	13	4	7	5	6	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	4,068	4	1	0	0	1	4	11	21	23	47	124	186	325	515	820	737	611	415	162	57	4	0	
	食道	C15 D001	145	0	0	0	0	0	0	1	0	0	1	6	9	13	23	29	34	13	11	4	1	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	657	0	0	0	0	0	1	1	4	5	11	32	44	70	94	135	110	76	51	18	5	0	0	
	結腸 *2	C18 D010	420	0	0	0	0	0	1	1	3	2	8	18	26	35	64	82	76	55	34	12	3	0	0	
	直腸 *2	C19-C20 D011-D012	237	0	0	0	0	0	0	0	1	3	3	14	18	35	30	53	34	21	17	6	2	0	0	
	肺	C33-C34 D021-D022	507	0	0	0	0	0	0	0	2	3	2	14	17	31	54	100	103	83	55	37	6	0	0	
	皮膚	C43-C44 D030-D049	118	0	0	0	0	0	0	0	2	0	0	4	4	5	2	11	18	13	23	20	7	7	2	0
	乳房	C50 D05	9	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	4	1	0	0	0	
	膀胱	C67 D090	282	0	0	0	0	0	0	1	0	0	0	1	8	7	15	35	55	63	49	32	11	4	1	0
	女	全部位	C00-C96 D00-D09	3,119	1	0	0	3	9	17	45	62	120	172	206	182	232	283	444	423	359	288	189	74	10	0
食道		C15 D001	35	0	0	0	0	0	0	0	0	0	2	5	5	3	3	3	9	2	3	0	0	0	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	532	0	0	0	0	0	0	1	3	8	16	19	17	37	53	96	77	72	67	52	14	0	0	
結腸 *2		C18 D010	397	0	0	0	0	0	0	0	3	4	10	14	13	23	36	65	61	51	58	46	13	0	0	
直腸 *2		C19-C20 D011-D012	135	0	0	0	0	0	0	1	0	4	6	5	4	14	17	31	16	21	9	6	1	0	0	
肺		C33-C34 D021-D022	247	0	0	0	0	1	0	1	1	1	4	14	8	12	26	52	45	34	23	19	6	0	0	
皮膚		C43-C44 D030-D049	85	0	0	0	0	0	0	0	1	0	1	3	3	5	6	7	9	17	13	9	7	4	0	
乳房		C50 D05	728	0	0	0	0	1	1	3	16	43	82	69	60	82	84	110	81	50	29	13	4	0	0	
子宮		C53-C55 D06	299	0	0	0	0	3	11	34	26	38	41	35	24	18	18	15	14	10	8	3	1	0	0	
子宮頸部		C53 D06	188	0	0	0	0	3	9	30	24	36	33	11	6	10	5	8	5	4	3	0	1	0	0	
膀胱	C67 D090	82	0	0	0	0	0	0	0	0	1	1	3	6	4	9	12	14	12	10	7	2	1	0		
総数 *3	全部位	C00-C96 D00-D09	7,187	5	1	0	3	10	21	56	83	143	219	330	368	557	798	1,264	1,160	970	703	351	131	14	0	
	食道	C15 D001	180	0	0	0	0	0	0	1	0	0	3	11	14	16	26	32	43	15	14	4	1	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,189	0	0	0	0	0	1	2	7	13	27	51	61	107	147	231	187	148	118	70	19	0	0	
	結腸 *2	C18 D010	817	0	0	0	0	0	1	1	6	6	18	32	39	58	100	147	137	106	92	58	16	0	0	
	直腸 *2	C19-C20 D011-D012	372	0	0	0	0	0	0	1	1	7	9	19	22	49	47	84	50	42	26	12	3	0	0	
	肺	C33-C34 D021-D022	754	0	0	0	0	1	0	1	3	4	6	28	25	43	80	152	148	117	78	56	12	0	0	
	皮膚	C43-C44 D030-D049	203	0	0	0	0	0	0	2	1	0	5	7	8	7	17	25	22	40	33	16	14	6	0	
	乳房	C50 D05	737	0	0	0	0	1	1	3	16	43	83	69	60	82	85	112	81	54	30	13	4	0	0	
	子宮	C53-C55 D06	299	0	0	0	0	3	11	34	26	38	41	35	24	18	18	15	14	10	8	3	1	0	0	
	子宮頸部	C53 D06	188	0	0	0	0	3	9	30	24	36	33	11	6	10	5	8	5	4	3	0	1	0	0	
	膀胱	C67 D090	364	0	0	0	0	0	1	0	0	1	2	11	13	19	44	67	77	61	42	18	6	2	0	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	943.9	30.8	6.7	0.0	0.0	4.8	15.8	47.4	95.2	87.5	137.9	353.3	585.7	1,130.8	1,703.7	2,412.9	3,031.8	3,394.1	3,775.0	-
	口腔・咽頭	C00-C14	30.5	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	6.9	36.7	32.1	34.6	48.1	122.6	77.3	47.1	75.0	-
	食道	C15	33.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	28.6	46.2	70.4	80.6	150.0	76.5	87.5	-
	胃	C16	113.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.3	33.3	42.9	146.2	233.3	287.1	381.8	470.6	418.8	-
	大腸（結腸・直腸）	C18-C20	135.3	0.0	0.0	0.0	0.0	0.0	5.3	5.3	14.3	12.5	27.6	70.0	125.0	207.7	259.3	341.9	400.0	423.5	443.8	-
	結腸	C18	85.3	0.0	0.0	0.0	0.0	0.0	5.3	5.3	9.5	4.2	20.7	36.7	71.4	103.8	177.8	203.2	259.1	305.9	293.8	-
	直腸	C19-C20	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.3	6.9	33.3	53.6	103.8	81.5	138.7	140.9	117.6	150.0	-
	肝および肝内胆管	C22	48.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	3.4	13.3	28.6	61.5	85.2	96.8	136.4	205.9	268.8	-
	胆のう・胆管	C23-C24	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.3	3.6	11.5	18.5	54.8	86.4	58.8	100.0	-
	膵臓	C25	43.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	10.3	6.7	17.9	53.8	85.2	87.1	168.2	147.1	218.8	-
	喉頭	C32	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	3.8	18.5	25.8	22.7	29.4	18.8	-
	肺	C33-C34	127.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	12.5	6.9	43.3	57.1	115.4	192.6	319.4	468.2	488.2	612.5	-
	皮膚	C43-C44	27.7	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	13.8	13.3	14.3	7.7	40.7	51.6	59.1	129.4	200.0	-
	乳房	C50	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	3.7	3.2	0.0	23.5	6.3	-
	前立腺	C61	185.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	100.0	234.6	392.6	571.0	654.5	658.8	637.5	-
	膀胱	C67	30.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	7.1	19.2	48.1	87.1	100.0	141.2	156.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	34.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	10.3	36.7	25.0	69.2	40.7	71.0	72.7	170.6	100.0	-
	脳・中枢神経系	C70-C72	5.6	7.7	0.0	0.0	0.0	0.0	0.0	5.3	9.5	8.3	0.0	10.0	3.6	7.7	3.7	3.2	13.6	17.6	12.5	-
	甲状腺	C73	9.6	0.0	0.0	0.0	0.0	0.0	5.3	10.5	14.3	8.3	13.8	3.3	14.3	15.4	7.4	6.5	13.6	17.6	43.8	-
	悪性リンパ腫	C81-C85 C96	37.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.3	10.3	13.3	28.6	53.8	59.3	106.5	77.3	135.3	156.3	-
	多発性骨髄腫	C88-C90	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	0.0	6.7	7.1	3.8	22.2	12.9	31.8	35.3	43.8	-
	白血病	C91-C95	11.2	15.4	6.7	0.0	0.0	0.0	0.0	5.3	14.3	8.3	0.0	3.3	10.7	7.7	18.5	22.6	18.2	29.4	50.0	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	671.1	7.7	0.0	0.0	16.7	26.3	52.9	94.1	215.0	352.2	439.3	627.6	603.7	780.8	896.4	1,209.1	1,540.0	1,527.3	1,630.3	-
	口腔・咽頭	C00-C14	11.8	0.0	0.0	0.0	5.6	0.0	5.9	5.9	0.0	4.3	7.1	6.9	18.5	19.2	10.7	12.1	36.0	18.2	30.3	-
	食道	C15	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	13.8	14.8	7.7	7.1	6.1	32.0	4.5	9.1	-
	胃	C16	48.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	8.7	10.7	10.3	25.9	34.6	67.9	69.7	164.0	145.5	169.7	-
	大腸（結腸・直腸）	C18-C20	111.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	30.4	42.9	48.3	55.6	103.8	153.6	242.4	260.0	286.4	381.8	-
	結腸	C18	83.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	13.0	25.0	37.9	44.4	61.5	103.6	163.6	204.0	200.0	336.4	-
	直腸	C19-C20	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.4	17.9	10.3	11.1	42.3	50.0	78.8	56.0	86.4	45.5	-
	肝および肝内胆管	C22	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	26.9	10.7	48.5	60.0	68.2	84.8	-
	胆のう・胆管	C23-C24	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	7.4	15.4	7.1	18.2	48.0	72.7	112.1	-
	膵臓	C25	35.8	0.0	0.0	0.0	5.6	0.0	0.0	0.0	5.0	0.0	10.7	13.8	25.9	46.2	39.3	60.6	80.0	140.9	109.1	-
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
	肺	C33-C34	56.6	0.0	0.0	0.0	0.0	5.3	0.0	5.9	5.0	4.3	10.7	37.9	25.9	46.2	78.6	151.5	168.0	145.5	145.5	-
	皮膚	C43-C44	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.6	10.3	11.1	19.2	17.9	18.2	28.0	68.2	84.8	-
	乳房	C50	157.4	0.0	0.0	0.0	0.0	0.0	5.9	17.6	65.0	160.9	232.1	217.2	200.0	269.2	271.4	290.9	288.0	218.2	133.3	-
	子宮	C53-C55	40.2	0.0	0.0	0.0	0.0	0.0	17.6	35.3	50.0	30.4	57.1	93.1	66.7	53.8	57.1	36.4	52.0	45.5	36.4	-
	子宮頸部	C53	13.0	0.0	0.0	0.0	0.0	0.0	5.9	11.8	40.0	21.7	28.6	10.3	0.0	23.1	10.7	15.2	16.0	18.2	12.1	-
	子宮体部	C54	26.7	0.0	0.0	0.0	0.0	0.0	11.8	23.5	10.0	8.7	28.6	82.8	66.7	30.8	42.9	21.2	36.0	27.3	21.2	-
	卵巣	C56	18.6	0.0	0.0	0.0	0.0	5.3	11.8	5.9	25.0	13.0	10.7	55.2	14.8	34.6	25.0	21.2	36.0	22.7	12.1	-
	膀胱	C67	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	14.8	11.5	10.7	21.2	24.0	36.4	51.5	-
	腎・尿路（膀胱除く）	C64-C66 C68	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	17.4	10.7	3.4	11.1	3.8	7.1	42.4	52.0	36.4	57.6	-
	脳・中枢神経系	C70-C72	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.9	3.7	0.0	3.6	6.1	4.0	13.6	15.2	-
	甲状腺	C73	18.6	0.0	0.0	0.0	5.6	5.3	0.0	11.8	25.0	52.2	17.9	34.5	25.9	11.5	21.4	24.2	32.0	18.2	12.1	-
	悪性リンパ腫	C81-C85 C96	28.4	0.0	0.0	0.0	0.0	5.3	0.0	11.8	0.0	8.7	0.0	6.9	22.2	46.2	46.4	57.6	88.0	81.8	57.6	-
	多発性骨髄腫	C88-C90	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.7	0.0	7.1	12.1	20.0	18.2	24.2	-
	白血病	C91-C95	7.4	7.7	0.0	0.0	0.0	5.3	0.0	0.0	5.0	4.3	0.0	13.8	22.2	3.8	10.7	18.2	0.0	9.1	12.1	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	805.1	19.2	3.3	0.0	7.9	15.0	33.3	69.4	153.7	217.0	286.0	488.1	594.5	955.8	1,292.7	1,792.2	2,238.3	2,341.0	2,330.6	-
	口腔・咽頭	C00-C14	20.9	0.0	0.0	0.0	2.6	0.0	5.6	2.8	0.0	2.1	7.0	22.0	25.5	26.9	29.1	65.6	55.3	30.8	44.9	-
	食道	C15	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	16.9	21.8	26.9	38.2	42.2	87.2	35.9	34.7	-
	胃	C16	80.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	6.4	10.5	22.0	34.5	90.4	149.1	175.0	266.0	287.2	251.0	-
	大腸（結腸・直腸）	C18-C20	123.2	0.0	0.0	0.0	0.0	0.0	2.8	2.8	14.6	21.3	35.1	59.3	90.9	155.8	205.5	290.6	325.5	346.2	402.0	-
	結腸	C18	84.4	0.0	0.0	0.0	0.0	0.0	2.8	2.8	12.2	8.5	22.8	37.3	58.2	82.7	140.0	182.8	229.8	246.2	322.4	-
	直腸	C19-C20	38.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	12.8	12.3	22.0	32.7	73.1	65.5	107.8	95.7	100.0	79.6	-
	肝および肝内胆管	C22	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	6.8	16.4	44.2	47.3	71.9	95.7	128.2	144.9	-
	胆のう・胆管	C23-C24	19.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	5.1	5.5	13.5	12.7	35.9	66.0	66.7	108.2	-
	膵臓	C25	39.8	0.0	0.0	0.0	2.6	0.0	0.0	0.0	4.9	2.1	10.5	10.2	21.8	50.0	61.8	73.4	121.3	143.6	144.9	-
	喉頭	C32	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	1.9	9.1	12.5	10.6	12.8	6.1	-
	肺	C33-C34	91.3	0.0	0.0	0.0	0.0	2.5	0.0	2.8	7.3	8.5	8.8	40.7	41.8	80.8	134.5	232.8	308.5	294.9	298.0	-
	皮膚	C43-C44	22.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.4	0.0	8.8	11.9	12.7	13.5	29.1	34.4	42.6	94.9	122.4	-
	乳房	C50	81.0	0.0	0.0	0.0	0.0	0.0	2.8	8.3	31.7	78.7	115.8	106.8	98.2	134.6	140.0	151.6	153.2	133.3	91.8	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	10.9	15.4	29.1	53.1	59.6	82.1	85.7	-
	腎・尿路（膀胱除く）	C64-C66 C68	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	12.8	10.5	20.3	18.2	36.5	23.6	56.3	61.7	94.9	71.4	-
	脳・中枢神経系	C70-C72	4.7	3.8	0.0	0.0	0.0	0.0	0.0	2.8	4.9	4.3	1.8	8.5	3.6	3.8	3.6	4.7	8.5	15.4	14.3	-
	甲状腺	C73	14.2	0.0	0.0	0.0	2.6	2.5	2.8	11.1	19.5	29.8	15.8	18.6	20.0	13.5	14.5	15.6	23.4	17.9	22.4	-
	悪性リンパ腫	C81-C85 C96	32.7	0.0	0.0	0.0	0.0	2.5	0.0	5.6	2.4	8.5	5.3	10.2	25.5	50.0	52.7	81.3	83.0	105.1	89.8	-
	多発性骨髄腫	C88-C90	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	0.0	5.1	5.5	1.9	14.5	12.5	25.5	25.6	30.6	-
	白血病	C91-C95	9.2	11.5	3.3	0.0	0.0	2.5	0.0	2.8	9.8	6.4	0.0	8.5	16.4	5.8	14.5	20.3	8.5	17.9	24.5	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,032.5	30.8	6.7	0.0	0.0	4.8	21.1	57.9	100.0	95.8	162.1	413.3	664.3	1,250.0	1,907.4	2,645.2	3,350.0	3,594.1	3,987.5	-	
	食道	C15 D001	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	3.4	20.0	32.1	50.0	85.2	93.5	154.5	76.5	100.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	166.8	0.0	0.0	0.0	0.0	0.0	5.3	5.3	19.0	20.8	37.9	106.7	157.1	269.2	348.1	435.5	500.0	447.1	462.5	-	
	結腸 *2	C18 D010	106.6	0.0	0.0	0.0	0.0	0.0	5.3	5.3	14.3	8.3	27.6	60.0	92.9	134.6	237.0	264.5	345.5	323.5	306.3	-	
	直腸 *2	C19-C20 D011-D012	60.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	12.5	10.3	46.7	64.3	134.6	111.1	171.0	154.5	123.5	156.3	-	
	肺	C33-C34 D021-D022	128.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	12.5	6.9	46.7	60.7	119.2	200.0	322.6	468.2	488.2	612.5	-
	皮膚	C43-C44 D030-D049	29.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	0.0	0.0	13.8	13.3	17.9	7.7	40.7	58.1	59.1	135.3	225.0	-
	乳房	C50 D05	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	3.7	6.5	0.0	23.5	6.3	-
	膀胱	C67 D090	71.6	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	3.4	26.7	25.0	57.7	129.6	177.4	286.4	288.2	300.0	-
女	全部位	C00-C96 D00-D09	764.5	7.7	0.0	0.0	16.7	47.4	100.0	264.7	310.0	521.7	614.3	710.3	674.1	892.3	1,010.7	1,345.5	1,692.0	1,631.8	1,700.0	-	
	食道	C15 D001	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	17.2	18.5	11.5	10.7	9.1	36.0	9.1	9.1	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	130.4	0.0	0.0	0.0	0.0	0.0	0.0	5.9	15.0	34.8	57.1	65.5	63.0	142.3	189.3	290.9	308.0	327.3	403.0	-	
	結腸 *2	C18 D010	97.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	17.4	35.7	48.3	48.1	88.5	128.6	197.0	244.0	231.8	354.5	-	
	直腸 *2	C19-C20 D011-D012	33.1	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	17.4	21.4	17.2	14.8	53.8	60.7	93.9	64.0	95.5	48.5	-	
	肺	C33-C34 D021-D022	60.5	0.0	0.0	0.0	0.0	5.3	0.0	5.9	5.0	4.3	14.3	48.3	29.6	46.2	92.9	157.6	180.0	154.5	145.5	-	
	皮膚	C43-C44 D030-D049	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.6	10.3	11.1	19.2	21.4	21.2	36.0	77.3	100.0	-
	乳房	C50 D05	178.4	0.0	0.0	0.0	0.0	5.3	5.9	17.6	80.0	187.0	292.9	237.9	222.2	315.4	300.0	333.3	324.0	227.3	139.4	-	
	子宮	C53-C55 D06	73.3	0.0	0.0	0.0	0.0	15.8	64.7	200.0	130.0	165.2	146.4	120.7	88.9	69.2	64.3	45.5	56.0	45.5	36.4	-	
子宮頸部	C53 D06	46.1	0.0	0.0	0.0	0.0	15.8	52.9	176.5	120.0	156.5	117.9	37.9	22.2	38.5	17.9	24.2	20.0	18.2	12.1	-		
膀胱	C67 D090	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	10.3	22.2	15.4	32.1	36.4	56.0	54.5	60.6	-		
総数 *3	全部位	C00-C96 D00-D09	896.1	19.2	3.3	0.0	7.9	25.0	58.3	155.6	202.4	304.3	384.2	559.3	669.1	1,071.2	1,450.9	1,975.0	2,468.1	2,487.2	2,446.9	-	
	食道	C15 D001	22.4	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	5.3	18.6	25.5	30.8	47.3	50.0	91.5	38.5	38.8	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	148.3	0.0	0.0	0.0	0.0	0.0	2.8	5.6	17.1	27.7	47.4	86.4	110.9	205.8	267.3	360.9	397.9	379.5	422.4	-	
	結腸 *2	C18 D010	101.9	0.0	0.0	0.0	0.0	0.0	2.8	2.8	14.6	12.8	31.6	54.2	70.9	111.5	181.8	229.7	291.5	271.8	338.8	-	
	直腸 *2	C19-C20 D011-D012	46.4	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.4	14.9	15.8	32.2	40.0	94.2	85.5	131.3	106.4	107.7	83.7	-	
	肺	C33-C34 D021-D022	94.0	0.0	0.0	0.0	0.0	2.5	0.0	2.8	7.3	8.5	10.5	47.5	45.5	82.7	145.5	237.5	314.9	300.0	298.0	-	
	皮膚	C43-C44 D030-D049	25.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	2.4	0.0	8.8	11.9	14.5	30.9	39.1	46.8	102.6	140.8	-	
	乳房	C50 D05	91.9	0.0	0.0	0.0	0.0	2.5	2.8	8.3	39.0	91.5	145.6	116.9	109.1	157.7	154.5	175.0	172.3	138.5	95.9	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	45.4	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	2.1	3.5	18.6	23.6	36.5	80.0	104.7	163.8	156.4	138.8	-	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	6,298	19.7	34.2	0.0	43.8	2.3
口腔・咽頭	C00-C14	167	1.8	32.3	0.0	64.1	1.8
食道	C15	157	19.7	31.2	0.0	48.4	0.6
胃	C16	626	25.2	33.4	0.0	39.6	1.8
大腸（結腸・直腸）	C18-C20	963	21.1	26.5	0.0	50.4	2.1
結腸	C18	658	20.4	28.9	0.0	48.5	2.3
直腸	C19-C20	305	22.6	21.3	0.0	54.4	1.6
肝および肝内胆管	C22	264	11.7	58.3	0.0	27.7	2.3
胆のう・胆管	C23-C24	142	11.3	36.6	0.0	50.7	1.4
膵臓	C25	302	16.2	36.1	0.3	46.0	1.3
喉頭	C32	30	3.3	23.3	0.0	73.3	0.0
肺	C33-C34	702	19.8	47.2	0.0	30.5	2.6
皮膚	C43-C44	182	1.1	15.9	0.0	81.3	1.6
乳房	C50	644	33.2	17.5	0.0	47.8	1.4
乳房（女性のみ）	C50	636	33.6	17.1	0.0	47.8	1.4
子宮	C53-C55	164	14.6	25.6	0.0	59.1	0.6
子宮頸部	C53	53	26.4	22.6	0.0	49.1	1.9
子宮体部	C54	109	8.3	26.6	0.0	65.1	0.0
卵巣	C56	73	13.7	17.8	0.0	67.1	1.4
前立腺	C61	722	27.7	45.7	0.0	22.0	4.6
膀胱	C67	169	5.9	36.7	0.0	55.0	2.4
腎・尿路（膀胱除く）	C64-C66 C68	200	19.0	44.5	0.0	33.5	3.0
脳・中枢神経系	C70-C72	37	0.0	16.2	0.0	81.1	2.7
甲状腺	C73	114	26.3	44.7	0.0	23.7	5.3
悪性リンパ腫	C81-C85 C96	258	11.2	26.0	0.0	60.5	2.3
多発性骨髄腫	C88-C90	60	11.7	41.7	0.0	43.3	3.3
白血病	C91-C95	72	9.7	44.4	0.0	41.7	4.2

\*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	7,028	20.9	34.5	0.0	42.4	2.2
食道	C15 D001	179	24.0	30.7	0.0	44.7	0.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,164	24.6	27.8	0.0	45.9	1.7
結腸 *2	C18 D010	798	23.7	30.1	0.0	44.4	1.9
直腸 *2	C19-C20 D011-D012	366	26.5	23.0	0.0	49.2	1.4
肺	C33-C34 D021-D022	724	20.4	47.4	0.0	29.7	2.5
皮膚	C43-C44 D030-D049	202	1.0	16.8	0.0	80.7	1.5
乳房	C50 D05	731	36.1	17.6	0.0	44.9	1.4
乳房（女性のみ）	C50 D05	722	36.6	17.3	0.0	44.7	1.4
子宮	C53-C55 D06	299	25.4	33.1	0.0	40.1	1.3
子宮頸部	C53 D06	188	35.1	36.7	0.0	26.1	2.1
膀胱	C67 D090	362	8.8	38.7	0.0	51.1	1.4

\*1 DCOを除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

## A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,169	51.8	9.6	13.4	17.2	8.1	23.0
口腔・咽頭	C00-C14	167	35.3	16.2	38.3	5.4	4.8	54.5
食道	C15	157	48.4	5.7	28.7	10.2	7.0	34.4
胃	C16	626	58.6	10.9	8.9	16.3	5.3	19.8
大腸（結腸・直腸）	C18-C20	963	42.5	19.5	11.5	19.2	7.3	31.0
結腸	C18	658	42.2	17.6	13.4	19.6	7.1	31.0
直腸	C19-C20	305	43.0	23.6	7.5	18.4	7.5	31.1
肝および肝内胆管	C22	264	67.4	5.3	5.3	12.1	9.8	10.6
胆のう・胆管	C23-C24	142	17.6	3.5	40.1	26.8	12.0	43.7
膵臓	C25	302	37.7	4.0	16.9	35.4	6.0	20.9
喉頭	C32	30	80.0	10.0	6.7	3.3	0.0	16.7
肺	C33-C34	702	42.2	8.1	9.1	31.6	9.0	17.2
皮膚	C43-C44	182	84.6	1.6	8.8	0.0	4.9	10.4
乳房	C50	644	64.3	20.2	3.9	7.3	4.3	24.1
乳房（女性のみ）	C50	636	64.6	19.8	3.9	7.4	4.2	23.7
子宮	C53-C55	164	67.7	3.7	18.3	6.1	4.3	22.0
子宮頸部	C53	53	47.2	5.7	35.8	5.7	5.7	41.5
子宮体部	C54	109	78.9	2.8	10.1	6.4	1.8	12.8
卵巣	C56	73	24.7	1.4	52.1	19.2	2.7	53.4
前立腺	C61	722	62.7	1.4	15.8	11.2	8.9	17.2
膀胱	C67	169	73.4	1.8	11.2	3.6	10.1	13.0
腎・尿路（膀胱除く）	C64-C66 C68	200	65.0	2.5	13.5	11.0	8.0	16.0
脳・中枢神経系	C70-C72	37	78.4	0.0	10.8	0.0	10.8	10.8
甲状腺	C73	114	41.2	30.7	9.6	7.9	10.5	40.4
悪性リンパ腫	C81-C85 C96	258	27.1	0.8	10.9	48.4	12.8	11.6
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,899	10.4	46.3	8.6	12.0	15.4	7.4	20.5
食道	C15 D001	179	12.3	42.5	5.0	25.1	8.9	6.1	30.2
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,164	17.3	35.1	16.2	9.5	15.9	6.0	25.7
結腸 *3	C18 D010	798	17.5	34.8	14.5	11.0	16.2	5.9	25.6
直腸 *3	C19-C20 D011-D012	366	16.7	35.8	19.7	6.3	15.3	6.3	26.0
肺	C33-C34 D021-D022	724	3.0	40.9	7.9	8.8	30.7	8.7	16.7
皮膚	C43-C44 D030-D049	202	9.9	76.2	1.5	7.9	0.0	4.5	9.4
乳房	C50 D05	731	11.6	56.6	17.8	3.4	6.4	4.1	21.2
乳房（女性のみ）	C50 D05	722	11.6	56.9	17.5	3.5	6.5	4.0	20.9
子宮	C53-C55 D06	299	43.8	37.1	2.0	10.0	3.3	3.7	12.0
子宮頸部	C53 D06	188	69.7	13.3	1.6	10.1	1.6	3.7	11.7
膀胱	C67 D090	362	52.5	34.3	0.8	5.2	1.7	5.5	6.1

\*1 DC0、「777：該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,169	1.0	50.0	6.9	11.8	16.7	13.6	18.7
口腔・咽頭	C00-C14	167	1.8	29.9	16.2	35.9	5.4	10.8	52.1
食道	C15	157	3.8	43.9	4.5	27.4	10.2	10.2	31.8
胃	C16	626	0.0	59.7	9.3	6.5	15.3	9.1	15.8
大腸（結腸・直腸）	C18-C20	963	0.8	42.8	13.1	13.5	18.3	11.5	26.6
結腸	C18	658	0.8	41.8	12.3	15.5	18.4	11.2	27.8
直腸	C19-C20	305	1.0	44.9	14.8	9.2	18.0	12.1	23.9
肝および肝内胆管	C22	264	0.0	66.3	4.2	5.7	12.5	11.4	9.8
胆のう・胆管	C23-C24	142	0.0	21.8	2.1	35.9	25.4	14.8	38.0
膵臓	C25	302	0.7	35.8	2.6	17.2	34.8	8.9	19.9
喉頭	C32	30	0.0	80.0	10.0	6.7	3.3	0.0	16.7
肺	C33-C34	702	0.6	31.8	6.1	7.7	31.3	22.5	13.8
皮膚	C43-C44	182	1.1	76.9	0.5	8.2	0.0	13.2	8.8
乳房	C50	644	3.7	67.2	12.7	3.9	7.3	5.1	16.6
乳房（女性のみ）	C50	636	3.8	67.6	12.3	3.9	7.4	5.0	16.2
子宮	C53-C55	164	6.1	59.8	3.0	9.8	5.5	15.9	12.8
子宮頸部	C53	53	18.9	39.6	3.8	22.6	5.7	9.4	26.4
子宮体部	C54	109	0.0	70.6	2.8	3.7	5.5	17.4	6.4
卵巣	C56	73	0.0	19.2	1.4	21.9	16.4	41.1	23.3
前立腺	C61	722	0.0	65.8	1.2	12.2	11.4	9.4	13.4
膀胱	C67	169	1.2	66.9	1.8	11.8	3.0	15.4	13.6
腎・尿路（膀胱除く）	C64-C66 C68	200	0.5	54.0	2.5	9.5	10.0	23.5	12.0
脳・中枢神経系	C70-C72	37	0.0	75.7	0.0	8.1	0.0	16.2	8.1
甲状腺	C73	114	0.0	50.0	13.2	7.0	8.8	21.1	20.2
悪性リンパ腫	C81-C85 C96	258	0.0	27.1	0.8	10.9	48.4	12.8	11.6
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 DC0、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,899	7.2	45.9	6.1	10.6	15.0	15.1	16.8
食道	C15 D001	179	12.3	40.2	3.9	24.0	8.9	10.6	27.9
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,164	9.6	37.0	10.8	11.2	15.1	16.2	22.0
結腸 *3	C18 D010	798	10.2	36.0	10.2	12.8	15.2	15.8	22.9
直腸 *3	C19-C20 D011-D012	366	8.5	39.3	12.3	7.7	15.0	17.2	19.9
肺	C33-C34 D021-D022	724	1.7	30.9	5.9	7.5	30.4	23.6	13.4
皮膚	C43-C44 D030-D049	202	9.9	70.3	0.5	7.4	0.0	11.9	7.9
乳房	C50 D05	731	12.4	61.3	11.2	3.4	6.4	5.2	14.6
乳房（女性のみ）	C50 D05	722	12.5	61.6	10.8	3.5	6.5	5.1	14.3
子宮	C53-C55 D06	299	44.5	34.1	1.7	5.4	3.0	11.4	7.0
子宮頸部	C53 D06	188	70.7	13.3	1.1	6.4	1.6	6.9	7.4
膀胱	C67 D090	362	23.5	39.0	0.8	5.8	1.4	29.6	6.6

\*1 DCO、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

\*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

## A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	3,626	60.5	11.4	10.8	3.5	13.7	22.3
口腔・咽頭	C00-C14	69	52.2	1.4	26.1	0.0	20.3	27.5
食道	C15	70	71.4	7.1	10.0	0.0	11.4	17.1
胃	C16	478	69.7	10.9	9.6	3.6	6.3	20.5
大腸（結腸・直腸）	C18-C20	743	49.3	22.5	11.6	8.7	7.9	34.1
結腸	C18	520	47.7	20.6	14.0	9.2	8.5	34.6
直腸	C19-C20	223	52.9	26.9	5.8	7.6	6.7	32.7
肝および肝内胆管	C22	116	73.3	2.6	0.9	0.9	22.4	3.4
胆のう・胆管	C23-C24	64	21.9	4.7	51.6	4.7	17.2	56.3
膵臓	C25	63	52.4	7.9	7.9	4.8	27.0	15.9
喉頭	C32	4	50.0	0.0	25.0	0.0	25.0	25.0
肺	C33-C34	329	64.7	8.8	7.6	3.0	15.8	16.4
皮膚	C43-C44	171	83.0	1.8	7.0	0.0	8.2	8.8
乳房	C50	473	71.7	21.1	1.3	0.0	5.9	22.4
乳房（女性のみ）	C50	467	72.4	21.0	1.3	0.0	5.4	22.3
子宮	C53-C55	134	76.1	3.7	14.9	0.7	4.5	18.7
子宮頸部	C53	37	56.8	8.1	27.0	0.0	8.1	35.1
子宮体部	C54	95	85.3	2.1	10.5	1.1	1.1	12.6
卵巣	C56	59	30.5	1.7	57.6	8.5	1.7	59.3
前立腺	C61	246	58.5	0.4	14.6	0.4	26.0	15.0
膀胱	C67	149	45.6	0.7	7.4	2.7	43.6	8.1
腎・尿路（膀胱除く）	C64-C66 C68	149	73.2	0.0	10.7	4.7	11.4	10.7
脳・中枢神経系	C70-C72	25	76.0	0.0	12.0	0.0	12.0	12.0
甲状腺	C73	92	41.3	34.8	9.8	2.2	12.0	44.6
悪性リンパ腫	C81-C85 C96	40	15.0	0.0	5.0	7.5	72.5	5.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

## B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	4,329	15.6	50.7	9.6	9.1	3.0	12.1	18.6
食道	C15 D001	90	21.1	55.6	5.6	7.8	0.0	10.0	13.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	943	21.1	38.8	17.7	9.1	6.9	6.4	26.8
結腸 *3	C18 D010	659	21.1	37.6	16.2	11.1	7.3	6.7	27.3
直腸 *3	C19-C20 D011-D012	284	21.1	41.5	21.1	4.6	6.0	5.6	25.7
肺	C33-C34 D021-D022	351	6.3	60.7	8.3	7.1	2.8	14.8	15.4
皮膚	C43-C44 D030-D049	189	9.0	75.1	1.6	6.3	0.0	7.9	7.9
乳房	C50 D05	557	14.5	60.9	18.0	1.1	0.0	5.6	19.0
乳房 (女性のみ)	C50 D05	550	14.5	61.5	17.8	1.1	0.0	5.1	18.9
子宮	C53-C55 D06	261	46.7	39.1	1.9	7.7	0.4	4.2	9.6
子宮頸部	C53 D06	164	74.4	12.8	1.8	6.1	0.0	4.9	7.9
膀胱	C67 D090	337	51.9	20.2	0.3	3.3	1.2	23.1	3.6

\*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

## A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	6,298	22.7	25.5	8.2	10.7	28.2	12.8	1.7	20.3
口腔・咽頭	C00-C14	167	36.5	0.6	3.0	47.9	49.1	0.6	0.0	16.8
食道	C15	157	1.9	27.4	30.6	22.3	45.2	0.0	0.0	17.2
胃	C16	626	12.5	28.4	35.9	0.0	20.8	0.2	0.0	17.7
大腸（結腸・直腸）	C18-C20	963	12.5	57.4	10.1	3.2	29.8	0.0	0.2	17.4
結腸	C18	658	14.7	55.3	9.7	0.8	27.4	0.0	0.3	19.1
直腸	C19-C20	305	7.5	62.0	10.8	8.5	35.1	0.0	0.0	13.8
肝および肝内胆管	C22	264	7.6	26.9	0.0	3.4	17.4	0.0	22.3	31.4
胆のう・胆管	C23-C24	142	25.4	12.0	1.4	0.0	31.7	0.0	0.0	41.5
膵臓	C25	302	18.5	11.9	0.7	1.3	56.6	0.0	0.3	32.5
喉頭	C32	30	3.3	0.0	6.7	80.0	46.7	0.0	3.3	6.7
肺	C33-C34	702	5.1	34.6	0.0	16.8	30.1	0.1	0.1	25.9
皮膚	C43-C44	182	87.9	0.0	0.0	1.6	3.3	0.0	1.1	11.0
乳房	C50	644	80.1	0.2	0.2	26.6	30.0	60.7	0.0	6.7
乳房（女性のみ）	C50	636	80.3	0.2	0.2	26.4	30.2	60.8	0.0	6.4
子宮	C53-C55	164	30.5	50.0	0.0	3.7	31.1	0.6	0.6	12.8
子宮頸部	C53	53	41.5	24.5	0.0	9.4	45.3	0.0	0.0	18.9
子宮体部	C54	109	24.8	63.3	0.0	0.9	24.8	0.9	0.9	9.2
卵巣	C56	73	76.7	11.0	0.0	0.0	71.2	0.0	0.0	4.1
前立腺	C61	722	2.6	25.6	0.3	12.2	1.8	55.8	0.4	16.8
膀胱	C67	169	8.9	10.7	75.1	7.1	28.4	2.4	16.0	16.0
腎・尿路（膀胱除く）	C64-C66 C68	200	9.5	57.0	0.5	4.5	12.5	0.0	1.5	21.0
脳・中枢神経系	C70-C72	37	59.5	0.0	0.0	48.6	54.1	2.7	5.4	27.0
甲状腺	C73	114	71.9	0.0	0.0	11.4	2.6	3.5	0.9	23.7
悪性リンパ腫	C81-C85 C96	258	4.7	1.2	0.4	9.3	60.9	0.8	1.2	31.8
多発性骨髄腫	C88-C90	60	1.7	0.0	0.0	11.7	68.3	0.0	0.0	30.0
白血病	C91-C95	72	0.0	0.0	0.0	1.4	66.7	0.0	1.4	33.3

\*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	7,028	23.2	24.5	12.8	10.2	25.6	11.7	2.1	18.7
食道	C15 D001	179	1.7	24.0	37.4	19.6	39.7	0.0	0.0	16.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,164	10.7	49.6	23.2	2.7	24.7	0.0	0.2	14.6
結腸 *2	C18 D010	798	12.5	48.0	22.8	0.6	22.7	0.0	0.3	15.9
直腸 *2	C19-C20 D011-D012	366	6.6	53.0	24.0	7.1	29.2	0.0	0.0	11.7
肺	C33-C34 D021-D022	724	5.0	36.6	0.0	16.3	29.1	0.1	0.1	25.1
皮膚	C43-C44 D030-D049	202	87.6	0.0	0.0	1.5	3.5	0.0	1.0	10.9
乳房	C50 D05	731	81.8	0.1	0.1	28.7	26.4	55.3	0.0	6.4
乳房（女性のみ）	C50 D05	722	82.0	0.1	0.1	28.7	26.6	55.4	0.0	6.2
子宮	C53-C55 D06	299	42.8	41.8	1.0	2.0	17.1	0.3	0.7	11.0
子宮頸部	C53 D06	188	53.2	29.8	1.6	2.7	12.8	0.0	0.5	11.7
膀胱	C67 D090	362	5.5	5.5	85.1	3.3	18.8	1.4	18.8	8.8

\*1 DCOを除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

## A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	3,449	86.3	10.4	3.3
口腔・咽頭	C00-C14	67	91.0	6.0	3.0
食道	C15	86	90.7	8.1	1.2
胃	C16	457	92.6	5.5	2.0
大腸（結腸・直腸）	C18-C20	722	89.1	7.8	3.2
結腸	C18	492	88.4	8.3	3.3
直腸	C19-C20	230	90.4	6.5	3.0
肝および肝内胆管	C22	91	89.0	7.7	3.3
胆のう・胆管	C23-C24	55	76.4	21.8	1.8
膵臓	C25	93	89.2	8.6	2.2
喉頭	C32	3	0.0	100.0	0.0
肺	C33-C34	279	93.9	5.4	0.7
皮膚	C43-C44	160	89.4	8.8	1.9
乳房	C50	518	87.1	5.4	7.5
乳房（女性のみ）	C50	513	86.9	5.5	7.6
子宮	C53-C55	132	93.2	3.8	3.0
子宮頸部	C53	35	91.4	5.7	2.9
子宮体部	C54	96	93.8	3.1	3.1
卵巣	C56	64	73.4	23.4	3.1
前立腺	C61	206	75.2	20.9	3.9
膀胱	C67	137	48.2	48.9	2.9
腎・尿路（膀胱除く）	C64-C66 C68	134	93.3	5.2	1.5
脳・中枢神経系	C70-C72	22	63.6	36.4	0.0
甲状腺	C73	82	90.2	8.5	1.2
悪性リンパ腫	C81-C85 C96	16	18.8	62.5	18.8
多発性骨髄腫	C88-C90	1	100.0	0.0	0.0
白血病	C91-C95	0	-	-	-

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	4,140	87.1	9.7	3.3
食道	C15 D001	105	92.4	6.7	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	921	90.7	6.1	3.3
結腸 *2	C18 D010	631	90.3	6.5	3.2
直腸 *2	C19-C20 D011-D012	290	91.4	5.2	3.4
肺	C33-C34 D021-D022	301	94.4	5.0	0.7
皮膚	C43-C44 D030-D049	177	89.8	8.5	1.7
乳房	C50 D05	600	87.0	5.2	7.8
乳房（女性のみ）	C50 D05	594	86.9	5.2	7.9
子宮	C53-C55 D06	254	93.7	4.3	2.0
子宮頸部	C53 D06	157	93.6	5.1	1.3
膀胱	C67 D090	324	67.6	29.9	2.5

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.39	0.38	0.39	4.7	6.0	5.3	2.0	3.1	2.5	85.2	86.2	85.6	81.7	83.1	82.3
口腔・咽頭	C00-C14	0.32	0.27	0.30	0.0	6.3	1.8	0.0	2.1	0.6	99.2	91.7	97.0	97.5	85.4	94.0
食道	C15	0.41	0.43	0.41	2.3	3.6	2.5	0.8	0.0	0.6	96.9	89.3	95.6	96.2	89.3	94.9
胃	C16	0.31	0.44	0.35	5.1	6.1	5.4	2.5	3.6	2.8	94.6	90.4	93.3	94.4	89.8	93.0
大腸（結腸・直腸）	C18-C20	0.36	0.41	0.38	5.1	7.0	6.0	1.9	3.3	2.5	91.6	86.6	89.3	90.1	85.9	88.2
結腸	C18	0.38	0.43	0.40	5.4	8.5	6.9	2.1	3.5	2.8	91.1	84.8	87.9	88.7	83.9	86.3
直腸	C19-C20	0.32	0.35	0.33	4.6	2.6	3.9	1.5	2.6	1.9	92.4	92.1	92.3	92.4	92.1	92.3
肝および肝内胆管	C22	0.72	0.73	0.72	5.2	10.6	6.9	3.1	7.1	4.3	45.5	36.5	42.8	44.5	36.5	42.0
胆のう・胆管	C23-C24	0.85	0.79	0.82	4.1	17.3	11.0	2.7	12.3	7.8	79.5	58.0	68.2	69.9	45.7	57.1
膵臓	C25	0.88	0.75	0.82	8.7	13.0	10.7	3.5	7.5	5.3	68.8	65.8	67.4	62.4	59.6	61.1
喉頭	C32	0.27	-	0.27	0.0	-	0.0	0.0	-	0.0	100.0	-	100.0	100.0	-	100.0
肺	C33-C34	0.62	0.61	0.62	8.0	10.0	8.6	4.0	4.3	4.1	74.5	76.6	75.1	66.5	68.0	66.9
皮膚	C43-C44	0.06	0.08	0.07	0.9	0.0	0.5	0.9	0.0	0.5	97.2	97.3	97.3	97.2	97.3	97.3
乳房	C50	0.00	0.15	0.14	0.0	1.2	1.2	0.0	0.9	0.9	100.0	96.9	96.9	87.5	96.4	96.3
子宮	C53-C55	-	0.29	0.29	-	1.2	1.2	-	0.0	0.0	-	98.2	98.2	-	96.3	96.3
子宮頸部	C53	-	0.36	0.36	-	1.9	1.9	-	0.0	0.0	-	98.1	98.1	-	96.2	96.2
子宮体部	C54	-	0.19	0.19	-	0.9	0.9	-	0.0	0.0	-	98.2	98.2	-	97.2	97.2
卵巣	C56	-	0.37	0.37	-	3.9	3.9	-	3.9	3.9	-	93.4	93.4	-	93.4	93.4
前立腺	C61	0.15	-	0.15	2.7	-	2.7	1.2	-	1.2	88.0	-	88.0	86.5	-	86.5
膀胱	C67	0.26	0.36	0.29	2.5	4.0	2.9	1.7	0.0	1.2	90.1	92.0	90.6	81.8	76.0	80.1
腎・尿路（膀胱除く）	C64-C66 C68	0.41	0.33	0.38	2.2	7.2	3.9	0.7	4.3	2.0	83.7	75.4	80.9	78.5	73.9	77.0
脳・中枢神経系	C70-C72	0.50	0.81	0.63	0.0	6.3	2.6	0.0	6.3	2.6	68.2	75.0	71.1	68.2	75.0	71.1
甲状腺	C73	0.11	0.05	0.07	0.0	0.0	0.0	0.0	0.0	0.0	94.7	96.1	95.6	73.7	86.8	82.5
悪性リンパ腫	C81-C85 C96	0.38	0.44	0.40	6.8	6.0	6.5	2.1	0.9	1.5	90.4	89.7	90.1	87.0	89.7	88.2
多発性骨髄腫	C88-C90	0.30	0.48	0.37	0.0	24.0	9.7	0.0	8.0	3.2	97.3	80.0	90.3	91.9	72.0	83.9
白血病	C91-C95	0.70	0.60	0.66	15.9	13.3	14.9	2.3	3.3	2.7	90.9	96.7	93.2	65.9	76.7	70.3

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.36	0.34	0.35	4.3	5.3	4.7	1.8	2.7	2.2	86.5	87.8	87.1	83.2	85.1	84.0
食道	C15 D001	0.37	0.34	0.36	2.1	2.9	2.2	0.7	0.0	0.6	97.2	91.4	96.1	96.6	91.4	95.6
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.29	0.35	0.32	4.1	6.0	5.0	1.5	2.8	2.1	93.2	88.5	91.1	91.9	88.0	90.2
結腸 *2	C18 D010	0.30	0.37	0.33	4.3	7.3	5.8	1.7	3.0	2.3	92.9	86.9	90.0	91.0	86.1	88.6
直腸 *2	C19-C20 D011-D012	0.27	0.30	0.28	3.8	2.2	3.2	1.3	2.2	1.6	93.7	93.3	93.5	93.7	93.3	93.5
肺	C33-C34 D021-D022	0.61	0.57	0.60	7.9	9.3	8.4	3.9	4.0	4.0	74.8	78.1	75.9	66.9	70.0	67.9
皮膚	C43-C44 D030-D049	0.05	0.07	0.06	0.8	0.0	0.5	0.8	0.0	0.5	97.5	97.6	97.5	97.5	97.6	97.5
乳房	C50 D05	0.00	0.13	0.13	0.0	1.1	1.1	0.0	0.8	0.8	100.0	97.3	97.3	88.9	96.8	96.7
子宮	C53-C55 D06	-	0.16	0.16	-	1.0	1.0	-	0.0	0.0	-	99.0	99.0	-	97.7	97.7
子宮頸部	C53 D06	-	0.10	0.10	-	1.1	1.1	-	0.0	0.0	-	99.5	99.5	-	98.4	98.4
膀胱	C67 D090	0.11	0.22	0.13	1.1	2.4	1.4	0.7	0.0	0.5	95.7	95.1	95.6	91.1	85.4	89.8

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

山梨県

2022年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,460	1,048	2,508	100.0	100.0	100.0	379.2	263.3	320.3	128.8	79.4	101.3	88.1	55.7	70.1	8.8	5.4	7.1
口腔・咽頭	C00-C14	38	13	51	2.6	1.2	2.0	9.9	3.3	6.5	3.2	0.6	1.8	2.1	0.4	1.2	0.3	0.0	0.1
食道	C15	53	12	65	3.6	1.1	2.6	13.8	3.0	8.3	5.3	1.3	3.2	3.6	1.0	2.2	0.4	0.1	0.3
胃	C16	137	86	223	9.4	8.2	8.9	35.6	21.6	28.5	11.7	4.8	8.0	8.0	3.2	5.4	0.8	0.3	0.5
大腸（結腸・直腸）	C18-C20	190	185	375	13.0	17.7	15.0	49.4	46.5	47.9	18.1	12.3	15.0	12.5	8.5	10.4	1.4	0.8	1.1
結腸	C18	126	145	271	8.6	13.8	10.8	32.7	36.4	34.6	11.7	9.2	10.4	8.1	6.2	7.2	1.0	0.5	0.7
直腸	C19-C20	64	40	104	4.4	3.8	4.1	16.6	10.1	13.3	6.4	3.1	4.6	4.4	2.3	3.3	0.5	0.2	0.4
肝および肝内胆管	C22	138	62	200	9.5	5.9	8.0	35.8	15.6	25.5	11.2	4.3	7.4	7.4	3.1	5.0	0.8	0.2	0.5
胆のう・胆管	C23-C24	62	64	126	4.2	6.1	5.0	16.1	16.1	16.1	4.5	4.1	4.2	2.9	2.9	2.8	0.2	0.2	0.2
膵臓	C25	153	109	262	10.5	10.4	10.4	39.7	27.4	33.5	14.8	7.2	10.8	10.3	4.6	7.3	1.1	0.4	0.8
喉頭	C32	8	0	8	0.5	0.0	0.3	2.1	0.0	1.0	0.6	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	310	141	451	21.2	13.5	18.0	80.5	35.4	57.6	26.1	9.3	17.0	17.1	6.3	11.2	1.6	0.6	1.1
皮膚	C43-C44	6	6	12	0.4	0.6	0.5	1.6	1.5	1.5	0.8	0.7	0.7	0.6	0.5	0.5	0.0	0.1	0.1
乳房	C50	0	94	94	0.0	9.0	3.7	0.0	23.6	12.0	0.0	11.2	5.7	0.0	8.2	4.1	0.0	0.9	0.5
子宮	C53-C55	-	48	48	-	4.6	1.9	-	12.1	-	-	5.4	-	-	4.1	-	-	0.5	-
子宮頸部	C53	-	19	19	-	1.8	0.8	-	4.8	-	-	2.3	-	-	1.8	-	-	0.2	-
子宮体部	C54	-	21	21	-	2.0	0.8	-	5.3	-	-	2.6	-	-	1.9	-	-	0.2	-
卵巣	C56	-	28	28	-	2.7	1.1	-	7.0	-	-	4.2	-	-	3.2	-	-	0.3	-
前立腺	C61	107	-	107	7.3	-	4.3	27.8	-	-	7.0	-	-	4.6	-	-	0.3	-	-
膀胱	C67	31	18	49	2.1	1.7	2.0	8.1	4.5	6.3	2.3	1.1	1.6	1.5	0.7	1.1	0.1	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	55	23	78	3.8	2.2	3.1	14.3	5.8	10.0	4.2	1.0	2.4	2.8	0.6	1.6	0.3	0.0	0.1
脳・中枢神経系	C70-C72	11	13	24	0.8	1.2	1.0	2.9	3.3	3.1	1.9	1.3	1.6	1.6	0.9	1.3	0.2	0.1	0.1
甲状腺	C73	4	4	8	0.3	0.4	0.3	1.0	1.0	1.0	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	55	51	106	3.8	4.9	4.2	14.3	12.8	13.5	4.5	3.2	3.8	3.0	2.1	2.5	0.3	0.1	0.2
多発性骨髄腫	C88-C90	11	12	23	0.8	1.1	0.9	2.9	3.0	2.9	0.9	0.6	0.8	0.6	0.4	0.5	0.1	0.0	0.0
白血病	C91-C95	31	18	49	2.1	1.7	2.0	8.1	4.5	6.3	3.9	1.7	2.8	3.3	1.2	2.2	0.3	0.1	0.2

\*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,460	0	1	2	0	0	4	0	4	5	6	20	36	72	124	223	237	264	266	152	42	2	0
	口腔・咽頭	C00-C14	38	0	0	0	0	0	0	0	0	0	0	1	0	2	1	11	8	6	6	0	3	0	0
	食道	C15	53	0	0	0	0	0	0	0	0	0	0	0	5	5	2	12	12	9	3	3	2	0	0
	胃	C16	137	0	0	0	0	0	0	0	0	2	1	4	8	11	17	23	23	31	13	4	0	0	0
	大腸（結腸・直腸）	C18-C20	190	0	0	0	0	0	0	0	0	1	1	3	6	16	17	38	35	24	26	18	5	0	0
	結腸	C18	126	0	0	0	0	0	0	0	0	1	1	1	3	10	11	28	20	16	19	14	2	0	0
	直腸	C19-C20	64	0	0	0	0	0	0	0	0	0	0	2	3	6	6	10	15	8	7	4	3	0	0
	肝および肝内胆管	C22	138	0	0	0	0	0	0	0	0	0	0	0	5	5	13	21	17	30	29	14	4	0	0
	胆のう・胆管	C23-C24	62	0	0	0	0	0	0	0	0	0	1	0	0	1	3	9	10	12	14	9	3	0	0
	膵臓	C25	153	0	0	0	0	0	0	0	0	1	1	5	4	11	19	22	26	25	26	11	2	0	0
	喉頭	C32	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	2	0	0	0	0
	肺	C33-C34	310	0	0	0	0	0	0	0	1	1	0	4	8	8	29	43	59	60	52	39	5	1	0
	皮膚	C43-C44	6	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	1	0	2	0	0	0
	乳房	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	前立腺	C61	107	0	0	0	0	0	1	0	0	0	0	0	0	0	5	11	10	23	35	14	8	0	0
	膀胱	C67	31	0	0	0	0	0	0	0	0	0	0	2	0	1	0	4	3	8	8	4	0	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	55	0	0	0	0	0	0	0	0	0	0	2	0	2	3	8	7	8	12	12	1	0	0
	脳・中枢神経系	C70-C72	11	0	0	1	0	0	0	0	0	2	0	0	0	1	1	3	1	1	0	0	1	0	0
	甲状腺	C73	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	0	0
	悪性リンパ腫	C81-C85 C96	55	0	0	0	0	0	0	0	0	0	0	0	0	2	9	8	6	13	10	4	3	0	0
	多発性骨髄腫	C88-C90	11	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	4	2	0	0	0	0
	白血病	C91-C95	31	0	1	0	0	0	1	0	1	0	0	1	2	2	2	6	3	4	3	4	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,048	0	0	1	0	0	1	2	5	8	13	31	36	52	55	98	132	182	178	180	64	9	1
	口腔・咽頭	C00-C14	13	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2	2	3	3	0	0
	食道	C15	12	0	0	0	0	0	0	0	0	0	0	2	1	1	1	1	1	2	2	1	0	0	0
	胃	C16	86	0	0	0	0	0	0	0	0	0	0	0	3	1	7	9	8	11	20	20	6	1	0
	大腸（結腸・直腸）	C18-C20	185	0	0	0	0	0	0	0	1	1	3	4	6	5	10	13	22	27	35	44	14	0	0
	結腸	C18	145	0	0	0	0	0	0	0	1	1	2	2	6	1	7	10	17	24	27	36	11	0	0
	直腸	C19-C20	40	0	0	0	0	0	0	0	0	0	1	2	0	4	3	3	5	3	8	8	3	0	0
	肝および肝内胆管	C22	62	0	0	1	0	0	0	0	0	1	1	0	0	2	3	5	7	18	11	11	2	0	0
	胆のう・胆管	C23-C24	64	0	0	0	0	0	0	0	0	2	0	1	3	3	0	4	4	10	16	18	3	0	0
	膵臓	C25	109	0	0	0	0	0	0	0	0	0	0	1	2	6	6	9	19	31	11	15	9	0	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	141	0	0	0	0	0	0	0	0	0	2	4	3	6	5	14	20	28	27	22	8	1	1
	皮膚	C43-C44	6	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	1	2	0
	乳房	C50	94	0	0	0	0	0	0	0	1	3	3	6	5	9	10	15	17	9	8	6	1	1	0
	子宮	C53-C55	48	0	0	0	0	0	0	0	0	0	2	5	2	6	5	8	6	3	4	5	1	1	0
	子宮頸部	C53	19	0	0	0	0	0	0	0	0	0	1	2	1	3	2	4	2	0	1	2	1	0	0
	子宮体部	C54	21	0	0	0	0	0	0	0	0	0	1	3	1	2	2	3	4	3	0	1	0	1	0
	卵巣	C56	28	0	0	0	0	0	0	1	2	1	1	2	1	4	1	3	3	5	1	2	1	0	0
	膀胱	C67	18	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3	0	3	6	3	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	23	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	4	6	6	3	1	0
	脳・中枢神経系	C70-C72	13	0	0	0	0	0	0	0	0	0	0	1	1	0	1	4	3	2	1	0	0	0	0
	甲状腺	C73	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0
	悪性リンパ腫	C81-C85 C96	51	0	0	0	0	0	0	1	0	0	0	1	1	1	2	1	8	13	12	7	3	1	0
	多発性骨髄腫	C88-C90	12	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	1	5	1	1	0	0
	白血病	C91-C95	18	0	0	0	0	0	0	0	0	0	0	2	2	2	0	1	0	4	2	4	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	2,508	0	1	3	0	0	5	2	9	13	19	51	72	124	179	321	369	446	444	332	106	11	1
	口腔・咽頭	C00-C14	51	0	0	0	0	0	0	0	0	0	0	1	0	3	1	12	9	8	8	3	6	0	0
	食道	C15	65	0	0	0	0	0	0	0	0	0	0	2	6	6	3	13	13	11	5	4	2	0	0
	胃	C16	223	0	0	0	0	0	0	0	0	0	2	1	7	9	18	26	31	34	51	33	10	1	0
	大腸（結腸・直腸）	C18-C20	375	0	0	0	0	0	0	0	1	2	4	7	12	21	27	51	57	51	61	62	19	0	0
	結腸	C18	271	0	0	0	0	0	0	0	1	2	3	3	9	11	18	38	37	40	46	50	13	0	0
	直腸	C19-C20	104	0	0	0	0	0	0	0	0	0	1	4	3	10	9	13	20	11	15	12	6	0	0
	肝および肝内胆管	C22	200	0	0	1	0	0	0	0	0	1	1	0	5	7	16	26	24	48	40	25	6	0	0
	胆のう・胆管	C23-C24	126	0	0	0	0	0	0	0	0	2	1	1	3	4	3	13	14	22	30	27	6	0	0
	膵臓	C25	262	0	0	0	0	0	0	0	0	1	1	6	6	17	25	31	45	56	37	26	11	0	0
	喉頭	C32	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	2	0	0	0	0
	肺	C33-C34	451	0	0	0	0	0	0	0	1	1	2	8	11	14	34	57	79	88	79	61	13	2	1
	皮膚	C43-C44	12	0	0	0	0	0	0	0	1	0	0	0	2	2	0	0	1	1	0	2	1	2	0
	乳房	C50	94	0	0	0	0	0	0	0	1	3	3	6	5	9	10	15	17	9	8	6	1	1	0
	子宮	C53-C55	48	0	0	0	0	0	0	0	0	0	2	5	2	6	5	8	6	3	4	5	1	1	0
	子宮頸部	C53	19	0	0	0	0	0	0	0	0	0	1	2	1	3	2	4	2	0	1	2	1	0	0
	子宮体部	C54	21	0	0	0	0	0	0	0	0	0	1	3	1	2	2	3	4	3	0	1	0	1	0
	卵巣	C56	28	0	0	0	0	0	0	1	2	1	1	2	1	4	1	3	3	5	1	2	1	0	0
	前立腺	C61	107	0	0	0	0	0	1	0	0	0	0	0	0	0	5	11	10	23	35	14	8	0	0
	膀胱	C67	49	0	0	0	0	0	0	0	0	0	0	3	1	1	0	7	3	11	14	7	1	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	78	0	0	0	0	0	0	0	0	0	0	2	1	2	4	8	8	12	18	18	4	1	0
	脳・中枢神経系	C70-C72	24	0	0	1	0	0	0	0	0	2	0	1	1	1	2	7	4	3	1	0	1	0	0
	甲状腺	C73	8	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	1	2	0	0	0
	悪性リンパ腫	C81-C85 C96	106	0	0	0	0	0	0	1	0	0	0	1	1	3	11	9	14	26	22	11	6	1	0
	多発性骨髄腫	C88-C90	23	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	5	5	7	1	1	0	0
	白血病	C91-C95	49	0	1	0	0	0	1	0	1	0	0	3	4	4	2	7	3	8	5	8	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	379.2	0.0	6.7	11.8	0.0	0.0	22.2	0.0	19.0	21.7	21.4	66.7	133.3	276.9	459.3	719.4	1,077.3	1,552.9	2,887.5	.
	口腔・咽頭	C00-C14	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	7.7	3.7	35.5	36.4	35.3	56.3	.
	食道	C15	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	19.2	7.4	38.7	54.5	52.9	50.0	.
	胃	C16	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.3	14.8	30.8	40.7	54.8	104.5	135.3	300.0	.
	大腸（結腸・直腸）	C18-C20	49.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	10.0	22.2	61.5	63.0	122.6	159.1	141.2	306.3	.
	結腸	C18	32.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	3.3	11.1	38.5	40.7	90.3	90.9	94.1	218.8	.
	直腸	C19-C20	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	11.1	23.1	22.2	32.3	68.2	47.1	87.5	.
	肝および肝内胆管	C22	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	19.2	48.1	67.7	77.3	176.5	293.8	.
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	3.8	11.1	29.0	45.5	70.6	162.5	.
	膵臓	C25	39.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	16.7	14.8	42.3	70.4	71.0	118.2	147.1	243.8	.
	喉頭	C32	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.1	17.6	12.5	.
	肺	C33-C34	80.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.3	0.0	13.3	29.6	30.8	107.4	138.7	268.2	352.9	606.3	.
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	3.8	0.0	0.0	4.5	5.9	12.5	.
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.
	前立腺	C61	27.8	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	35.5	45.5	135.3	356.3	.
	膀胱	C67	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	3.8	0.0	12.9	13.6	47.1	81.3	.
	腎・尿路（膀胱除く）	C64-C66 C68	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	7.7	11.1	25.8	31.8	47.1	156.3	.
	脳・中枢神経系	C70-C72	2.9	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	8.7	0.0	0.0	0.0	3.8	3.7	9.7	4.5	5.9	6.3	.
	甲状腺	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	4.5	5.9	6.3	.	
	悪性リンパ腫	C81-C85 C96	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	33.3	25.8	27.3	76.5	106.3	.	
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	3.2	9.1	23.5	12.5	.	
	白血病	C91-C95	8.1	0.0	6.7	0.0	0.0	0.0	5.6	0.0	4.8	0.0	0.0	3.3	7.4	7.7	7.4	19.4	13.6	23.5	50.0	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	263.3	0.0	0.0	6.3	0.0	0.0	6.7	11.8	26.3	36.4	48.1	110.7	138.5	200.0	203.7	297.0	528.0	827.3	1,346.9	.
	口腔・咽頭	C00-C14	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	3.0	4.0	9.1	25.0	.
	食道	C15	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.8	3.8	3.7	3.0	4.0	9.1	9.4	.
	胃	C16	21.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	3.8	25.9	27.3	32.0	50.0	146.9	.
	大腸（結腸・直腸）	C18-C20	46.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	4.5	11.1	14.3	23.1	19.2	37.0	39.4	88.0	122.7	290.6	.
	結腸	C18	36.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	4.5	7.4	7.1	23.1	3.8	25.9	30.3	68.0	109.1	231.3	.
	直腸	C19-C20	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.1	0.0	15.4	11.1	9.1	20.0	13.6	59.4	.
	肝および肝内胆管	C22	15.6	0.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0	4.5	3.7	0.0	0.0	7.7	11.1	15.2	28.0	81.8	75.0	.
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	3.6	11.5	11.5	0.0	12.1	16.0	45.5	115.6	.
	膵臓	C25	27.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	7.7	23.1	22.2	27.3	76.0	140.9	109.4	.
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.
	肺	C33-C34	35.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	14.3	11.5	23.1	18.5	42.4	80.0	127.3	181.3	.
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	3.8	0.0	0.0	0.0	0.0	9.4	.
	乳房	C50	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	13.6	11.1	21.4	19.2	34.6	37.0	45.5	68.0	40.9	50.0	.
	子宮	C53-C55	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	17.9	7.7	23.1	18.5	24.2	24.0	13.6	34.4	.
	子宮頸部	C53	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.1	3.8	11.5	7.4	12.1	8.0	0.0	12.5	.
	子宮体部	C54	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	10.7	3.8	7.7	7.4	9.1	16.0	13.6	6.3	.
	卵巣	C56	7.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	10.5	4.5	3.7	7.1	3.8	15.4	3.7	9.1	12.0	22.7	12.5	.
	膀胱	C67	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.8	0.0	0.0	9.1	0.0	13.6	31.3	.
	腎・尿路（膀胱除く）	C64-C66 C68	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	3.7	0.0	4.0	18.2	50.0	.
	脳・中枢神経系	C70-C72	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.8	0.0	3.7	12.1	12.0	9.1	3.1	.
	甲状腺	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.5	6.3	.
	悪性リンパ腫	C81-C85 C96	12.8	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	3.6	3.8	3.8	7.4	3.0	32.0	59.1	71.9	.
	多発性骨髄腫	C88-C90	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	12.0	4.5	21.9	.
	白血病	C91-C95	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	7.7	7.7	0.0	3.0	0.0	18.2	21.9	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	320.3	0.0	3.3	9.1	0.0	0.0	15.2	5.7	22.5	28.9	34.5	87.9	135.8	238.5	331.5	501.6	785.1	1,143.6	1,860.4	.
	口腔・咽頭	C00-C14	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	5.8	1.9	18.8	19.1	20.5	35.4	.
	食道	C15	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	11.3	11.5	5.6	20.3	27.7	28.2	22.9	.
	胃	C16	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.7	13.2	17.3	33.3	40.6	66.0	87.2	197.9	.
	大腸（結腸・直腸）	C18-C20	47.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.4	7.3	12.1	22.6	40.4	50.0	79.7	121.3	130.8	295.8	.
	結腸	C18	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.4	5.5	5.2	17.0	21.2	33.3	59.4	78.7	102.6	227.1	.
	直腸	C19-C20	13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	6.9	5.7	19.2	16.7	20.3	42.6	28.2	68.8	.
	肝および肝内胆管	C22	25.5	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	2.2	1.8	0.0	9.4	13.5	29.6	40.6	51.1	123.1	147.9	.
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	1.8	1.7	5.7	7.7	5.6	20.3	29.8	56.4	131.3	.
	膵臓	C25	33.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.8	10.3	11.3	32.7	46.3	48.4	95.7	143.6	154.2	.
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.3	7.7	4.2	.
	肺	C33-C34	57.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.2	3.6	13.8	20.8	26.9	63.0	89.1	168.1	225.6	322.9	.
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	3.8	3.8	0.0	0.0	2.1	2.6	10.4	.
	乳房	C50	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	6.7	5.5	10.3	9.4	17.3	18.5	23.4	36.2	23.1	33.3	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	1.9	1.9	0.0	10.9	6.4	28.2	47.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.9	3.8	7.4	12.5	17.0	30.8	85.4	.
	脳・中枢神経系	C70-C72	3.1	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	1.7	1.9	1.9	3.7	10.9	8.5	7.7	4.2	.
	甲状腺	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	4.3	5.1	6.3	.
	悪性リンパ腫	C81-C85 C96	13.5	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	1.7	1.9	5.8	20.4	14.1	29.8	66.7	83.3	.
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.7	1.6	10.6	12.8	18.8	.
	白血病	C91-C95	6.3	0.0	3.3	0.0	0.0	0.0	3.0	0.0	2.5	0.0	0.0	5.2	7.5	7.7	3.7	10.9	6.4	20.5	31.3	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2022年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	3,719	4	1	0	0	1	3	9	20	21	40	106	164	294	460	748	667	577	392	154	54	4	0
	甲府市	786	0	*	0	0	0	*	*	*	*	10	23	40	54	85	127	133	136	110	45	*	*	0
	富士吉田市	235	0	0	0	0	0	0	0	*	*	*	*	15	25	37	43	41	35	17	10	*	0	0
	都留市	116	0	0	0	0	0	0	0	0	*	*	*	11	10	12	23	19	14	13	*	*	0	0
	山梨市	136	0	0	0	0	0	0	0	0	*	*	*	*	10	12	25	20	24	13	*	*	0	0
	大月市	134	0	0	0	0	0	0	0	0	0	0	*	*	12	23	19	26	21	15	*	*	0	0
	韮崎市	139	*	0	0	0	*	*	*	*	*	*	*	*	15	18	31	27	19	*	*	*	0	0
	南アルプス市	310	0	0	0	0	0	0	0	*	0	*	10	*	29	41	61	71	41	28	*	*	0	0
	北杜市	300	0	0	0	0	0	0	0	*	0	*	*	*	19	36	74	63	37	35	13	*	0	0
	甲斐市	312	0	0	0	0	0	0	*	*	*	*	*	18	21	34	68	63	50	29	*	*	0	0
	笛吹市	332	*	0	0	0	0	*	*	*	*	*	*	13	26	37	60	59	57	38	*	*	0	0
	上野原市	131	0	0	0	0	0	0	*	0	0	0	*	*	*	19	30	20	23	*	*	*	0	0
	甲州市	151	0	0	0	0	0	0	0	0	0	*	*	*	13	17	33	20	37	13	*	*	0	0
	中央市	138	*	0	0	0	0	0	0	0	*	*	*	*	*	22	34	23	17	15	*	0	0	0
	市川三郷町	80	0	0	0	0	0	0	0	0	0	0	*	*	*	14	17	*	15	12	*	0	*	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	*	0	0	0	0	0
	身延町	58	0	0	0	0	0	0	0	0	*	0	0	*	*	*	15	*	10	*	*	*	0	0
	南部町	47	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	13	*	*	0	0	0	0
	富士川町	68	0	0	0	0	0	0	0	0	0	*	*	*	*	11	18	15	*	*	*	*	0	0
	昭和町	68	0	0	0	0	0	0	0	0	0	0	*	*	*	*	18	*	12	*	*	*	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	*	*	*	0	0	0	0
	西桂町	14	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	*	*	0	0
	忍野村	30	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	24	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	0	*	*	*	0	0	0
	鳴沢村	21	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	0	0	0	0	0
	富士河口湖町	73	*	0	0	0	0	0	*	0	0	0	*	*	*	14	18	14	*	*	*	0	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	*	0	0	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2022年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	2,738	1	0	0	3	5	9	16	43	81	123	182	163	203	251	399	385	336	276	180	72	10	0
	甲府市	678	*	0	0	0	*	*	*	13	14	28	53	39	41	54	97	96	95	71	46	22	*	0
	富士吉田市	133	0	0	0	0	0	0	*	*	*	*	10	*	*	12	25	23	16	*	*	*	0	0
	都留市	100	0	0	0	0	0	0	*	*	*	*	*	*	*	*	12	17	10	*	*	*	0	0
	山梨市	115	0	0	0	0	*	*	0	*	*	*	*	*	10	14	10	16	13	10	13	*	0	0
	大月市	89	0	0	0	0	0	0	*	*	*	*	*	*	*	*	17	12	10	14	*	*	0	0
	韮崎市	86	0	0	0	0	0	0	0	*	*	*	*	*	*	*	12	14	12	12	*	*	0	0
	南アルプス市	199	0	0	0	*	0	*	*	*	13	14	13	11	20	27	26	20	15	18	*	*	*	0
	北杜市	210	0	0	0	0	0	0	0	*	*	*	*	*	20	24	39	33	30	16	14	*	*	0
	甲斐市	225	0	0	0	0	0	*	0	*	13	12	19	10	16	18	33	38	28	16	*	*	0	0
	笛吹市	215	0	0	0	0	0	0	*	*	*	11	15	13	17	18	30	37	21	20	14	*	0	0
	上野原市	84	0	0	0	0	0	0	*	0	*	*	*	*	*	*	12	*	14	10	*	*	0	0
	甲州市	102	0	0	0	*	0	*	0	*	*	*	*	*	*	*	10	12	20	10	14	*	*	*
	中央市	94	0	0	0	0	0	*	0	*	*	*	*	*	10	*	14	*	13	10	*	*	0	0
	市川三郷町	56	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	0	0
	身延町	58	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	13	*	*	0	0
	南部町	25	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	0	0
	富士川町	45	0	0	0	0	*	0	0	*	*	0	*	*	*	*	10	*	10	*	*	0	0	0
	昭和町	56	0	0	0	*	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	*	*	*	0	0	0	0
	西桂町	13	0	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	*	*	*	0	0
	忍野村	22	0	0	0	0	0	0	0	0	0	*	*	0	0	*	*	*	0	*	*	0	0	0
	山中湖村	20	0	0	0	0	0	0	*	0	0	0	*	*	*	*	*	*	*	0	*	0	0	0
	鳴沢村	12	0	0	0	0	0	0	*	*	0	0	0	0	*	*	*	*	0	*	*	*	*	0
	富士河口湖町	87	0	0	0	0	0	0	*	0	*	*	*	*	*	*	16	11	*	*	*	*	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2022年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数注2	山梨	6,457	5	1	0	3	6	12	25	63	102	163	288	327	497	711	1,147	1,052	913	668	334	126	14	0
	甲府市	1,464	*	*	0	0	*	*	*	17	19	38	76	79	95	139	224	229	231	181	91	30	*	0
	富士吉田市	368	0	0	0	0	0	0	*	*	*	*	16	23	33	49	68	64	51	25	16	*	0	0
	都留市	216	0	0	0	0	0	0	*	*	*	*	16	20	18	20	35	36	24	22	10	*	0	0
	山梨市	251	0	0	0	0	*	*	0	*	*	*	*	16	20	26	35	36	37	23	22	*	0	0
	大月市	223	0	0	0	0	0	0	*	*	*	*	*	10	18	28	36	38	31	29	15	*	0	0
	韮崎市	225	*	0	0	0	*	*	*	*	*	*	*	10	19	27	43	41	31	18	11	*	0	0
	南アルプス市	509	0	0	0	*	0	*	*	*	13	19	23	19	49	68	87	91	56	46	18	*	*	0
	北杜市	510	0	0	0	0	0	0	0	*	*	*	14	16	39	60	113	96	67	51	27	12	*	0
	甲斐市	537	0	0	0	0	0	*	*	14	14	16	26	28	37	52	101	101	78	45	12	10	0	0
	笛吹市	547	*	0	0	0	0	*	*	*	13	19	24	26	43	55	90	96	78	58	22	13	0	0
	上野原市	215	0	0	0	0	0	0	*	0	*	*	*	15	15	27	42	29	37	18	15	*	0	0
	甲州市	253	0	0	0	*	0	*	0	*	*	*	11	*	16	27	45	40	47	27	14	*	*	0
	中央市	232	*	0	0	0	0	*	0	*	*	10	12	11	18	28	48	31	30	25	11	*	0	0
	市川三郷町	136	0	0	0	0	0	0	0	0	0	*	*	*	*	23	25	18	20	18	*	0	*	0
	早川町	11	0	0	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	0	0	0	0
	身延町	116	0	0	0	0	0	0	0	*	*	0	*	*	*	*	22	14	15	22	*	*	0	0
	南部町	72	0	0	0	0	0	0	0	0	0	*	*	*	*	*	13	14	*	*	*	*	0	0
	富士川町	113	0	0	0	0	*	0	0	*	*	*	*	*	*	13	28	18	19	*	*	*	0	0
	昭和町	124	0	0	0	*	0	0	*	*	*	*	*	*	*	10	23	11	21	14	*	*	*	0
	道志村	11	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	*	*	0	0	0	0
	西桂町	27	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	0	0
	忍野村	52	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	44	0	0	0	0	0	0	*	0	0	0	*	*	*	*	12	*	*	*	*	0	0	0
	鳴沢村	33	0	0	0	0	0	0	*	*	0	0	*	0	*	*	10	*	*	*	*	*	*	0
	富士河口湖町	160	*	0	0	0	0	0	*	0	*	*	*	*	*	23	34	25	16	14	10	*	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	*	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	*	0	*	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2022年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	4,068	4	1	0	0	1	4	11	21	23	47	124	186	325	515	820	737	611	415	162	57	4	0
	甲府市	873	0	*	0	0	0	*	*	*	*	10	31	45	61	95	148	153	142	116	46	10	*	0
	富士吉田市	259	0	0	0	0	0	0	0	*	*	*	*	17	26	39	45	49	36	20	12	*	0	0
	都留市	124	0	0	0	0	0	0	*	0	*	*	*	11	11	13	25	19	16	13	*	*	0	0
	山梨市	146	0	0	0	0	0	0	0	0	*	*	*	*	11	14	28	22	24	14	*	*	0	0
	大月市	146	0	0	0	0	0	0	0	0	0	0	*	*	15	26	22	28	22	15	*	*	0	0
	韮崎市	157	*	0	0	0	*	*	*	*	*	*	*	*	15	18	36	31	23	*	*	*	0	0
	南アルプス市	333	0	0	0	0	0	0	0	*	0	*	11	10	31	44	65	76	46	28	*	*	0	0
	北杜市	323	0	0	0	0	0	0	0	*	0	*	*	*	22	43	81	66	38	36	14	*	0	0
	甲斐市	348	0	0	0	0	0	*	*	*	*	*	*	18	24	40	74	70	55	30	*	*	0	0
	笛吹市	361	*	0	0	0	0	*	*	*	*	*	*	16	28	43	65	63	62	41	*	*	0	0
	上野原市	142	0	0	0	0	0	0	*	0	0	*	*	11	10	19	32	22	24	*	*	*	0	0
	甲州市	161	0	0	0	0	0	0	0	0	0	*	*	*	14	21	35	21	37	13	*	*	0	0
	中央市	151	*	0	0	0	0	0	0	0	*	*	*	*	11	26	35	26	17	16	*	0	0	0
	市川三郷町	84	0	0	0	0	0	0	0	0	0	*	*	*	*	14	17	10	15	12	*	0	*	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	*	0	0	0	0	0
	身延町	61	0	0	0	0	0	0	0	0	*	0	0	*	*	*	17	*	10	*	*	*	0	0
	南部町	49	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	13	*	*	*	0	0	0
	富士川町	75	0	0	0	0	0	0	0	0	0	*	*	*	*	11	19	19	*	*	*	*	0	0
	昭和町	74	0	0	0	0	0	0	0	0	0	0	*	*	*	*	19	*	13	*	*	*	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	*	0	*	0	0	0	*	*	*	0	0	0	0
	西桂町	19	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	*	*	0	0
	忍野村	31	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	山中湖村	27	0	0	0	0	0	0	0	0	0	0	*	0	*	*	11	0	*	*	*	0	0	0
	鳴沢村	22	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	0	0	0	0	0
	富士河口湖町	85	*	0	0	0	0	0	*	0	0	0	*	*	*	16	20	14	*	*	*	0	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	*	0	0	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2022年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	3,119	1	0	0	3	9	17	45	62	120	172	206	182	232	283	444	423	359	288	189	74	10	0
	甲府市	786	*	0	0	0	*	*	11	19	25	39	60	43	46	65	107	112	102	77	48	23	*	0
	富士吉田市	151	0	0	0	0	0	0	*	*	10	*	10	*	10	15	27	24	17	*	*	*	0	0
	都留市	106	0	0	0	0	0	0	*	*	*	*	*	*	*	*	13	18	10	*	*	*	0	0
	山梨市	128	0	0	0	0	*	*	*	*	*	*	*	*	*	12	14	12	17	13	11	14	*	0
	大月市	97	0	0	0	0	0	0	*	*	*	*	*	*	*	*	17	12	11	14	*	*	0	0
	韮崎市	97	0	0	0	0	0	0	0	*	*	*	*	*	*	10	15	16	12	12	*	*	0	0
	南アルプス市	235	0	0	0	*	0	*	*	*	17	20	14	15	22	30	31	21	17	19	11	*	*	0
	北杜市	235	0	0	0	0	0	0	*	*	12	*	10	10	23	25	41	36	31	16	14	*	*	0
	甲斐市	274	0	0	0	0	*	*	*	15	19	17	21	10	17	20	39	44	30	17	*	*	0	0
	笛吹市	237	0	0	0	0	0	0	*	*	11	16	18	14	18	19	33	39	22	21	14	*	0	0
	上野原市	95	0	0	0	0	0	0	*	0	*	*	*	*	*	10	12	*	17	11	*	*	0	0
	甲州市	117	0	0	0	*	0	*	*	*	*	*	*	*	*	12	15	20	11	14	*	*	*	0
	中央市	109	0	0	0	0	0	*	0	*	*	11	*	10	11	*	17	*	14	10	*	*	0	0
	市川三郷町	62	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	0	0
	身延町	64	0	0	0	0	0	*	0	*	0	0	*	*	*	*	*	*	*	13	*	*	0	0
	南部町	27	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	0	0
	富士川町	53	0	0	0	0	*	0	*	*	*	*	*	*	*	*	10	*	10	*	*	0	0	0
	昭和町	67	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	10	*	*	*	*	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	*	*	*	0	0	0	0
	西桂町	13	0	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	*	*	*	0	0
	忍野村	23	0	0	0	0	0	0	0	0	0	*	*	0	0	*	*	*	0	*	*	0	0	0
	山中湖村	22	0	0	0	0	0	0	*	0	0	0	*	*	*	*	*	*	*	0	*	0	0	0
	鳴沢村	13	0	0	0	0	0	0	*	*	0	0	0	0	*	*	*	*	0	*	*	*	*	0
	富士河口湖町	94	0	0	0	0	*	0	*	0	*	*	*	*	*	10	16	11	*	*	*	*	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2022年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数注2	山梨	7,187	5	1	0	3	10	21	56	83	143	219	330	368	557	798	1,264	1,160	970	703	351	131	14	0
	甲府市	1,659	*	*	0	0	*	*	13	23	30	49	91	88	107	160	255	265	244	193	94	33	*	0
	富士吉田市	410	0	0	0	0	0	0	*	*	11	*	17	26	36	54	72	73	53	29	18	*	0	0
	都留市	230	0	0	0	0	0	0	*	*	*	*	16	20	20	22	38	37	26	22	11	*	0	0
	山梨市	274	0	0	0	0	*	*	*	*	*	*	*	18	23	28	40	39	37	25	23	*	0	0
	大月市	243	0	0	0	0	0	0	*	*	*	*	*	10	24	32	39	40	33	29	15	*	0	0
	韮崎市	254	*	0	0	0	*	*	*	*	*	*	*	13	20	28	51	47	35	19	11	*	0	0
	南アルプス市	568	0	0	0	*	0	*	*	*	17	26	25	25	53	74	96	97	63	47	20	*	*	0
	北杜市	558	0	0	0	0	0	0	*	*	12	*	15	18	45	68	122	102	69	52	28	12	*	0
	甲斐市	622	0	0	0	0	*	*	*	20	22	23	30	28	41	60	113	114	85	47	13	10	0	0
	笛吹市	598	*	0	0	0	0	*	*	*	16	24	27	30	46	62	98	102	84	62	22	13	0	0
	上野原市	237	0	0	0	0	0	0	*	0	*	*	*	18	16	29	44	31	41	20	15	*	0	0
	甲州市	278	0	0	0	*	0	*	*	*	*	*	13	*	19	33	50	41	48	27	17	*	*	0
	中央市	260	*	0	0	0	0	*	0	*	*	14	14	12	22	33	52	35	31	26	11	*	0	0
	市川三郷町	146	0	0	0	0	0	0	*	0	*	*	10	*	10	23	26	19	22	18	*	0	*	0
	早川町	11	0	0	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	0	0	0	0
	身延町	125	0	0	0	0	0	*	0	*	*	0	*	*	*	11	24	14	15	22	*	*	0	0
	南部町	76	0	0	0	0	0	0	0	0	0	*	*	*	10	10	14	14	*	*	*	*	0	0
	富士川町	128	0	0	0	0	*	0	*	*	*	*	*	*	*	14	29	24	19	*	*	*	0	0
	昭和町	141	0	0	0	*	*	0	*	*	*	*	*	12	11	12	26	11	23	15	*	*	*	0
	道志村	12	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	*	*	*	0	0	0	0
	西桂町	32	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	0	0
	忍野村	54	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	11	*	*	*	0	0	0
	山中湖村	49	0	0	0	0	0	0	*	0	0	0	*	*	10	*	15	*	*	*	*	0	0	0
	鳴沢村	35	0	0	0	0	0	0	*	*	0	0	*	0	*	*	10	*	*	*	*	*	*	0
	富士河口湖町	179	*	0	0	0	*	0	*	0	*	*	*	*	11	26	36	25	18	16	12	*	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	*	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	*	0	*	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2022年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	都道府県	山梨	3,719	4	1	0	0	1	3	9	20	21	40	106	164	294	460	748	667	577	392	154	54	4	0	
		医療圏	中北	2,053	*	*	0	0	*	*	*	18	10	25	55	87	151	243	413	387	312	230	85	24	*	0
		峡東	619	*	0	0	0	0	*	*	*	*	10	17	23	49	66	118	99	118	64	25	16	0	0	
		峡南	257	0	0	0	0	0	0	0	0	*	*	*	10	16	36	58	47	39	29	*	*	*	0	
		富士・東部	790	*	0	0	0	0	0	*	*	*	*	26	44	78	115	159	134	108	69	37	10	0	0	
	保健所	甲府市	786	0	*	0	0	0	0	*	*	*	*	10	23	40	54	85	127	133	136	110	45	*	*	0
		峡南	257	0	0	0	0	0	0	0	0	*	*	*	10	16	36	58	47	39	29	*	*	*	0	
		中北	1,267	*	0	0	0	*	*	*	14	*	15	32	47	97	158	286	254	176	120	40	16	0	0	
		峡東	619	*	0	0	0	0	0	*	*	*	*	10	17	23	49	66	118	99	118	64	25	16	0	0
		富士・東部	790	*	0	0	0	0	0	0	*	*	*	*	26	44	78	115	159	134	108	69	37	10	0	0
総数注2		都道府県	山梨	6,457	5	1	0	3	6	12	25	63	102	163	288	327	497	711	1,147	1,052	913	668	334	126	14	0
女	都道府県	山梨	2,738	1	0	0	3	5	9	16	43	81	123	182	163	203	251	399	385	336	276	180	72	10	0	
		医療圏	中北	1,548	*	0	0	*	*	*	*	30	51	73	108	85	115	141	226	213	202	150	90	41	*	0
		峡東	432	0	0	0	*	*	*	*	*	13	21	27	26	30	42	52	73	44	44	33	12	*	0	
		峡南	191	0	0	0	0	*	0	0	*	*	*	12	10	18	19	31	19	27	27	14	*	0	0	
		富士・東部	567	0	0	0	0	0	0	*	*	15	27	35	42	40	49	90	80	63	55	43	13	*	0	
	保健所	甲府市	678	*	0	0	0	*	*	*	13	14	28	53	39	41	54	97	96	95	71	46	22	*	*	0
		峡南	191	0	0	0	0	*	0	0	*	*	*	12	10	18	19	31	19	27	27	14	*	0	0	
		中北	870	0	0	0	*	0	*	*	17	37	45	55	46	74	87	129	117	107	79	44	19	*	0	
		峡東	432	0	0	0	*	*	*	*	*	13	21	27	26	30	42	52	73	44	44	33	12	*	0	
		富士・東部	567	0	0	0	0	0	0	0	*	*	15	27	35	42	40	49	90	80	63	55	43	13	*	0
総数注2		都道府県	山梨	6,457	5	1	0	3	6	12	25	63	102	163	288	327	497	711	1,147	1,052	913	668	334	126	14	0
医療圏	都道府県	山梨	6,457	5	1	0	3	6	12	25	63	102	163	288	327	497	711	1,147	1,052	913	668	334	126	14	0	
		医療圏	中北	3,601	*	*	0	*	*	*	11	48	61	98	163	172	266	384	639	600	514	380	175	65	*	0
		峡東	1,051	*	0	0	*	*	*	*	*	21	31	44	49	79	108	170	172	162	108	58	28	*	0	
		峡南	448	0	0	0	0	*	0	0	*	*	*	20	20	34	55	89	66	66	56	21	10	*	0	
		富士・東部	1,357	*	0	0	0	0	0	10	*	17	31	61	86	118	164	249	214	171	124	80	23	*	0	
	保健所	甲府市	1,464	*	*	0	0	*	*	*	17	19	38	76	79	95	139	224	229	231	181	91	30	*	*	0
		峡南	448	0	0	0	0	*	0	0	*	*	*	20	20	34	55	89	66	66	56	21	10	*	0	
		中北	2,137	*	0	0	*	*	*	*	31	42	60	87	93	171	245	415	371	283	199	84	35	*	0	
		峡東	1,051	*	0	0	*	*	*	*	*	21	31	44	49	79	108	170	172	162	108	58	28	*	0	
		富士・東部	1,357	*	0	0	0	0	0	0	10	*	17	31	61	86	118	164	249	214	171	124	80	23	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2022年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	4,068	4	1	0	0	1	4	11	21	23	47	124	186	325	515	820	737	611	415	162	57	4	0
		医療圏	中北	2,259	*	*	0	0	*	*	*	18	12	28	69	97	169	275	458	429	334	241	88	26	*
		峡東	668	*	0	0	0	0	*	*	*	*	10	18	27	53	78	128	106	123	68	26	16	0	0
		峡南	273	0	0	0	0	0	0	0	0	*	*	*	11	17	38	61	52	39	30	*	*	*	0
	保健所	富士・東部	868	*	0	0	0	0	0	*	*	*	*	28	51	86	124	173	150	115	76	40	11	0	0
		甲府市	873	0	*	0	0	0	*	*	*	*	10	31	45	61	95	148	153	142	116	46	10	*	0
		峡南	273	0	0	0	0	0	0	0	0	*	*	*	11	17	38	61	52	39	30	*	*	*	0
		中北	1,386	*	0	0	0	*	*	*	14	*	18	38	52	108	180	310	276	192	125	42	16	0	0
		峡東	668	*	0	0	0	0	*	*	*	*	10	18	27	53	78	128	106	123	68	26	16	0	0
		富士・東部	868	*	0	0	0	0	0	*	*	*	*	28	51	86	124	173	150	115	76	40	11	0	0
女	都道府県	山梨	3,119	1	0	0	3	9	17	45	62	120	172	206	182	232	283	444	423	359	288	189	74	10	0
		医療圏	中北	1,803	*	0	0	*	*	11	29	46	82	102	121	99	130	160	257	242	216	158	94	42	*
		峡東	482	0	0	0	*	*	*	*	*	16	29	31	30	35	45	60	76	46	46	36	13	*	0
		峡南	213	0	0	0	0	*	*	*	*	*	*	16	10	19	21	33	21	29	27	14	*	0	0
	保健所	富士・東部	621	0	0	0	0	*	0	11	*	19	34	38	43	48	57	94	84	68	57	45	13	*	0
		甲府市	786	*	0	0	0	*	*	11	19	25	39	60	43	46	65	107	112	102	77	48	23	*	0
		峡南	213	0	0	0	0	*	*	*	*	*	*	16	10	19	21	33	21	29	27	14	*	0	0
		中北	1,017	0	0	0	*	*	*	18	27	57	63	61	56	84	95	150	130	114	81	46	19	*	0
		峡東	482	0	0	0	*	*	*	*	*	16	29	31	30	35	45	60	76	46	46	36	13	*	0
		富士・東部	621	0	0	0	0	*	0	11	*	19	34	38	43	48	57	94	84	68	57	45	13	*	0
総数注2	都道府県	山梨	7,187	5	1	0	3	10	21	56	83	143	219	330	368	557	798	1,264	1,160	970	703	351	131	14	0
		医療圏	中北	4,062	*	*	0	*	*	14	34	64	94	130	190	196	299	435	715	671	550	399	182	68	*
		峡東	1,150	*	0	0	*	*	*	*	*	24	39	49	57	88	123	188	182	169	114	62	29	*	0
		峡南	486	0	0	0	0	*	*	*	*	*	*	25	21	36	59	94	73	68	57	22	10	*	0
	保健所	富士・東部	1,489	*	0	0	0	*	0	14	*	21	41	66	94	134	181	267	234	183	133	85	24	*	0
		甲府市	1,659	*	*	0	0	*	*	13	23	30	49	91	88	107	160	255	265	244	193	94	33	*	0
		峡南	486	0	0	0	0	*	*	*	*	*	*	25	21	36	59	94	73	68	57	22	10	*	0
		中北	2,403	*	0	0	*	*	*	21	41	64	81	99	108	192	275	460	406	306	206	88	35	*	0
		峡東	1,150	*	0	0	*	*	*	*	*	24	39	49	57	88	123	188	182	169	114	62	29	*	0
		富士・東部	1,489	*	0	0	0	*	0	14	*	21	41	66	94	134	181	267	234	183	133	85	24	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

山梨県

2022年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C96 000-D47	4,169	3,230	7,399	100.0	100.0	100.0	1,058.1	791.7	922.6	454.1	422.8	430.7	321.1	320.2	315.4	38.0	34.0	35.8
全部位	000-C96	3,719	2,738	6,457	89.2	84.8	87.3	943.9	671.1	805.1	397.8	327.5	356.1	279.9	243.8	257.6	33.1	26.6	29.6
口唇	000	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	6	0	6	0.1	0.0	0.1	1.5	0.0	0.7	0.8	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
その他および部位不明の舌	002	19	20	39	0.5	0.6	0.5	4.8	4.9	4.9	2.3	3.1	2.7	1.6	2.5	2.1	0.2	0.2	0.2
歯肉	003	13	6	19	0.3	0.2	0.3	3.3	1.5	2.4	1.4	0.3	0.8	1.0	0.2	0.6	0.1	0.0	0.1
口腔底	004	2	4	6	0.0	0.1	0.1	0.5	1.0	0.7	0.3	0.4	0.4	0.2	0.3	0.3	0.0	0.0	0.0
口蓋	005	8	1	9	0.2	0.0	0.1	2.0	0.2	1.1	1.1	0.2	0.6	0.8	0.1	0.5	0.1	0.0	0.1
その他および部位不明の口腔	006	2	1	3	0.0	0.0	0.0	0.5	0.2	0.4	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
耳下腺	007	7	7	14	0.2	0.2	0.2	1.8	1.7	1.7	0.8	1.1	0.9	0.5	1.0	0.8	0.1	0.1	0.1
その他および部位不明の大唾液腺	008	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
扁桃	009	9	2	11	0.2	0.1	0.1	2.3	0.5	1.4	1.4	0.3	0.9	1.1	0.2	0.6	0.2	0.0	0.1
中咽頭	010	6	2	8	0.1	0.1	0.1	1.5	0.5	1.0	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
鼻<上>咽頭	011	4	1	5	0.1	0.0	0.1	1.0	0.2	0.6	0.7	0.2	0.4	0.6	0.1	0.4	0.1	0.0	0.0
梨状陥凹<洞>	012	25	1	26	0.6	0.0	0.4	6.3	0.2	3.2	2.9	0.2	1.5	2.1	0.2	1.1	0.3	0.0	0.2
下咽頭	013	17	1	18	0.4	0.0	0.2	4.3	0.2	2.2	2.1	0.1	1.1	1.6	0.0	0.8	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	015	130	28	158	3.1	0.9	2.1	33.0	6.9	19.7	14.4	3.8	8.8	10.0	2.7	6.2	1.2	0.3	0.7
胃	016	447	197	644	10.7	6.1	8.7	113.5	48.3	80.3	45.3	16.6	30.1	31.1	11.3	20.7	3.8	1.2	2.5
小腸	017	21	7	28	0.5	0.2	0.4	5.3	1.7	3.5	2.0	1.0	1.4	1.3	0.8	1.0	0.1	0.1	0.1
結腸	018	336	341	677	8.1	10.6	9.1	85.3	83.6	84.4	37.6	28.9	33.2	26.6	20.4	23.5	3.2	2.3	2.8
直腸S状結腸移行部	019	39	23	62	0.9	0.7	0.8	9.9	5.6	7.7	4.3	3.0	3.6	2.9	2.2	2.5	0.4	0.3	0.3
直腸	020	158	91	249	3.8	2.8	3.4	40.1	22.3	31.0	19.3	9.5	14.2	14.2	6.9	10.5	1.8	0.8	1.3
肛門および肛門管	021	4	5	9	0.1	0.2	0.1	1.0	1.2	1.1	0.6	1.0	0.8	0.5	0.8	0.6	0.1	0.1	0.1
肝および肝内胆管	022	191	85	276	4.6	2.6	3.7	48.5	20.8	34.4	18.7	5.8	11.9	13.0	3.9	8.2	1.5	0.4	1.0
胆のう	023	18	27	45	0.4	0.8	0.6	4.6	6.6	5.6	1.5	2.0	1.7	1.0	1.4	1.2	0.1	0.2	0.1
その他および部位不明の胆道	024	55	54	109	1.3	1.7	1.5	14.0	13.2	13.6	5.1	2.9	4.0	3.3	1.8	2.5	0.3	0.1	0.2
膵臓	025	173	146	319	4.1	4.5	4.3	43.9	35.8	39.8	17.6	13.2	15.2	12.2	9.5	10.6	1.3	1.0	1.2
その他および部位不明の消化器	026	16	23	39	0.4	0.7	0.5	4.1	5.6	4.9	2.9	2.8	2.9	2.2	2.0	2.1	0.3	0.3	0.3
鼻腔および中耳	030	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
副鼻腔	031	0	4	4	0.0	0.1	0.1	0.0	1.0	0.5	0.0	0.4	0.2	0.0	0.3	0.1	0.0	0.0	0.0
喉頭	032	30	0	30	0.7	0.0	0.4	7.6	0.0	3.7	3.1	0.0	1.5	2.1	0.0	1.0	0.3	0.0	0.1
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	501	231	732	12.0	7.2	9.9	127.2	56.6	91.3	49.0	21.7	34.3	33.2	15.3	23.5	3.8	1.9	2.8
胸腺	037	9	10	19	0.2	0.3	0.3	2.3	2.5	2.4	1.2	1.6	1.4	0.9	1.3	1.1	0.1	0.2	0.2
心臓、縦隔および胸膜	038	2	2	4	0.0	0.1	0.1	0.5	0.5	0.5	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	3	5	8	0.1	0.2	0.1	0.8	1.2	1.0	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
皮膚の悪性黒色腫	043	6	4	10	0.1	0.1	0.1	1.5	1.0	1.2	0.9	0.4	0.6	0.7	0.3	0.5	0.1	0.0	0.1
皮膚のその他	044	103	70	173	2.5	2.2	2.3	26.1	17.2	21.6	9.5	5.5	7.3	6.5	3.9	5.1	0.7	0.4	0.5
中皮腫	045	4	1	5	0.1	0.0	0.1	1.0	0.2	0.6	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
カポジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.3	0.2	0.0	0.3	0.1	0.0	0.0	0.0
後腹膜および腹膜	048	3	17	20	0.1	0.5	0.3	0.8	4.2	2.5	0.2	1.7	1.0	0.1	1.2	0.7	0.0	0.1	0.1
その他の結合組織および軟部組織	049	15	10	25	0.4	0.3	0.3	3.8	2.5	3.1	1.9	1.4	1.6	1.4	1.2	1.3	0.1	0.1	0.1
乳房	050	8	642	650	0.2	19.9	8.8	2.0	157.4	81.0	0.8	101.0	51.0	0.5	77.2	38.8	0.1	8.7	4.3
外陰	051	-	5	5	-	0.2	0.1	-	1.2	-	-	0.5	-	-	0.3	-	-	0.0	-
陰	052	-	6	6	-	0.2	0.1	-	1.5	-	-	0.3	-	-	0.2	-	-	0.0	-
子宮頸部	053	-	53	53	-	1.6	0.7	-	13.0	-	-	11.3	-	-	9.0	-	-	0.8	-
子宮体部	054	-	109	109	-	3.4	1.5	-	26.7	-	-	19.9	-	-	15.5	-	-	1.6	-
子宮部位不明	055	-	2	2	-	0.1	0.0	-	0.5	-	-	0.2	-	-	0.1	-	-	0.0	-
卵巣	056	-	76	76	-	2.4	1.0	-	18.6	-	-	14.0	-	-	11.1	-	-	1.1	-
その他および部位不明の女性性器	057	-	4	4	-	0.1	0.1	-	1.0	-	-	0.3	-	-	0.2	-	-	0.0	-
胎盤	058	-	2	2	-	0.1	0.0	-	0.5	-	-	0.5	-	-	0.4	-	-	0.0	-
陰茎	060	5	-	5	0.1	-	0.1	1.3	-	-	0.5	-	-	0.3	-	-	0.0	-	-
前立腺	061	731	-	731	17.5	-	9.9	185.5	-	-	72.9	-	-	49.8	-	-	6.5	-	-
精巣	062	10	-	10	0.2	-	0.1	2.5	-	-	3.1	-	-	3.0	-	-	0.2	-	-
その他および部位不明の男性性器	063	4	-	4	0.1	-	0.1	1.0	-	-	0.5	-	-	0.4	-	-	0.1	-	-
腎盂を除く腎	064	94	49	143	2.3	1.5	1.9	23.9	12.0	17.8	12.4	5.8	9.0	9.1	4.2	6.6	1.1	0.5	0.8
腎盂	065	22	11	33	0.5	0.3	0.4	5.6	2.7	4.1	1.9	0.5	1.1	1.2	0.3	0.7	0.1	0.0	0.1
尿管	066	19	8	27	0.5	0.2	0.4	4.8	2.0	3.4	1.7	0.4	1.0	1.2	0.2	0.7	0.1	0.0	0.1
膀胱	067	121	50	171	2.9	1.5	2.3	30.7	12.3	21.3	10.9	4.0	7.2	7.2	2.8	4.8	0.9	0.3	0.6
その他および部位不明の泌尿器	068	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
眼および付属器	069	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	070	0	1	1	0.0	0.0	0.0	0.0											

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

山梨県

2022年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	349	381	730	8.4	11.8	9.9	88.6	93.4	91.0	42.1	78.4	59.0	30.2	62.0	45.2	3.7	6.0	4.8
口腔、食道および胃	D00	23	8	31	0.6	0.2	0.4	5.8	2.0	3.9	3.4	1.0	2.2	2.6	0.7	1.6	0.3	0.1	0.2
食道	D001	15	7	22	0.4	0.2	0.3	3.8	1.7	2.7	2.1	1.0	1.5	1.6	0.7	1.2	0.2	0.1	0.2
その他および部位不明の消化器	D01	135	81	216	3.2	2.5	2.9	34.3	19.9	26.9	18.5	9.8	14.1	13.7	7.2	10.5	1.8	0.9	1.4
結腸	D010	84	56	140	2.0	1.7	1.9	21.3	13.7	17.5	11.3	6.4	8.8	8.2	4.7	6.5	1.1	0.6	0.8
直腸S状結腸移行部	D011	8	2	10	0.2	0.1	0.1	2.0	0.5	1.2	1.2	0.6	0.9	1.0	0.5	0.7	0.1	0.0	0.1
直腸	D012	32	19	51	0.8	0.6	0.7	8.1	4.7	6.4	4.6	2.4	3.5	3.5	1.8	2.7	0.5	0.2	0.4
中耳および呼吸器系	D02	7	17	24	0.2	0.5	0.3	1.8	4.2	3.0	1.0	2.2	1.6	0.8	1.6	1.2	0.1	0.2	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	6	16	22	0.1	0.5	0.3	1.5	3.9	2.7	1.0	2.2	1.6	0.8	1.6	1.2	0.1	0.2	0.1
上皮内黒色腫	D03	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
皮膚のその他	D04	8	10	18	0.2	0.3	0.2	2.0	2.5	2.2	0.8	0.5	0.7	0.6	0.3	0.5	0.1	0.0	0.0
乳房	D05	1	86	87	0.0	2.7	1.2	0.3	21.1	10.8	0.1	15.8	7.9	0.1	12.4	6.2	0.0	1.3	0.7
子宮頸部	D06	-	135	135	-	4.2	1.8	-	33.1	-	-	44.6	-	-	36.5	-	-	3.1	-
その他および部位不明の性器	D07	0	2	2	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.0
その他および部位不明	D09	174	41	215	4.2	1.3	2.9	44.2	10.0	26.8	18.0	4.2	10.7	12.3	2.9	7.4	1.4	0.3	0.9
膀胱	D090	161	32	193	3.9	1.0	2.6	40.9	7.8	24.1	16.5	3.6	9.7	11.3	2.5	6.7	1.3	0.3	0.8
良性腫瘍	D32-D35	40	61	101	1.0	1.9	1.4	10.2	15.0	12.6	7.6	10.1	8.8	6.3	8.0	7.1	0.6	0.9	0.8
髄膜	D32	17	39	56	0.4	1.2	0.8	4.3	9.6	7.0	2.7	4.8	3.8	2.0	3.6	2.8	0.2	0.5	0.3
脳および中枢神経系	D33	12	12	24	0.3	0.4	0.3	3.0	2.9	3.0	2.6	2.5	2.6	2.2	2.1	2.2	0.2	0.2	0.2
下垂体	D352	10	10	20	0.2	0.3	0.3	2.5	2.5	2.5	1.9	2.8	2.3	1.4	2.3	1.8	0.2	0.2	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.5	0.0	0.2	0.7	0.0	0.3	0.0	0.0	0.0
性状不詳	D42-D47	59	43	102	1.4	1.3	1.4	15.0	10.5	12.7	6.5	5.1	5.7	4.5	4.0	4.2	0.6	0.4	0.5
髄膜	D42	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.1	0.2	0.2	0.0	0.2	0.1	0.0	0.0	0.0
脳および中枢神経系	D43	5	8	13	0.1	0.2	0.2	1.3	2.0	1.6	0.9	1.3	1.1	0.7	1.0	0.8	0.1	0.1	0.1
下垂体	D443	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D46	3	6	9	0.1	0.2	0.1	0.8	1.5	1.1	0.3	0.6	0.4	0.2	0.5	0.3	0.0	0.1	0.1
骨髄異形成症候群	D46	33	15	48	0.8	0.5	0.6	8.4	3.7	6.0	3.0	1.1	2.0	2.0	0.8	1.3	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	4	3	7	0.1	0.1	0.1	1.0	0.7	0.9	0.4	0.3	0.4	0.3	0.3	0.3	0.1	0.0	0.0
本態性（出血性）血小板血症	D473	10	9	19	0.2	0.3	0.3	2.5	2.2	2.4	1.6	1.5	1.5	1.2	1.3	1.2	0.2	0.1	0.1

\*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

山梨県

2022年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 D00-D47	1,503	1,094	2,597	100.0	100.0	100.0	390.4	274.9	331.7	132.8	82.0	104.6	90.8	57.6	72.3	9.1	5.6	7.3
全部位	000-C97	1,460	1,048	2,508	97.1	95.8	96.6	379.2	263.3	320.3	128.8	79.4	101.3	88.1	55.7	70.1	8.8	5.4	7.1
口唇	000	0	1	1	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
舌根<基底>部	001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	002	5	3	8	0.3	0.3	0.3	1.3	0.8	1.0	0.5	0.1	0.3	0.4	0.0	0.2	0.1	0.0	0.0
歯肉	003	4	4	8	0.3	0.4	0.3	1.0	1.0	1.0	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
口腔底	004	1	1	2	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
口蓋	005	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
耳下腺	007	2	0	2	0.1	0.0	0.1	0.5	0.0	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	0	1	1	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
扁桃	009	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	7	1	8	0.5	0.1	0.3	1.8	0.3	1.0	0.7	0.1	0.4	0.4	0.0	0.2	0.0	0.0	0.0
鼻<上>咽頭	C11	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
梨状陥凹<洞>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	15	2	17	1.0	0.2	0.7	3.9	0.5	2.2	1.4	0.1	0.7	0.9	0.1	0.5	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	3	0	3	0.2	0.0	0.1	0.8	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
食道	C15	53	12	65	3.5	1.1	2.5	13.8	3.0	8.3	5.3	1.3	3.2	3.6	1.0	2.2	0.4	0.1	0.3
胃	C16	137	86	223	9.1	7.9	8.6	35.6	21.6	28.5	11.7	4.8	8.0	8.0	3.2	5.4	0.8	0.3	0.5
小腸	C17	6	6	12	0.4	0.5	0.5	1.6	1.5	1.5	0.6	0.5	0.6	0.5	0.3	0.4	0.1	0.0	0.0
結腸	C18	126	145	271	8.4	13.3	10.4	32.7	36.4	34.6	11.7	9.2	10.4	8.1	6.2	7.2	1.0	0.5	0.7
直腸S状結腸移行部	C19	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
直腸	C20	63	40	103	4.2	3.7	4.0	16.4	10.1	13.2	6.2	3.1	4.5	4.2	2.3	3.2	0.5	0.2	0.3
肛門および肛門管	C21	2	1	3	0.1	0.1	0.1	0.5	0.3	0.4	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	138	62	200	9.2	5.7	7.7	35.8	15.6	25.5	11.2	4.3	7.4	7.4	3.1	5.0	0.8	0.2	0.5
胆のう	C23	12	19	31	0.8	1.7	1.2	3.1	4.8	4.0	1.0	1.4	1.2	0.7	1.0	0.9	0.1	0.1	0.1
その他および部位不明の胆道	C24	50	45	95	3.3	4.1	3.7	13.0	11.3	12.1	3.5	2.6	3.0	2.2	1.8	1.9	0.2	0.1	0.1
膵臓	C25	153	109	262	10.2	10.0	10.1	39.7	27.4	33.5	14.8	7.2	10.8	10.3	4.6	7.3	1.1	0.4	0.8
その他および部位不明の消化器	C26	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻腔および中耳	C30	1	2	3	0.1	0.2	0.1	0.3	0.5	0.4	0.1	0.3	0.2	0.0	0.2	0.1	0.0	0.0	0.0
副鼻腔	C31	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
喉頭	C32	8	0	8	0.5	0.0	0.3	2.1	0.0	1.0	0.6	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	310	141	451	20.6	12.9	17.4	80.5	35.4	57.6	26.1	9.3	17.0	17.1	6.3	11.2	1.6	0.6	1.1
胸腺	C37	4	3	7	0.3	0.3	0.3	1.0	0.8	0.9	0.8	0.2	0.5	0.6	0.1	0.4	0.1	0.0	0.0
心臓、縦隔および胸腺	C38	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	O40	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	O41	0	1	1	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	O43	3	1	4	0.2	0.1	0.2	0.8	0.3	0.5	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
皮膚のその他	O44	3	5	8	0.2	0.5	0.3	0.8	1.3	1.0	0.5	0.5	0.5	0.3	0.4	0.4	0.0	0.0	0.0
中皮腫	O45	10	0	10	0.7	0.0	0.4	2.6	0.0	1.3	1.2	0.0	0.6	0.9	0.0	0.4	0.1	0.0	0.1
カボジ肉腫	O46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	O47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	O48	1	8	9	0.1	0.7	0.3	0.3	2.0	1.1	0.1	0.6	0.4	0.1	0.4	0.2	0.0	0.0	0.0
その他の結合組織および軟部組織	O49	7	6	13	0.5	0.5	0.5	1.8	1.5	1.7	1.4	0.8	1.1	1.3	0.7	1.0	0.1	0.1	0.1
乳房	O50	0	94	94	0.0	8.6	3.6	0.0	23.6	12.0	0.0	11.2	5.7	0.0	8.2	4.1	0.0	0.9	0.5
外陰	O51	-	2	2	-	0.2	0.1	-	0.5	-	-	0.1	-	-	0.1	-	-	0.0	-
陰	O52	-	3	3	-	0.3	0.1	-	0.8	-	-	0.1	-	-	0.1	-	-	0.0	-
子宮頸部	O53	-	19	19	-	1.7	0.7	-	4.8	-	-	2.3	-	-	1.8	-	-	0.2	-
子宮体部	O54	-	21	21	-	1.9	0.8	-	5.3	-	-	2.6	-	-	1.9	-	-	0.2	-
子宮部位不明	O55	-	8	8	-	0.7	0.3	-	2.0	-	-	0.5	-	-	0.4	-	-	0.1	-
卵巣	O56	-	28	28	-	2.6	1.1	-	7.0	-	-	4.2	-	-	3.2	-	-	0.3	-
その他および部位不明の女性性器	O57	-	4	4	-	0.4	0.2	-	1.0	-	-	0.4	-	-	0.3	-	-	0.0	-
胎盤	O58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	O60	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
前立腺	O61	107	-	107	7.1	-	4.1	27.8	-	-	7.0	-	-	4.6	-	-	0.3	-	-
精巣	O62	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
その他および部位不明の男性性器	O63	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
腎盂を除く腎	O64	19	10	29	1.3	0.9	1.1	4.9	2.5	3.7	1.6	0.5	1.0	1.2	0.3	0.7	0.1	0.0	0.1
腎盂	O65	20	8	28	1.3	0.7	1.1	5.2	2.0	3.6	1.5	0.3	0.9	1.0	0.2	0.6	0.1	0.0	0.0
尿管	O66	12	5	17	0.8	0.5	0.7	3.1	1.3	2.2	0.8	0.2	0.4	0.5	0.1	0.3	0.0	0.0	0.0
膀胱	O67	31	18	49	2.1	1.6	1.9	8.1	4.5	6.3	2.3	1.1	1.6	1.5	0.7	1.1	0.1	0.1	0.1
その他および部位不明の泌尿器	O68	4	0	4	0.3	0.0	0.2	1.0	0.0	0.5	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
眼および付属器	O69	0	1	1	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	O70	0	1	1	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
脳	O71	10	12	22	0.7	1.1	0												

付表2. 死亡数、部位割合（%）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（%）： 詳細部位別、性別

山梨県

2022年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)				
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口				
											男	女	総数 *1	男	女	総数 *1		
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
良性腫瘍	D32-D35	3	1	4	0.2	0.1	0.2	0.8	0.3	0.5	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0
髄膜	D32	3	1	4	0.2	0.1	0.2	0.8	0.3	0.5	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
下垂体	D352	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
性状不詳	D42-D47	34	33	67	2.3	3.0	2.6	8.8	8.3	8.6	3.2	2.1	2.6	2.3	1.4	1.8	0.2	0.1
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	10	7	17	0.7	0.6	0.7	2.6	1.8	2.2	1.5	0.5	1.0	1.1	0.3	0.7	0.1	0.0
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	21	17	38	1.4	1.6	1.5	5.5	4.3	4.9	1.4	1.1	1.2	0.9	0.8	0.8	0.1	0.1
慢性骨髄増殖性疾患	D471	0	1	1	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

山梨県

2022年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	+その他 *4	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96	6,298	28.1	5.8	0.9	3.0	17.0	3.8	0.3	0.8	15.4	0.4	3.2	1.0	20.3
口腔・咽頭	C00-C14	167	21.6	2.4	0.0	6.6	6.0	30.5	0.0	3.0	5.4	0.0	7.8	0.0	16.8
食道	C15	157	4.5	24.8	3.8	4.5	8.3	15.3	0.0	0.0	19.1	0.0	2.5	0.0	17.2
胃	C16	626	26.0	32.3	3.0	0.0	9.3	0.0	0.0	0.0	11.7	0.0	0.0	0.0	17.7
大腸（結腸・直腸）	C18-C20	963	42.6	6.4	2.9	0.4	6.0	0.9	0.0	0.2	21.2	0.0	1.7	0.2	17.4
結腸	C18	658	44.1	6.2	2.7	0.2	5.2	0.5	0.0	0.0	21.6	0.0	0.2	0.3	19.1
直腸	C19-C20	305	39.3	6.9	3.3	1.0	7.9	2.0	0.0	0.7	20.3	0.0	4.9	0.0	13.8
肝および肝内胆管	C22	264	31.8	0.0	0.0	3.0	9.5	0.0	5.3	0.0	1.9	0.4	0.0	16.7	31.4
胆のう・胆管	C23-C24	142	25.4	1.4	0.0	0.0	19.7	0.0	0.0	0.0	12.0	0.0	0.0	0.0	41.5
膵臓	C25	302	9.6	0.3	0.0	0.7	35.1	0.7	0.0	0.0	20.9	0.0	0.0	0.3	32.5
喉頭	C32	30	0.0	3.3	0.0	43.3	6.7	33.3	0.0	0.0	0.0	0.0	3.3	3.3	6.7
肺	C33-C34	702	32.3	0.0	0.0	11.4	17.7	5.1	0.0	0.0	7.1	0.0	0.3	0.1	25.9
皮膚	C43-C44	182	84.1	0.0	0.0	0.5	0.0	0.5	0.0	0.0	2.2	1.1	0.5	0.0	11.0
乳房	C50	644	8.1	0.0	0.0	2.3	9.9	0.6	0.0	2.2	48.8	0.0	21.4	0.0	6.7
乳房（女性のみ）	C50	636	8.0	0.0	0.0	2.2	10.1	0.6	0.0	2.2	49.1	0.0	21.4	0.0	6.4
子宮	C53-C55	164	54.9	0.0	0.0	0.6	3.0	3.0	0.0	0.0	25.0	0.0	0.0	0.6	12.8
子宮頸部	C53	53	35.8	0.0	0.0	0.0	5.7	9.4	0.0	0.0	30.2	0.0	0.0	0.0	18.9
子宮体部	C54	109	64.2	0.0	0.0	0.9	1.8	0.0	0.0	0.0	22.9	0.0	0.0	0.9	9.2
卵巣	C56	73	24.7	0.0	0.0	0.0	8.2	0.0	0.0	0.0	63.0	0.0	0.0	0.0	4.1
前立腺	C61	722	22.6	0.1	0.0	2.5	43.8	8.0	0.0	1.2	4.3	0.0	0.3	0.4	16.8
膀胱	C67	169	3.6	28.4	3.6	1.8	0.0	0.0	0.0	2.4	25.4	12.4	3.0	3.6	16.0
腎・尿路（膀胱除く）	C64-C66 C68	200	61.0	0.0	0.0	4.0	6.5	0.5	0.0	0.0	5.5	0.5	0.0	1.0	21.0
脳・中枢神経系	C70-C72	37	16.2	0.0	0.0	0.0	0.0	13.5	0.0	0.0	5.4	0.0	32.4	5.4	27.0
甲状腺	C73	114	60.5	0.0	0.0	0.9	1.8	0.9	0.0	7.9	1.8	0.0	1.8	0.9	23.7
悪性リンパ腫	C81-C85 C96	258	2.3	0.0	0.0	2.7	54.3	4.3	0.4	1.2	1.2	0.4	1.2	0.4	31.8
多発性骨髄腫	C88-C90	60	0.0	0.0	0.0	1.7	56.7	10.0	0.0	0.0	1.7	0.0	0.0	0.0	30.0
白血病	C91-C95	72	0.0	0.0	0.0	0.0	63.9	1.4	1.4	0.0	0.0	0.0	0.0	0.0	33.3

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 左記以外の治療組合せ

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

山梨県

2022年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	+その他 *4	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96 D00-D09	7,028	28.9	9.7	0.9	2.7	15.3	3.4	0.2	1.2	14.3	0.9	2.9	1.0	18.7
食道	C15 D001	179	3.9	32.4	3.4	3.9	7.3	13.4	0.0	0.0	16.8	0.0	2.2	0.0	16.8
大腸 (結腸・直腸) *6	C18-C20 D010-D012	1,164	37.5	19.9	2.6	0.3	5.0	0.8	0.0	0.2	17.6	0.0	1.4	0.2	14.6
結腸 *6	C18 D010	798	39.0	19.7	2.4	0.1	4.3	0.4	0.0	0.0	17.9	0.0	0.1	0.3	15.9
直腸 *6	C19-C20 D011-D012	366	34.2	20.5	3.0	0.8	6.6	1.6	0.0	0.5	16.9	0.0	4.1	0.0	11.7
肺	C33-C34 D021-D022	724	34.4	0.0	0.0	11.0	17.1	5.0	0.0	0.0	6.9	0.0	0.3	0.1	25.1
皮膚	C43-C44 D030-D049	202	84.2	0.0	0.0	0.5	0.5	0.5	0.0	0.0	2.0	1.0	0.5	0.0	10.9
乳房	C50 D05	731	11.8	0.0	0.0	2.2	8.8	0.5	0.0	6.7	44.3	0.0	19.3	0.0	6.4
乳房 (女性のみ)	C50 D05	722	11.6	0.0	0.0	2.1	8.9	0.6	0.0	6.8	44.6	0.0	19.3	0.0	6.2
子宮	C53-C55 D06	299	69.9	0.7	0.3	0.3	1.7	1.7	0.0	0.0	13.7	0.0	0.0	0.7	11.0
子宮頸部	C53 D06	188	73.4	1.1	0.5	0.0	1.6	2.7	0.0	0.0	8.5	0.0	0.0	0.5	11.7
膀胱	C67 D090	362	2.8	47.2	1.7	0.8	0.0	0.0	0.0	1.1	17.4	16.6	1.4	2.2	8.8

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが「1:あり」

\*3 化学療法、内分泌療法のいずれかが「1:あり」

\*4 その他治療が「1:あり」

\*5 左記以外の治療組合せ

\*6 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

山梨県 2022年

医療圏／保健所	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮		子宮頸部		子宮体部		前立腺	
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55		C53		C54		C61	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	女	女	女	男	女	
山梨県	3,719	2,738	6,457	447	197	644	533	455	988	336	341	677	197	114	311	191	85	276	501	231	732	8	642	650	164	53	109	731				
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
中北	2,053	1,548	3,601	253	111	364	302	269	571	184	200	384	118	69	187	109	46	155	283	130	413	*	352	356	94	26	67	392				
峡東	619	432	1,051	65	30	95	98	67	165	70	52	122	28	15	43	28	10	38	83	46	129	*	105	107	27	12	14	119				
峡南	257	191	448	34	15	49	33	27	60	17	16	33	16	11	27	19	*	26	33	14	47	0	46	46	*	*	*	49				
富士・東部	790	567	1,357	95	41	136	100	92	192	65	73	138	35	19	54	35	22	57	102	41	143	*	139	141	36	13	23	171				
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
甲府市	786	678	1,464	84	50	134	115	134	249	67	105	172	48	29	77	51	19	70	114	47	161	*	161	162	44	12	32	132				
峡南	257	191	448	34	15	49	33	27	60	17	16	33	16	11	27	19	*	26	33	14	47	0	46	46	*	*	*	49				
中北	1,267	870	2,137	169	61	230	187	135	322	117	95	212	70	40	110	58	27	85	169	83	252	*	191	194	50	14	35	260				
峡東	619	432	1,051	65	30	95	98	67	165	70	52	122	28	15	43	28	10	38	83	46	129	*	105	107	27	12	14	119				
富士・東部	790	567	1,357	95	41	136	100	92	192	65	73	138	35	19	54	35	22	57	102	41	143	*	139	141	36	13	23	171				

総数は年齢不詳を含む男女および性別不詳の合計  
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)

付表4. 医療圏別、保健所別罹患数：部位別、性別

## B. 上皮内がんを含む

山梨県

2022年

医療圏／保健所	全部位			大腸(直腸・結腸)*1			結腸 *1			直腸*1			肺			乳房			子宮		子宮頸部			
	C00-C96		D00-D09	C18-C20		D010-D012	C18		D010	C19-C20		D011-D012	C33-C34		D021-D022	C50		D05	C53-C55		D06	C53		D06
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	女		
山梨県	4,068	3,119	7,187	657	532	1,189	420	397	817	237	135	372	507	247	754	9	728	737	299			188		
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
中北	2,259	1,803	4,062	381	318	699	235	231	466	146	87	233	288	141	429	*	402	406	195			127		
峡東	668	482	1,150	115	80	195	80	63	143	35	17	52	83	50	133	*	116	119	39			24		
峡南	273	213	486	38	34	72	21	22	43	17	12	29	33	14	47	0	53	53	14			*		
富士・東部	868	621	1,489	123	100	223	84	81	165	39	19	58	103	42	145	*	157	159	51			28		
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
甲府市	873	786	1,659	154	157	311	94	120	214	60	37	97	116	53	169	*	183	184	79			47		
峡南	273	213	486	38	34	72	21	22	43	17	12	29	33	14	47	0	53	53	14			*		
中北	1,386	1,017	2,403	227	161	388	141	111	252	86	50	136	172	88	260	*	219	222	116			80		
峡東	668	482	1,150	115	80	195	80	63	143	35	17	52	83	50	133	*	116	119	39			24		
富士・東部	868	621	1,489	123	100	223	84	81	165	39	19	58	103	42	145	*	157	159	51			28		

\*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)

付表5. 市町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

市区町村	山梨県																										2022年	
	全部位			胃		大腸(直腸・結腸)			結腸		直腸			肝および肝内胆管			肺			乳房		子宮		子宮頸部	子宮体部	前立腺		
	C00-C96			C16		C18-C20			C18		C19-C20			C22			C33-C34			C50		C53-C55		C53	C54	C61		
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男
山梨県	3,719	2,738	6,457	447	197	644	533	455	988	336	341	677	197	114	311	191	85	276	501	231	732	8	642	650	164	53	109	731
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
甲府市	786	678	1,464	84	50	134	115	134	249	67	105	172	48	29	77	51	19	70	114	47	161	*	161	162	44	12	32	132
富士吉田市	235	133	368	23	*	30	34	19	53	22	14	36	12	*	17	*	*	*	31	*	39	*	44	45	10	*	*	53
都留市	116	100	216	12	*	18	12	15	27	*	11	19	*	*	*	*	*	11	25	*	33	*	24	25	*	*	*	24
山梨市	136	115	251	15	15	30	19	15	34	13	11	24	*	*	10	*	*	12	14	10	24	*	20	21	13	*	*	27
大月市	134	89	223	29	*	38	14	11	25	*	*	17	*	*	*	*	*	10	16	*	23	0	13	13	*	0	*	27
韭崎市	139	86	225	17	*	22	22	11	33	14	*	22	*	*	11	*	*	*	20	13	33	0	17	17	*	*	*	28
南アルプス市	310	199	509	42	19	61	49	25	74	29	17	46	20	*	28	15	*	17	39	16	55	*	48	50	12	*	*	57
北杜市	300	210	510	39	16	55	41	37	78	30	24	54	11	13	24	*	10	19	43	27	70	*	34	35	*	*	*	70
甲斐市	312	225	537	44	14	58	48	34	82	27	26	53	21	*	29	16	*	22	43	19	62	0	61	61	15	*	10	60
笛吹市	332	215	547	35	*	43	54	31	85	37	22	59	17	*	26	16	*	18	48	25	73	*	63	64	10	*	*	53
上野原市	131	84	215	14	*	19	19	17	36	12	15	27	*	*	*	11	*	13	11	*	16	0	20	20	*	*	*	26
甲州市	151	102	253	15	*	22	25	21	46	20	19	39	*	*	*	*	*	*	21	11	32	0	22	22	*	*	*	39
中央市	138	94	232	19	*	22	14	19	33	*	13	20	*	*	13	*	*	13	17	*	22	0	16	16	*	0	*	32
市川三郷町	80	56	136	*	0	*	11	10	21	*	*	13	*	*	*	*	*	*	10	*	13	0	16	16	*	*	*	12
早川町	*	*	11	*	0	*	*	*	*	*	*	*	0	*	*	0	*	*	0	*	*	0	*	*	0	0	0	*
身延町	58	58	116	12	*	20	*	*	14	*	*	*	*	*	*	*	*	*	*	*	11	0	12	12	*	*	*	11
南部町	47	25	72	*	*	11	*	*	*	*	0	*	*	*	*	*	*	*	*	*	11	0	*	*	*	0	*	10
富士川町	68	45	113	*	*	*	10	*	16	*	*	10	*	*	*	*	*	*	*	*	11	0	14	14	0	0	0	15
昭和町	68	56	124	*	*	12	13	*	22	10	*	17	*	*	*	*	0	*	*	*	10	0	15	15	*	*	*	13
道志村	*	*	11	0	0	0	*	0	*	*	0	*	0	0	0	*	0	*	0	*	*	0	0	0	0	0	0	*
西桂町	14	13	27	0	*	*	*	*	*	*	*	*	0	*	*	0	0	0	*	*	*	0	*	*	*	*	*	*
忍野村	30	22	52	*	*	*	*	*	*	*	*	*	0	0	0	*	0	*	*	0	*	0	*	*	*	*	0	*
山中湖村	24	20	44	*	*	*	*	*	*	*	*	*	0	*	*	*	*	*	0	*	*	0	*	*	*	*	0	*
鳴沢村	21	12	33	*	0	*	*	*	*	0	0	0	*	*	*	0	*	*	0	*	*	0	*	*	*	0	0	*
富士河口湖町	73	87	160	*	10	18	11	18	29	*	16	23	*	*	*	*	*	*	*	*	14	0	22	22	*	0	*	12
小菅村	*	*	*	0	0	0	*	0	*	*	0	*	0	0	0	0	0	0	0	0	*	*	0	0	0	0	0	0
丹波山村	*	*	*	*	0	*	*	0	*	0	0	0	*	0	*	*	*	*	*	0	*	0	0	0	0	0	0	0

総数は年齢不詳を含む男女および性別不詳の合計  
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)

付表5. 市町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

市区町村	山梨県																				2022年
	全部位			大腸(直腸・結腸)*1			結腸*1			直腸*1			肺			乳房			子宮		子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-012			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	女	
山梨県	4,068	3,119	7,187	657	532	1,189	420	397	817	237	135	372	507	247	754	9	728	737	299	188	
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
甲府市	873	786	1,659	154	157	311	94	120	214	60	37	97	116	53	169	*	183	184	79	47	
富士吉田市	259	151	410	38	22	60	25	17	42	13	*	18	32	*	40	*	52	53	14	*	
都留市	124	106	230	14	15	29	10	11	21	*	*	*	25	*	34	*	26	27	*	*	
山梨市	146	128	274	24	18	42	14	13	27	10	*	15	14	11	25	*	22	23	17	10	
大月市	146	97	243	19	11	30	13	*	21	*	*	*	16	*	23	0	17	17	*	*	
韮崎市	157	97	254	27	12	39	16	*	24	11	*	15	21	15	36	0	19	19	*	*	
南アルプス市	333	235	568	58	36	94	36	24	60	22	12	34	39	17	56	*	53	55	26	18	
北杜市	323	235	558	46	38	84	33	25	58	13	13	26	44	27	71	*	41	42	21	15	
甲斐市	348	274	622	64	43	107	37	31	68	27	12	39	44	20	64	0	69	69	41	30	
笛吹市	361	237	598	61	37	98	42	28	70	19	*	28	48	26	74	*	70	71	15	10	
上野原市	142	95	237	23	20	43	16	18	34	*	*	*	11	*	16	0	21	21	*	*	
甲州市	161	117	278	30	25	55	24	22	46	*	*	*	21	13	34	*	24	25	*	*	
中央市	151	109	260	19	21	40	*	15	24	10	*	16	17	*	23	0	19	19	12	*	
市川三郷町	84	62	146	13	11	24	*	*	16	*	*	*	10	*	13	0	18	18	*	*	
早川町	*	*	11	*	*	*	*	*	*	0	*	*	0	*	*	0	*	*	0	0	
身延町	61	64	125	*	*	17	*	*	*	*	*	*	*	*	11	0	13	13	*	*	
南部町	49	27	76	*	*	*	*	*	*	*	*	*	*	*	11	0	*	*	*	0	
富士川町	75	53	128	12	*	20	*	*	13	*	*	*	*	*	11	0	18	18	*	*	
昭和町	74	67	141	13	11	24	10	*	18	*	*	*	*	*	10	0	18	18	*	*	
道志村	*	*	12	*	0	*	*	0	*	0	0	0	0	*	*	0	0	0	0	0	
西桂町	19	13	32	*	*	*	*	*	*	*	*	*	*	*	*	0	*	*	*	*	
忍野村	31	23	54	*	*	*	*	*	*	0	0	0	*	0	*	0	*	*	*	0	
山中湖村	27	22	49	*	*	*	*	*	*	0	*	*	0	*	*	0	*	*	*	*	
鳴沢村	22	13	35	*	*	*	*	*	*	*	*	*	0	*	*	0	*	*	0	0	
富士河口湖町	85	94	179	15	19	34	10	17	27	*	*	*	*	*	14	0	23	23	*	*	
小菅村	*	*	*	*	0	*	*	0	*	0	0	0	0	*	*	0	0	0	0	0	
丹波山村	*	*	*	*	0	*	0	0	0	*	0	*	*	0	*	0	0	0	0	0	

\*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「\*」とする)