

資料 5

公共用水域水質測定結果表

水城 富士川

調査担当機関 山梨県

| 地点名(地点統一番号) | | 国 界 橋 (001-51) | | | | | | | | | | | | |
|-----------------|-------------------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| [類型名] | | [AA-1] | | | | | | | | | | | | |
| 区 分 | 月 日 | 4/18 | 4/18 | 5/7 | 5/7 | 6/1 | 6/1 | 7/2 | 7/2 | 8/1 | 8/1 | 9/5 | 9/5 | |
| 測定項目 | 採取時刻 | 12:20 | 13:20 | 11:40 | 12:24 | 11:46 | 12:48 | 12:23 | 13:20 | 12:15 | 13:35 | 12:15 | 13:05 | |
| 天 候 | - | 曇 | 曇 | 曇 | 曇 | 曇 | 雨 | 曇 | 曇 | 晴 | 晴 | 晴 | 薄曇 | |
| 気 温 | ℃ | 9.5 | 10.0 | 15.0 | 14.1 | 17.8 | 17.5 | 25.0 | 26.5 | 34.0 | 33.0 | 29.0 | 29.0 | |
| 水 温 | ℃ | 9.5 | 10.0 | 12.0 | 12.0 | 14.0 | 13.2 | 19.0 | 19.5 | 25.5 | 26.0 | 21.5 | 21.5 | |
| 外 観 | - | 001 | 061 | 062 | 062 | 001 | 001 | 222 | 232 | 320 | 320 | 001 | 001 | |
| 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | |
| 河 流 量 | m ³ /S | | | | | | | | | | | | | |
| 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | |
| 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 4.5 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | |
| カドミウム | ug/L | <0.005 | | | | <0.005 | | | | <0.005 | | | | |
| シ ン ク | ug/L | N.D. | | | | N.D. | | | | N.D. | | | | |
| 有 機 燐 | ug/L | | | | | | | | | | | | | |
| 鉛 | ug/L | <0.05 | | | | <0.05 | | | | <0.05 | | | | |
| クロム(6価) | ug/L | <0.02 | | | | <0.02 | | | | <0.02 | | | | |
| 砒 素 | ug/L | <0.02 | | | | <0.02 | | | | <0.02 | | | | |
| 総 水 銀 | ug/L | <.0005 | | | | <.0005 | | | | <.0005 | | | | |
| 7 甲 基 水 銀 | ug/L | | | | | | | | | | | | | |
| P C B | ug/L | | | | | | | | | | | | | |
| トリクロロエチレン | ug/L | <0.002 | | | | <0.002 | | | | <0.002 | | | | |
| トトラクロロエチレン | ug/L | <.0005 | | | | <.0005 | | | | <.0005 | | | | |
| P H | - | 7.8 | 8.1 | 7.8 | 7.9 | 8.4 | 8.3 | 8.2 | 8.2 | 8.3 | 8.3 | 8.9 | 9.1 | |
| D O | ug/L | 9.8 | 9.7 | 7.6 | 9.7 | 8.7 | 10.0 | 8.8 | 8.4 | 7.5 | 7.4 | 7.9 | 7.8 | |
| B O D | ug/L | 1.1 | 1.1 | 0.7 | <0.5 | 1.0 | 1.1 | 0.7 | 0.6 | 0.5 | 0.5 | 1.2 | 1.6 | |
| C O D | ug/L | 2.2 | 2.5 | 2.1 | 2.0 | 1.7 | 1.9 | 3.4 | 2.1 | 3.6 | 1.8 | 1.9 | 1.8 | |
| S | ug/L | 12 | 15 | 10 | 9 | 3 | 5 | 209 | 12 | 5 | 6 | 5 | 4 | |
| 大腸菌群数 | MPN/100mL | 1.6E04 | 1.6E04 | 5.4E03 | 5.4E03 | 1.3E03 | 1.3E03 | 1.1E03 | 1.1E03 | 2.4E05 | 2.4E05 | 3.3E03 | 3.3E03 | |
| n-Hex | ug/L | | | | | | | | | | | | | |
| 全 窒 素 | ug/L | | | | | | | | | | | | | |
| 全 燐 | ug/L | | | | | | | | | | | | | |
| フェノール類 | ug/L | | | | | | | | | | | | | |
| 銅 | ug/L | 0.03 | | | | <0.01 | | | | <0.01 | | | | |
| 亜 鉛 | ug/L | 0.10 | | | | <0.01 | | | | <0.01 | | | | |
| 鉄(溶解性) | ug/L | <0.1 | | | | <0.1 | | | | <0.1 | | | | |
| マンガン(溶解性) | ug/L | <0.05 | | | | <0.05 | | | | <0.05 | | | | |
| クロム | ug/L | <0.01 | | | | <0.01 | | | | <0.01 | | | | |
| フッ素 | ug/L | <0.15 | | | | <0.15 | | | | <0.15 | | | | |
| フッ素性窒素 | ug/L | | | | | | | | | | | | | |
| 亜硝酸性窒素 | ug/L | | | | | | | | | | | | | |
| 硝酸性窒素 | ug/L | | | | | | | | | | | | | |
| 磷酸態燐 | ug/L | | | | | | | | | | | | | |
| A B S | ug/L | <0.02 | | | | 0.05 | | | | 0.02 | | | | |
| 1,1,1-トリクロロエチレン | ug/L | | | | | <0.001 | | | | | | | | |
| 四塩化炭素 | ug/L | | | | | <0.001 | | | | | | | | |
| クロロフィルa | ug/L | | | | | | | | | | | | | |
| 導 電 率 | μS/cm | 143 | 150 | 151 | 150 | 174 | 176 | 201 | 208 | 230 | 235 | 199 | 198 | |
| 濁 度 | ug/L | 7 | | <5 | | <5 | | 150 | | <5 | | <5 | | |
| 塩素イオン | ug/L | 4.8 | | 4.0 | | 4.0 | | 5.2 | | 5.5 | | 4.0 | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 山梨県

| 地点名(地点統一番号) | | 国 界 橋 (001-51) | | | | | | | | | | | | |
|-------------|---------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | [AA1] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月 日 | 10/8 | 10/8 | 11/1 | 11/1 | 12/3 | 12/3 | 1/9 | 1/9 | 2/1 | 2/1 | 3/1 | 3/1 |
| | | 採取時刻 | 12:05 | 13:06 | 12:05 | 13:00 | 12:30 | 13:20 | 12:10 | 13:10 | 12:10 | 13:10 | 12:20 | 13:20 |
| 一般項目 | 天 候 | - | 雨 | 雨 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 |
| | 気 温 | ℃ | 18.3 | 17.8 | 18.8 | 16.0 | 7.0 | 6.0 | 2.2 | 2.0 | 2.0 | 2.6 | 0.1 | 0.2 |
| | 水 温 | ℃ | 15.7 | 15.5 | 11.5 | 11.5 | 7.5 | 7.6 | 3.0 | 3.0 | 3.0 | 3.0 | 4.0 | 4.0 |
| | 外 観 | - | 202 | 202 | 001 | 001 | 060 | 060 | 001 | 001 | 001 | 001 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | | | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | 5.0 | 8.5 | >30.0 | >30.0 | 16.6 | 16.3 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 健康項目 | カドミウム | ug/l | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | | シアン | ug/l | N.D. | | | | N.D. | | | | N.D. | | |
| | | 有機燐 | ug/l | | | | | | | | | <0.05 | | |
| | | 鉛 | ug/l | <0.05 | | | | <0.05 | | | | <0.02 | | |
| | | クロム(6価) | ug/l | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | | 砒素 | ug/l | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | | 総水銀 | ug/l | <.0005 | | | | <.0005 | | | | <.0005 | | |
| アキル水銀 | | ug/l | | | | | | | | | | | | |
| P C B | | ug/l | | | | | | | | | | | | |
| トリブチル | | ug/l | <0.002 | | | | <0.002 | | | | <0.002 | | | |
| テトラブチル | ug/l | <.0005 | | | | <.0005 | | | | <.0005 | | | | |
| 生活環境項目 | P H | - | 7.5 | 7.8 | 6.9 | 8.2 | 7.8 | 8.0 | 7.5 | 8.3 | 9.0 | 9.0 | 8.0 | 8.3 |
| | D O | ug/l | 8.4 | 8.7 | 9.3 | 9.6 | 11.0 | 11.0 | 10.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 |
| | B O D | ug/l | 1.4 | 0.9 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | 0.6 | 1.3 | 1.2 | 1.5 | 1.6 |
| | C O D | ug/l | 5.6 | 3.5 | 0.9 | 1.1 | 1.8 | 1.4 | 2.2 | 1.7 | 2.8 | 2.8 | 2.4 | 2.0 |
| | S | ug/l | 105 | 73 | 2 | 2 | 37 | 39 | 9 | 6 | 9 | 11 | 7 | 7 |
| | 大腸菌群数 | MPN/100ml | 7.9E03 | 7.9E03 | 1.7E03 | 1.7E03 | 9.2E03 | 9.2E03 | 1.3E03 | 1.3E03 | 2.4E03 | 2.4E03 | 3.5E04 | 3.5E03 |
| | n-Hex | ug/l | | | | | | | | | | | | |
| | 全窒素 | ug/l | | | | | | | | | | | | |
| | 全燐 | ug/l | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | ug/l | | | | | | | | | | | |
| 銅 | | ug/l | 0.01 | | | | <0.01 | | | | <0.01 | | | |
| 亜鉛 | | ug/l | 0.02 | | | | <0.01 | | | | <0.01 | | | |
| 鉄(溶解性) | | ug/l | 0.20 | | | | 0.10 | | | | 0.10 | | | |
| マンガン(溶解性) | | ug/l | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム | | ug/l | 0.01 | | | | <0.01 | | | | <0.01 | | | |
| フッ素 | | ug/l | <0.15 | | | | <0.15 | | | | <0.15 | | | |
| アセチル性窒素 | | ug/l | | | | | | | | | | | | |
| 亜硝酸性窒素 | | ug/l | | | | | | | | | | | | |
| 硝酸性窒素 | | ug/l | | | | | | | | | | | | |
| 磷酸態燐 | | ug/l | | | | | | | | | | | | |
| A B S | | ug/l | 0.03 | | | | 0.02 | | | | 0.05 | | | |
| 1.1.1-トリブチル | | ug/l | | | | | <0.001 | | | | | | | |
| 四塩化炭素 | | ug/l | | | | | <0.001 | | | | | | | |
| クロロフィルa | | ug/l | | | | | | | | | | | | |
| 導電率 | μS/cm | 151 | 151 | 162 | 166 | 148 | 148 | 147 | 160 | 153 | 153 | 185 | 191 | |
| 濁度 | ug/l | 20 | | <5 | | 12 | | <5 | | <5 | | 8 | | |
| 塩素イオン | ug/l | 9.4 | | 3.4 | | 6.4 | | 4.4 | | 5.2 | | 11.8 | | |

公共用水域水質測定結果表

水域名 塩川

調査担当機関 建設省

| 地点名(地点統一番号) | | 塩川橋 (202-02) | | | | | | | | | | | | |
|-------------|---------------|-------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|------|--------|
| [類型名] | | [-] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 4/10 | 4/10 | 5/22 | 5/22 | 6/12 | 6/12 | 7/10 | 7/10 | 8/7 | 8/7 | 9/11 | 9/11 |
| | | 採取時刻 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 |
| 一般項目 | 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気温 | ℃ | 16.0 | 28.5 | 17.0 | 25.6 | 25.5 | 31.5 | 25.0 | 32.5 | 28.0 | 33.5 | 25.0 | 34.0 |
| | 水温 | ℃ | 14.5 | 20.7 | 14.8 | 21.2 | 16.5 | 24.2 | 21.7 | 27.5 | 23.0 | 30.0 | 20.0 | 25.5 |
| | 外観 | - | 320 | 320 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 320 | 320 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m ³ /S | | | | | | | | | | 1.00 | | 4.16 |
| 目川 | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透視度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 20.0 | 25.5 |
| 健康項目 | カドミウム | ug/L | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | ug/L | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | ug/L | | | | | | | | | | | | |
| | 鉛 | ug/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | ug/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | ug/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | ug/L | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | 7メチル水銀 | ug/L | | | | | | | | | | | | |
| | P C B | ug/L | | | | | | | | | | | | |
| | トリクロロイソ | ug/L | | | | | | | | | | | | |
| 生活環境項目 | P H | - | 7.4 | 7.4 | 7.5 | 7.7 | 7.3 | 7.3 | 7.7 | 8.4 | 7.6 | 7.3 | 7.7 | 7.9 |
| | D O | ug/L | 11.3 | 9.0 | 10.4 | 9.7 | 9.1 | 8.9 | 9.5 | 9.2 | 9.1 | 8.6 | 9.3 | 8.9 |
| | B O D | ug/L | 1.2 | 1.5 | 0.8 | 0.9 | 0.8 | 0.9 | 0.6 | 1.0 | 0.7 | 1.0 | 0.8 | 0.9 |
| | C O D | ug/L | 3.0 | 3.8 | 3.1 | 3.6 | 1.8 | 2.8 | 2.9 | 3.9 | 3.1 | 2.6 | 2.3 | 2.3 |
| | S S | ug/L | 13 | 24 | 8 | 6 | 2 | 4 | 9 | 13 | 7 | 7 | 15 | 15 |
| | 大腸菌群数 | MPN/100mL | | 3.3E03 | | 2.2E03 | | 1.3E03 | | 7.0E03 | | 1.7E03 | | 4.6E04 |
| | n-Hex | ug/L | | | | | | | | | | | | |
| | 全窒素 | ug/L | | | | | | | | | | | | |
| | 全燐 | ug/L | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | ug/L | | | | | | | | | | | |
| 銅 | | ug/L | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| 亜鉛 | | ug/L | | 0.01 | | | | 0.02 | | | | 0.01 | | |
| 鉄(溶解性) | | ug/L | | | | | | | | | | | | |
| マンガン(溶解性) | | ug/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム | | ug/L | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| フッ素 | | ug/L | | | | | | | | | | | | |
| アンモニア性窒素 | | ug/L | | <0.01 | | | | <0.01 | | | | 0.300 | | |
| 亜硝酸性窒素 | | ug/L | | | | | | | | | | | | |
| 硝酸性窒素 | | ug/L | | | | | | | | | | | | |
| 目 | 磷酸態燐 | ug/L | | 0.042 | | 0.045 | | 0.039 | | 0.044 | | 0.043 | | 0.039 |
| | A B S | ug/L | | 0.02 | | | | 0.02 | | | | 0.04 | | |
| | 1,1,1-トリクロロイソ | ug/L | | | | | | | | | | | | |
| | 四塩化炭素 | ug/L | | | | | | | | | | | | |
| | クロロフィルa | ug/L | | | | | | | | | | | | |
| | 導電率 | μS/cm | | 122 | | | | 197 | | | | 213 | | |
| | 濁度 | ug/L | | 18 | | | | 6 | | | | <5 | | |
| | 塩素イオン | ug/L | | 12.8 | | | | 16.0 | | | | 18.1 | | |

公共用水域水質測定結果表

水域名 塩川

調査担当機関 建設省

| 地点名(地点統一番号) | | 塩川橋 (202-02) | | | | | | | | | | | | |
|-------------|----------------|-------------------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| [類型名] | | [-] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 10/16 | 10/16 | 11/13 | 11/13 | 12/11 | 12/11 | 1/8 | 1/8 | 2/13 | 2/13 | 3/13 | 3/13 |
| | | 採取時刻 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 | 8:25 | 13:25 |
| 一般項目 | 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気温 | ℃ | 17.5 | 26.0 | 7.0 | 19.1 | 4.0 | 15.0 | 0.0 | 10.0 | 2.0 | 10.5 | 8.0 | 16.5 |
| | 水温 | ℃ | 15.0 | 19.0 | 8.6 | 13.0 | 6.5 | 9.2 | 3.0 | 7.3 | 2.0 | 7.5 | 6.5 | 12.2 |
| | 外觀 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m ³ /S | | 10.94 | | 7.43 | | 6.55 | | 5.38 | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川透視度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | カドミウム | ug/L | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | ug/L | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | ug/L | | | | | | | | | | | | |
| | 鉛 | ug/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | ug/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | ug/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 総水銀 | ug/L | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| γ-ヒル水銀 | ug/L | | | | | | | | | | | | | |
| P C B | ug/L | | | | | | | | | | | | | |
| トクソキシレン | ug/L | | | | | | | | | | | | | |
| トナソキシレン | ug/L | | | | | | | | | | | | | |
| 生活環境項目 | P H | - | 7.4 | 7.5 | 7.5 | 7.7 | 7.5 | 7.5 | 7.6 | 7.6 | 7.3 | 7.3 | 7.5 | 7.6 |
| | D O | ug/L | 10.0 | 9.8 | 11.0 | 11.0 | 12.0 | 11.0 | 12.0 | 12.0 | 13.0 | 13.0 | 12.0 | 11.0 |
| | B O D | ug/L | 0.6 | 0.5 | 0.6 | 0.9 | 1.5 | 1.3 | 1.2 | 1.0 | 1.8 | 1.8 | 0.8 | 1.3 |
| | C O D | ug/L | 1.6 | 1.7 | 1.8 | 2.4 | 1.6 | 2.2 | 1.5 | 1.3 | 2.0 | 2.5 | 2.5 | 3.1 |
| | S S | ug/L | 4 | 5 | 2 | 3 | 2 | 6 | 2 | 8 | 2 | 3 | 7 | 10 |
| | 大腸菌群数 | MPN/100ml | | 3.4E03 | | 7.0E03 | | 3.3E03 | | 7.0E01 | | 7.0E02 | | 4.6E03 |
| | n-Hex | ug/L | | | | | | | | | | | | |
| | 全窒素 | ug/L | | | | | | | | | | | | |
| | 全燐 | ug/L | | | | | | | | | | | | |
| | フェノール類 | ug/L | | | | | | | | | | | | |
| 特殊項目 | 銅 | ug/L | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | ug/L | | 0.01 | | | | <0.01 | | | | <0.01 | | |
| | 鉄(溶解性) | ug/L | | | | | | | | | | | | |
| | マンガン(溶解性) | ug/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | ug/L | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | ug/L | | | | | | | | | | | | |
| | 活性性窒素 | ug/L | | 0.040 | | | | <0.01 | | | | 0.060 | | |
| | 亜硝酸性窒素 | ug/L | | | | | | | | | | | | |
| | 硝酸性窒素 | ug/L | | | | | | | | | | | | |
| | 燐酸態燐 | ug/L | | 0.017 | | 0.114 | | 0.029 | | 0.018 | | 0.028 | | 0.031 |
| | A B S | ug/L | | <0.02 | | | | 0.02 | | | | <0.02 | | |
| | 1,1,1-トリクロロエタン | ug/L | | | | | | | | | | | | |
| | 四塩化炭素 | ug/L | | | | | | | | | | | | |
| | クロロフィルa | ug/L | | | | | | | | | | | | |
| 導電率 | μS/cm | | 122 | | | | 107 | | | | 122 | | | |
| 濁度 | ug/L | | <5 | | | | <5 | | | | <5 | | | |
| 塩素イオン | ug/L | | 10.9 | | | | 13.7 | | | | 18.7 | | | |

公共用水域水質測定結果表

水域名 黒沢川

調査担当機関 山梨県

| 地点名(地点統一番号) | | 黒沢川流末 (201-01) | | | | | | | | | | | | |
|-------------|---------------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | [-] | | | | | | | | | | | | |
| 区 | 月日 | 4/18 | 4/18 | 5/7 | 5/7 | 6/1 | 6/1 | 7/2 | 7/2 | 8/1 | 8/1 | 9/5 | 9/5 | |
| 分 | 測定項目 | 採取時刻 | 11:40 | 14:20 | 10:55 | 13:16 | 10:55 | 13:41 | 11:25 | 14:30 | 11:10 | 14:10 | 11:04 | 14:15 |
| 一般項目 | 天候 | - | 曇 | 曇 | 曇 | 曇 | 晴 | 雨 | 薄曇 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気温 | ℃ | 13.5 | 13.0 | 16.0 | 17.8 | 26.3 | 19.0 | 27.0 | 27.5 | 31.5 | 33.0 | 31.0 | 32.5 |
| | 水温 | ℃ | 14.0 | 13.0 | 16.0 | 17.0 | 19.0 | 18.0 | 24.0 | 24.0 | 27.5 | 27.0 | 24.5 | 25.0 |
| | 外観 | - | 062 | 062 | 022 | 022 | 001 | 001 | 062 | 062 | 001 | 001 | 062 | 062 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m ³ /S | 0.41 | | 0.64 | | 0.66 | | 0.73 | | | | 0.50 | 0.71 |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川透視度 | cm | <30.0 | <30.0 | 13.0 | 8.0 | 25.6 | 25.6 | <30.0 | <30.0 | 30.0 | <30.0 | <30.0 | <30.0 |
| | 健康項目 | カドミウム | ug/L | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | | シアン | ug/L | N.D. | | | | N.D. | | | | N.D. | | |
| 有機磷 | | ug/L | | | | | | | | | | | | |
| 鉛 | | ug/L | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム(6価) | | ug/L | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 砒素 | | ug/L | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 総水銀 | | ug/L | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| 7メチル水銀 | | ug/L | | | | | | | | | | | | |
| P C B | | ug/L | | | | | | | | | | | | |
| トリクロロイソ | | ug/L | <0.002 | | | | <0.002 | | | | <0.002 | | | |
| テトラクロロイソ | ug/L | <.0005 | | | | <.0005 | | | | <.0005 | | | | |
| 生活環境項目 | P H | - | 7.9 | 7.8 | 7.5 | 7.6 | 7.9 | 7.4 | 8.4 | 8.4 | 8.9 | 8.5 | 8.7 | |
| | D O | ug/L | 9.4 | 9.0 | 8.2 | 8.2 | 5.0 | 8.0 | 10.0 | 9.2 | 9.6 | 9.5 | 9.2 | 8.4 |
| | B O D | ug/L | 7.5 | 5.0 | 8.3 | 7.2 | 3.4 | 3.2 | 1.9 | 2.1 | 2.1 | 3.1 | 3.3 | 3.3 |
| | C O D | ug/L | 7.0 | 6.4 | 9.3 | 10.0 | 5.4 | 5.0 | 4.6 | 5.1 | 4.3 | 6.2 | 4.1 | 3.8 |
| | S S | ug/L | 16 | 19 | 60 | 58 | 25 | 26 | 12 | 10 | 3 | 2 | 20 | 14 |
| | 大腸菌群数 | MPN/100ml | 9.2E04 | 1.6E05 | 1.6E05 | 1.6E05 | 3.5E04 | 3.5E04 | 9.2E04 | 9.2E04 | 1.6E05 | 1.6E05 | 7.9E03 | 1.3E04 |
| | n-Hex | ug/L | | | | | | | | | | | | |
| | 全窒素 | ug/L | | | | | | | | | | | | |
| | 全磷 | ug/L | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | ug/L | | | | | | | | | | | |
| 銅 | | ug/L | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| 亜鉛 | | ug/L | 0.02 | | | | 0.02 | | | | 0.01 | | | |
| 鉄(溶解性) | | ug/L | <0.1 | | | | 0.1 | | | | <0.1 | | | |
| マンガン(溶解性) | | ug/L | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム | | ug/L | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| フッ素 | | ug/L | <0.15 | | | | <0.15 | | | | <0.15 | | | |
| アモニウム性窒素 | | ug/L | | | | | | | | | | | | |
| 亜硝酸性窒素 | | ug/L | | | | | | | | | | | | |
| 硝酸性窒素 | | ug/L | | | | | | | | | | | | |
| 目 | 磷酸態磷 | ug/L | | | | | | | | | | | | |
| | A B S | ug/L | 0.68 | | | | 0.42 | | | | 0.12 | | | |
| | 1,1,1-トリクロロイソ | ug/L | | | | | <0.001 | | | | | | | |
| | 四塩化炭素 | ug/L | | | | | <0.001 | | | | | | | |
| | クロロフィル a | ug/L | | | | | | | | | | | | |
| | 導電率 | uS/cm | 351 | 232 | 194 | 199 | 223 | 227 | 227 | 240 | 243 | 247 | 280 | 235 |
| | 濁度 | ug/L | 9 | | 15 | | 17 | | 10 | | <5 | | <5 | |
| | 塩素イオン | ug/L | 46.1 | | 10.0 | | 11.5 | | 12.8 | | 13.8 | | 25.6 | |

公共用水域水質測定結果表

調査担当機関 山梨県

水域名 黒沢川

| 地点名(地点統一番号) | | 黒沢川流末 (201-01) | | | | | | | | | | | | | |
|----------------|---------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| [類型名] | | [-] | | | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 10/8 | 10/8 | 11/1 | 11/1 | 12/3 | 12/3 | 1/9 | 1/9 | 2/1 | 2/1 | 3/1 | 3/1 | |
| | | 採取時刻 | 11:08 | 14:05 | 11:10 | 13:50 | 11:30 | 14:10 | 11:15 | 14:00 | 11:20 | 14:00 | 11:30 | 14:20 | |
| 一般項目 | 天候 | - | 小雨 | 小雨 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 | |
| | 気温 | ℃ | 21.0 | 20.0 | 18.5 | 19.0 | 13.0 | 11.5 | 8.0 | 11.5 | 6.0 | 8.0 | 6.1 | 5.0 | |
| | 水温 | ℃ | 19.0 | 18.9 | 14.5 | 16.0 | 12.7 | 11.5 | 8.0 | 8.2 | 8.5 | 9.5 | 5.8 | 5.6 | |
| | 外觀 | - | 172 | 172 | 140 | 140 | 001 | 001 | 001 | 001 | 140 | 140 | 001 | 001 | |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | |
| | 河流量 | m ³ /S | 0.11 | | 0.65 | | 0.45 | | 0.45 | | 0.25 | | 0.45 | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | |
| | 川透視度 | cm | 15.0 | 10.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | |
| | カドミウム | ug/l | <0.005 | | | | <0.005 | | | | <0.005 | | | | |
| | シアン | ug/l | N.D. | | | | N.D. | | | | N.D. | | | | |
| | 有機燐 | ug/l | | | | | | | | | | | | | |
| | 鉛 | ug/l | <0.05 | | | | <0.05 | | | | <0.05 | | | | |
| | クロム(6価) | ug/l | <0.02 | | | | <0.02 | | | | <0.02 | | | | |
| | 健康項目 | 砒素 | ug/l | <0.02 | | | | <0.02 | | | <0.02 | | | | |
| 総水銀 | | ug/l | <.0005 | | | | <.0005 | | | <.0005 | | | | | |
| 7元素水銀 | | ug/l | | | | | | | | | | | | | |
| P C B | | ug/l | | | | | | | | | | | | | |
| トリクロロフェン | | ug/l | <0.002 | | | | <0.002 | | | <0.002 | | | | | |
| ヘキサクロロフェン | | ug/l | <.0005 | | | | <.0005 | | | <.0005 | | | | | |
| 生活環境項目 | | P | ug/l | 7.5 | 7.6 | 8.3 | 8.9 | 7.6 | 7.7 | 8.1 | 8.6 | 8.4 | 8.6 | 8.0 | 8.1 |
| | | D O | ug/l | 8.6 | 8.8 | 11.0 | 9.0 | 8.5 | 9.8 | 12.0 | 11.0 | 12.0 | 11.0 | 10.0 | 11.0 |
| | | B O D | ug/l | 3.4 | 4.0 | 4.7 | 3.6 | 9.5 | 4.0 | 5.6 | 5.5 | 35.0 | 13.0 | 7.1 | 11.0 |
| | | C O D | ug/l | 5.8 | 6.0 | 4.5 | 4.4 | 7.5 | 3.7 | 12.0 | 5.4 | 29.0 | 11.0 | 6.0 | 6.8 |
| | S | ug/l | 31 | 40 | 10 | 10 | 7 | 6 | 3 | 5 | 12 | 10 | 9 | 9 | |
| | 大腸菌群数 | MPN/100ml | 2.4E05 | 2.4E04 | 9.2E04 | 9.2E04 | 5.4E04 | 5.4E04 | 2.4E05 | 2.4E05 | 2.4E05 | 2.4E05 | 5.4E04 | 5.4E04 | |
| | n-Hex | ug/l | | | | | | | | | | | | | |
| | 全窒素 | ug/l | | | | | | | | | | | | | |
| | 全燐 | ug/l | | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | ug/l | | | | | | | | | | | | |
| 銅 | | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | | |
| 亜鉛 | | ug/l | 0.01 | | | | <0.01 | | | | 0.01 | | | | |
| 鉄(溶解性) | | ug/l | 0.50 | | | | 0.1 | | | | <0.1 | | | | |
| マンガン(溶解性) | | ug/l | <0.05 | | | | <0.05 | | | | <0.05 | | | | |
| クロム | | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | | |
| フッ素 | | ug/l | <0.15 | | | | <0.15 | | | | <0.15 | | | | |
| アモニウム性窒素 | | ug/l | | | | | | | | | | | | | |
| 亜硝酸性窒素 | | ug/l | | | | | | | | | | | | | |
| 硝酸性窒素 | | ug/l | | | | | | | | | | | | | |
| 磷酸態燐 | | ug/l | | | | | | | | | | | | | |
| A B : S | | ug/l | 0.19 | | | | 0.46 | | | | 0.87 | | | | |
| 1.1.1-トリクロロエタン | | ug/l | | | | | <0.001 | | | | | | | | |
| 四塩化炭素 | | ug/l | | | | | <0.001 | | | | | | | | |
| クロロフィルa | ug/l | | | | | | | | | | | | | | |
| 導電率 | μS/cm | 218 | 255 | 265 | 204 | 608 | 286 | 293 | 235 | 306 | 294 | 245 | 250 | | |
| 濁度 | ug/l | 14 | | <5 | | <5 | | <5 | | 8 | | 10 | | | |
| 塩素イオン | ug/l | 15.0 | | 24.1 | | 105.0 | | 35.1 | | 25.0 | | 11.1 | | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) [類型名] | | | 船 山 橋 (001-01) [AA1] | | | | | | | | | | | |
|----------------------|----------------|-------------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 区分 | 測定項目 | 月・日 | 4/10 | 4/10 | 5/22 | 5/22 | 6/12 | 6/12 | 7/10 | 7/10 | 8/7 | 8/7 | 9/11 | 9/11 |
| | | 採取時刻 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気 温 | ℃ | 16.0 | 25.8 | 17.0 | 25.0 | 24.0 | 31.0 | 25.0 | 32.1 | 28.0 | 36.0 | 25.0 | 33.0 |
| | 水 温 | ℃ | 13.5 | 19.5 | 13.7 | 20.0 | 18.2 | 24.5 | 20.3 | 26.5 | 24.0 | 29.0 | 19.0 | 26.0 |
| | 外 観 | - | 320 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | | | | 0.96 | | 7.62 |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 健康項目 | カドミウム | μg/l | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | | シアン | μg/l | | N.D. | | | | N.D. | | | | N.D. | |
| 有機燐 | | μg/l | | | | | | | | | | N.D. | | |
| 鉛 | | μg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム(6価) | | μg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 砒素 | | μg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 総水銀 | | μg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| アモニウム水銀 | | μg/l | | | | | | | | | | | | |
| P C B | | μg/l | | | | | | | | | | N.D. | | |
| トリクロロフェン | | μg/l | | <0.002 | | | | <0.002 | | | | <0.002 | | |
| ポリクロロフェン | μg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| 生活環境項目 | P H | - | 7.4 | 7.5 | 7.5 | 7.6 | 7.6 | 8.4 | 7.5 | 7.9 | 7.7 | 8.4 | 7.8 | 7.9 |
| | D O | μg/l | 11.0 | 9.1 | 10.0 | 9.6 | 10 | 9.0 | 10.0 | 9.5 | 10.0 | 10.0 | 8.7 | 8.0 |
| | B O D | μg/l | 0.8 | 0.9 | 0.6 | 0.5 | 0.8 | 0.8 | 0.7 | 0.5 | 0.9 | 1.4 | 1.0 | 1.1 |
| | C O D | μg/l | 1.9 | 2.1 | 1.8 | 2.1 | 1.9 | 2.0 | 2.6 | 2.0 | 1.4 | 2.9 | 1.4 | 1.3 |
| | S S | μg/l | 11 | 11 | 7 | 8 | 9 | 7 | 6 | 7 | 3 | 4 | 18 | 23 |
| | 大腸菌群数 | MPN/100ml | | 4.9E02 | | 1.7E03 | | 3.3E03 | | 4.9E03 | | 2.3E02 | | 1.7E04 |
| | n-Hex | μg/l | | | | | | | | | | | | |
| | 全窒素 | μg/l | | | | | | | | | | | | |
| | 全燐 | μg/l | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | μg/l | | | | | | | | | | | |
| 銅 | | μg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| 亜鉛 | | μg/l | | <0.01 | | | | 0.01 | | | | 0.01 | | |
| 鉄(溶解性) | | μg/l | | | | | | | | | | | | |
| マンガン(溶解性) | | μg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム | | μg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| フッ素 | | μg/l | | | | | | | | | | | | |
| 活性窒素 | | μg/l | | 0.030 | | | | 0.020 | | | | 0.050 | | |
| 亜硝酸性窒素 | | μg/l | | | | | | | | | | | | |
| 硝酸性窒素 | | μg/l | | | | | | | | | | | | |
| 項目 | 磷酸態燐 | μg/l | | 0.022 | | 0.024 | | 0.082 | | 0.037 | | 0.016 | 0.018 | |
| | A B S | μg/l | | 0.02 | | | | 0.02 | | | | 0.07 | | |
| | 1.1.1-トリクロロエタン | μg/l | | | | | | | | | | | | |
| | 四塩化炭素 | μg/l | | | | | | | | | | | | |
| | クロロフィルa | μg/l | | | | | | | | | | | | |
| | 導電率 | μS/cm | | 113 | | | | 157 | | | | 212 | | |
| | 濁度 | μg/l | | 13 | | | | 10 | | | | <5 | | |
| | 塩素イオン | μg/l | | 6.0 | | | | 7.3 | | | | 8.5 | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 船 山 橋 (001-01) | | | | | | | | | | | |
|-------------|--------------|-------------------|------------------|--------|-------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| [類型名] | | | [AA1] | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 10/16 | 10/16 | 11/13 | 11/13 | 12/11 | 12/11 | 1/8 | 1/8 | 2/13 | 2/13 | 3/13 | 3/13 |
| | | 採取時刻 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 |
| 一 般 項 目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気 温 | ℃ | 17.0 | 26.0 | 7.8 | 19.0 | 4.0 | 14.8 | -1.0 | 9.5 | 2.0 | 10.0 | 6.0 | 15.0 |
| | 水 温 | ℃ | 14.0 | 18.5 | 8.0 | 12.8 | 5.8 | 9.0 | 2.9 | 7.7 | 1.8 | 7.0 | 5.0 | 11.3 |
| | 外 観 | - | 320 | 320 | 320 | 001 | 320 | 320 | 001 | 001 | 001 | 001 | 320 | 320 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| 河 川 項 目 | 流 量 | m ³ /s | | 23.19 | | 19.40 | | 18.40 | | 12.50 | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| 河 川 項 目 | 透 視 度 | cm | 11.0 | 13.0 | 18.3 | 24.7 | 15.7 | 19.3 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| 健 康 項 目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/l | | | | | | | | | | N.D. | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | アモニウム水銀 | mg/l | | | | | | | | | | | | |
| | P C B | mg/l | | | | | | | | | | N.D. | | |
| | トリクロロフル | mg/l | | <0.002 | | | | <0.002 | | | | <0.002 | | |
| テトラクロロフル | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| 生 活 環 境 項 目 | P | mg/l | 7.5 | 7.6 | 7.4 | 7.5 | 7.6 | 7.6 | 7.4 | 7.4 | 7.3 | 7.4 | 7.3 | 7.3 |
| | D O | mg/l | 10.0 | 10.0 | 11.0 | 10.0 | 12.0 | 11.0 | 12.0 | 11.0 | 13.0 | 12.0 | 11.0 | 10.0 |
| | B O D | mg/l | 1.6 | 0.6 | 1.0 | 0.9 | 1.5 | 1.1 | 0.8 | 0.9 | 1.8 | 1.9 | 1.6 | 1.3 |
| | C O D | mg/l | 2.3 | 1.7 | 1.7 | 2.3 | 2.4 | 2.7 | 1.1 | 1.2 | 2.0 | 2.0 | 1.7 | 3.1 |
| | S | mg/l | 89 | 68 | 46 | 38 | 55 | 51 | 7 | 22 | 7 | 3 | 24 | 21 |
| 生 活 環 境 項 目 | 大腸菌群数 | MPN/100ml | | 2.6E03 | | 3.3E03 | | 4.9E03 | | 4.9E03 | | 1.3E03 | | 2.7E03 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| 特 殊 項 目 | 全燐 | mg/l | | | | | | | | | | | | |
| | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/l | | 0.01 | | | | 0.01 | | | | <0.01 | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| | 7種7性窒素 | mg/l | | 0.040 | | | | 0.080 | | | | 0.080 | | |
| | 亜硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 磷酸態燐 | mg/l | | 0.021 | | 0.078 | | 0.025 | | 0.031 | | 0.029 | | 0.032 |
| | A B S | mg/l | | <0.02 | | | | 0.02 | | | | 0.03 | | |
| | 1,1,1-トリクロロエ | mg/l | | | | | | | | | | | | |
| | 四塩化炭素 | mg/l | | | | | | | | | | | | |
| クロロフィルa | mg/l | | | | | | | | | | | | | |
| 導電率 | μS/cm | | 133 | | | | 104 | | | | 105 | | | |
| 濁度 | mg/l | | 55 | | | | 24 | | | | <5 | | | |
| 塩素イオン | mg/l | | 5.4 | | | | 5.7 | | | | 7.2 | | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 信 玄 橋 (002-51) | | | | | | | | | | | |
|-------------|--------------|-------------------|------------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| [類型名] | | | [A1] | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 4/10 | 4/10 | 5/22 | 5/22 | 6/12 | 6/12 | 7/10 | 7/10 | 8/7 | 8/7 | 9/11 | 9/11 |
| | | 採取時刻 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 |
| 一 般 項 目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気 温 | ℃ | 19.0 | 27.0 | 17.5 | 26.0 | 26.0 | 31.0 | 29.2 | 33.0 | 28.0 | 34.0 | 25.0 | 34.0 |
| | 水 温 | ℃ | 15.0 | 21.6 | 16.0 | 21.8 | 20.5 | 26.0 | 22.5 | 28.5 | 26.0 | 32.0 | 21.0 | 27.5 |
| | 外 観 | - | 001 | 320 | 001 | 001 | 001 | 001 | 001 | 142 | 001 | 320 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /s | | | | | | | | | | | | |
| 目 川 | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透視度 | cm | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 | <30.0 |
| 健 康 項 目 | カドミウム | mg/L | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/L | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/L | | | | | | | | | | | | |
| | 鉛 | mg/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/L | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | γ-ヒル水銀 | mg/L | | | | | | | | | | | | |
| | P C B | mg/L | | | | | | | | | | | | |
| | トクソウチン | mg/L | | | | | | | | | | | | |
| トクソウチン | mg/L | | | | | | | | | | | | | |
| 生 活 環 境 項 目 | P H | - | 7.5 | 7.5 | 7.7 | 7.7 | 8.1 | 8.7 | 7.9 | 8.3 | 8.2 | 8.8 | 7.8 | 8.1 |
| | D O | mg/L | 10.0 | 9.0 | 10.0 | 9.6 | 10.0 | 9.4 | 10.0 | 9.8 | 11.0 | 11.0 | 9.8 | 8.8 |
| | B O D | mg/L | 1.3 | 1.6 | 1.0 | 0.9 | 1.2 | 1.0 | 0.7 | 0.6 | 0.9 | 1.2 | 1.5 | 1.2 |
| | C O D | mg/L | 2.4 | 3.2 | 2.5 | 3.0 | 2.7 | 2.9 | 2.9 | 3.6 | 3.4 | 3.1 | 1.6 | 1.7 |
| | S S | mg/L | 12 | 21 | 6 | 9 | 12 | 9 | 8 | 6 | 4 | 5 | 20 | 17 |
| 特 殊 項 目 | 大腸菌群数 | MPN/100ml | | | | 3.3E03 | | 4.9E03 | | 4.9E03 | | 1.4E03 | | 1.1E04 |
| | n-Hex | mg/L | | | | | | | | | | | | |
| | 全窒素 | mg/L | | | | | | | | | | | | |
| | 全燐 | mg/L | | | | | | | | | | | | |
| 特 殊 項 目 | フェノール類 | mg/L | | | | | | | | | | | | |
| | 銅 | mg/L | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/L | | 0.01 | | | | 0.01 | | | | 0.01 | | |
| | 鉄(溶解性) | mg/L | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/L | | <0.01 | | | | <0.01 | | | | 0.01 | | |
| | フッ素 | mg/L | | | | | | | | | | | | |
| | アモニウム性窒素 | mg/L | | 0.040 | | | | <0.01 | | | | 0.090 | | |
| | 亜硝酸性窒素 | mg/L | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/L | | | | | | | | | | | | |
| | 磷酸態燐 | mg/L | | 0.040 | | 0.040 | | 0.080 | | 0.040 | | 0.040 | 0.030 | |
| | A B S | mg/L | | 0.02 | | | | 0.03 | | | | 0.06 | | |
| | 1.1.1-トクソウチン | mg/L | | | | | | | | | | | | |
| | 四塩化炭素 | mg/L | | | | | | | | | | | | |
| クロロフィルa | mg/L | | | | | | | | | | | | | |
| 導電率 | μS/cm | | 120 | | | | 186 | | | | 240 | | | |
| 濁度 | mg/L | | 31 | | | | 16 | | | | <5 | | | |
| 塩素イオン | mg/L | | 10.2 | | | | 12.7 | | | | 14.7 | | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 信 玄 橋 (002-51) | | | | | | | | | | | |
|-------------|-----------------|-------------------|------------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|--------|--------|
| [類型名] | | | [A1] | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 10/16 | 10/16 | 11/13 | 11/13 | 12/11 | 12/11 | 1/8 | 1/8 | 2/13 | 2/13 | 3/13 | 3/13 |
| | | 採取時刻 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 | 9:00 | 14:05 |
| 一般 | 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気温 | ℃ | 17.0 | 25.0 | 10.0 | 20.7 | 8.3 | 12.0 | 3.0 | 10.0 | 4.0 | 8.0 | 8.0 | 17.2 |
| | 水温 | ℃ | 15.0 | 19.0 | 9.5 | 13.9 | 7.0 | 9.2 | 3.2 | 7.7 | 3.0 | 7.3 | 6.5 | 12.5 |
| | 外観 | - | 321 | 321 | 320 | 320 | 320 | 320 | 001 | 001 | 001 | 001 | 320 | 320 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m ³ /S | | | | | | | | | | | | |
| | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川透視度 | cm | 14.0 | 17.0 | 19.3 | 25.0 | 18.3 | 21.3 | <30.0 | <30.0 | <30.0 | <30.0 | 28.0 | 25.0 |
| | カドミウム | ug/l | | <0.005 | | | | <0.005 | | | | | <0.005 | |
| | シアン | ug/l | | N.D. | | | | N.D. | | | | | N.D. | |
| 健康 | 有機燐 | ug/l | | | | | | | | | | | | |
| | 鉛 | ug/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | ug/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | ug/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | ug/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | 7ヶヶ水銀 | ug/l | | | | | | | | | | | | |
| | P C B | ug/l | | | | | | | | | | | | |
| | トクソウイソ | ug/l | | | | | | | | | | | | |
| | フトクソウイソ | ug/l | | | | | | | | | | | | |
| | P | ug/l | 7.5 | 7.6 | 7.5 | 7.6 | 7.7 | 7.7 | 7.5 | 7.5 | 7.3 | 7.3 | 7.3 | 7.4 |
| 生活環境 | D O | ug/l | 10.0 | 9.4 | 11.0 | 10.0 | 11.0 | 11.0 | 12.0 | 11.0 | 13.0 | 12.0 | 12.0 | 10.0 |
| | B O D | ug/l | 0.7 | 0.8 | 1.6 | 0.9 | 1.6 | 1.3 | 1.0 | 1.2 | 1.8 | 2.1 | 0.9 | 1.4 |
| | C O D | ug/l | 2.0 | 2.2 | 1.5 | 1.9 | 1.8 | 2.2 | 1.3 | 1.3 | 1.9 | 2.2 | 1.7 | 3.6 |
| | S S | ug/l | 61 | 51 | 41 | 33 | 49 | 55 | 11 | 25 | 6 | 5 | 35 | 38 |
| | 大腸菌群数 | MPN/100ml | | 4.9E04 | | 1.7E04 | | 7.9E03 | | 3.3E03 | | 3.3E03 | | 3.3E03 |
| 特殊 | n-Hex | ug/l | | | | | | | | | | | | |
| | 全窒素 | ug/l | | | | | | | | | | | | |
| | 全燐 | ug/l | | | | | | | | | | | | |
| | フェノール類 | ug/l | | | | | | | | | | | | |
| | 銅 | ug/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | ug/l | | 0.01 | | | | 0.01 | | | | 0.01 | | |
| | 鉄(溶解性) | ug/l | | | | | | | | | | | | |
| | マンガン(溶解性) | ug/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | ug/l | | 0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | ug/l | | | | | | | | | | | | |
| 項目 | アンモニア性窒素 | ug/l | | 0.090 | | | | 0.070 | | | | 0.080 | | |
| | 亜硝酸性窒素 | ug/l | | | | | | | | | | | | |
| | 硝酸性窒素 | ug/l | | | | | | | | | | | | |
| | 磷酸態燐 | ug/l | | 0.037 | | 0.073 | | 0.037 | | 0.032 | | 0.034 | 0.034 | |
| | A B S | ug/l | | 0.02 | | | | <0.02 | | | | 0.02 | | |
| | 1.1.1-トリクロロエチレン | ug/l | | | | | | | | | | | | |
| | 四塩化炭素 | ug/l | | | | | | | | | | | | |
| | クロロフィルa | ug/l | | | | | | | | | | | | |
| | 導電率 | μS/cm | | 137 | | | | 110 | | | | 120 | | |
| | 濁度 | ug/l | | 33 | | | | 29 | | | | 120 | | |
| 塩素イオン | ug/l | | 8.2 | | | | 9.6 | | | | 12.2 | | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | 三 郡 西 橋 (002-01) | | | | | | | | | | | | | |
|-------------|---------------|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|--------|-------|------|
| [類型名] | | [A I] | | | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 4/10 | 4/10 | 5/22 | 5/22 | 6/12 | 6/12 | 7/10 | 7/10 | 8/7 | 8/7 | 9/11 | 9/11 | |
| | | 採取時刻 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 | |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | |
| | 気 温 | ℃ | 21.0 | 25.0 | 21.0 | 24.0 | 26.0 | 30.0 | 29.8 | 31.9 | | | 25.0 | 32.0 | |
| | 水 温 | ℃ | 17.7 | 22.8 | 19.8 | 21.8 | 24.5 | 28.1 | 24.8 | 29.8 | | | 22.0 | 29.0 | |
| | 外 観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | | | 320 | 320 | |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | | | 011 | 011 | |
| | 河 流 量 | m ³ /s | | | | | | | | | | | | | 5.06 |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | | | 流心 | 流心 | |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | | | >30.0 | >30.0 | |
| | 健康項目 | カドミウム | ug/l | | <0.005 | | | | <0.005 | | | | | | |
| | | ジ ア ン | ug/l | | N.D. | | | | N.D. | | | | | | |
| 有 機 燐 | | ug/l | | | | | | | | | | | | | |
| 鉛 | | ug/l | | <0.05 | | | | <0.05 | | | | | | | |
| クロム(6価) | | ug/l | | <0.02 | | | | <0.02 | | | | | | | |
| 砒 素 | | ug/l | | <0.02 | | | | <0.02 | | | | | | | |
| 総 水 銀 | | ug/l | | <.0005 | | | | <.0005 | | | | | | | |
| γ 線 水 銀 | | ug/l | | | | | | | | | | | | | |
| P C B | | ug/l | | | | | | | | | | | | | |
| トリクロロイソ | | ug/l | | <0.002 | | | | <0.002 | | | | | | | |
| テトラクロロイソ | ug/l | | <.0005 | | | | <.0005 | | | | | | | | |
| 生活環境項目 | P H | - | 7.5 | 7.6 | 7.9 | 7.9 | 8.7 | 8.8 | 8.6 | 8.8 | | 8.1 | 8.4 | | |
| | D O | ug/l | 10.0 | 10.0 | 11.0 | 12.0 | 11.0 | 10.0 | 10.0 | 12.0 | | 11.0 | 10.0 | | |
| | B O D | ug/l | 1.4 | 1.4 | 1.2 | 1.3 | 1.3 | 0.7 | 1.0 | 1.1 | | 1.8 | 2.0 | | |
| | C O D | ug/l | 2.6 | 3.2 | 2.9 | 2.9 | 2.8 | 3.3 | 3.1 | 3.6 | | 2.0 | 2.2 | | |
| | S S | ug/l | 19 | 20 | 9 | 9 | 8 | 4 | 13 | 8 | | 19 | 18 | | |
| 特殊項目 | 大腸菌群数 | MPN/100ml | | 1.7E03 | | 1.3E02 | | 3.3E04 | | 3.3E02 | | | 1.1E03 | | |
| | n-Hex | ug/l | | | | | | | | | | | | | |
| | 全 窒 素 | ug/l | | | | | | | | | | | | | |
| | 全 燐 | ug/l | | | | | | | | | | | | | |
| | フェノール類 | ug/l | | | | | | | | | | | | | |
| | 銅 | ug/l | | <0.01 | | | | <0.01 | | | | | | | |
| | 亜 鉛 | ug/l | | 0.01 | | | | 0.01 | | | | | | | |
| | 鉄(溶解性) | ug/l | | | | | | | | | | | | | |
| | マンガン(溶解性) | ug/l | | <0.05 | | | | <0.05 | | | | | | | |
| | クロム | ug/l | | <0.01 | | | | <0.01 | | | | | | | |
| 特殊項目 | フ ン 素 | ug/l | | | | | | | | | | | | | |
| | アモニウム性窒素 | ug/l | | <0.01 | | | | <0.01 | | | | | | | |
| | 亜硝酸性窒素 | ug/l | | 0.027 | | | | 0.048 | | | | | | | |
| | 硝酸性窒素 | ug/l | | 0.810 | | | | 0.750 | | | | | | | |
| | 磷酸態燐 | ug/l | | 0.057 | | 0.110 | | 0.185 | | 0.205 | | | 0.055 | | |
| | A B S | ug/l | | 0.02 | | | | 0.04 | | | | | | | |
| | 1,1,1-トリクロロイソ | ug/l | | | | | | | | | | | | | |
| | 四塩化炭素 | ug/l | | | | | | | | | | | | | |
| | クロロフィルa | ug/l | | | | | | | | | | | | | |
| | 導 電 率 | μS/cm | | 127 | | | | 198 | | | | | | | |
| 濁 度 | ug/l | | 29 | | | | 9 | | | | | | | | |
| 塩素イオン | ug/l | | 10.0 | | | | 16.1 | | | | | | | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | 三 耶 西 橋 (002-01) | | | | | | | | | | | | |
|---------------|-----------|--------------------|--------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|-------|
| [類型名] | | [A-I] | | | | | | | | | | | | |
| 区 | 月 日 | 10/16 | 10/16 | 11/13 | 11/13 | 12/11 | 12/11 | 1/8 | 1/8 | 2/13 | 2/13 | 3/13 | 3/13 | |
| 1 | 測定項目 | 採取時刻 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 | 9:40 | 14:45 |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 雨 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気 温 | ℃ | 19.0 | 23.0 | 13.0 | 17.3 | 8.0 | 10.3 | 6.0 | 10.0 | 7.0 | 10.0 | 10.0 | 16.0 |
| | 水 温 | ℃ | 16.0 | 20.0 | 11.0 | 14.8 | 7.5 | 9.8 | 5.1 | 8.8 | 5.0 | 9.6 | 7.0 | 14.8 |
| | 外 観 | - | 202 | 202 | 320 | 320 | 320 | 320 | 320 | 320 | 001 | 001 | 322 | 322 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /s | | 19.24 | | 8.90 | | 8.85 | | 4.00 | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | 9.0 | 14.0 | 21.7 | 23.3 | 13.0 | 11.3 | >30.0 | >30.0 | >30.0 | >30.0 | 19.0 | 19.0 |
| | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | | <0.005 | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | | N.D. | |
| 有機燐 | mg/l | | | | | | | | | | | N.D. | | |
| 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | | <0.05 | | |
| クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | | <0.02 | | |
| 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | | <0.02 | | |
| 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | | <.0005 | | |
| アモニウム水銀 | mg/l | | | | | | | | | | | | | |
| P C B | mg/l | | | | | | | | | | | N.D. | | |
| トリクロロイソ | mg/l | | <0.002 | | | | <0.002 | | | | | <0.002 | | |
| テトラクロロイソ | mg/l | | <.0005 | | | | <.0005 | | | | | <.0005 | | |
| P | mg/l | | 7.6 | 7.6 | 7.5 | 7.6 | 7.6 | 7.7 | 7.5 | 7.6 | 7.3 | 7.3 | 7.4 | 7.4 |
| D O | mg/l | | 10.0 | 9.1 | 11.0 | 10.0 | 11.0 | 10.0 | 12.0 | 11.0 | 13.0 | 11.0 | 12.0 | 10.0 |
| B O D | mg/l | | 0.8 | 0.7 | 0.9 | 0.8 | 1.4 | 1.7 | 1.2 | 1.3 | 2.3 | 2.7 | 1.3 | 1.2 |
| C O D | mg/l | | 2.5 | 2.3 | 1.8 | 1.7 | 2.3 | 2.6 | 1.5 | 1.9 | 2.6 | 3.0 | 2.7 | 3.0 |
| S | mg/l | | 123 | 110 | 48 | 44 | 79 | 125 | 20 | 23 | 19 | 22 | 64 | 54 |
| 大腸菌群数 | MPN/100ml | | 2.0E03 | | 1.7E03 | | 2.3E03 | | 3.3E02 | | 4.9E02 | | 1.3E04 | |
| n-Hex | mg/l | | | | | | | | | | | | | |
| 全窒素 | mg/l | | | | | | | | | | | | | |
| 全燐 | mg/l | | | | | | | | | | | | | |
| フェノール類 | mg/l | | | | | | | | | | | | | |
| 銅 | mg/l | | <0.01 | | | | <0.01 | | | | | <0.01 | | |
| 亜鉛 | mg/l | | <0.01 | | | | 0.02 | | | | | <0.01 | | |
| 鉄(溶解性) | mg/l | | | | | | | | | | | | | |
| マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | | | <0.05 | | |
| クロム | mg/l | | <0.01 | | | | <0.01 | | | | | <0.01 | | |
| フッ素 | mg/l | | | | | | | | | | | | | |
| アンモニア性窒素 | mg/l | | 0.080 | | | | 0.080 | | | | | 0.190 | | |
| 亜硝酸性窒素 | mg/l | | 0.016 | | | | 0.015 | | | | | 0.035 | | |
| 硝酸性窒素 | mg/l | | 1.150 | | | | 1.060 | | | | | 1.000 | | |
| 磷酸態燐 | mg/l | | 0.037 | | 0.074 | | 0.069 | | 0.094 | | | 0.110 | 0.043 | |
| A B S | mg/l | | <0.02 | | | | 0.03 | | | | | 0.03 | | |
| 1.1.1-トリクロロイソ | mg/l | | | | | | | | | | | | | |
| 四塩化炭素 | mg/l | | | | | | | | | | | | | |
| クロロフィルa | mg/l | | | | | | | | | | | | | |
| 導電率 | μS/cm | | 153 | | | | 128 | | | | | 142 | | |
| 濁度 | mg/l | | 75 | | | | 76 | | | | | 5 | | |
| 塩素イオン | mg/l | | 8.5 | | | | 8.8 | | | | | 17.5 | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | 富士橋 (003-01) | | | | | | | | | | | | |
|-------------|----------------|-------------------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|--------|-------|
| [類型名] | | [A^B] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 4/10 | 4/10 | 5/22 | 5/22 | 6/12 | 6/12 | 7/10 | 7/10 | 8/7 | 8/7 | 9/11 | 9/11 |
| | | 採取時刻 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 |
| 一般項目 | 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気温 | ℃ | 22.8 | 24.0 | 21.0 | 23.9 | 28.0 | 23.0 | 29.0 | 30.0 | 34.0 | 33.2 | 28.0 | 31.0 |
| | 水温 | ℃ | 18.8 | 22.0 | 20.0 | 21.6 | 22.7 | 25.5 | 24.0 | 27.6 | 27.0 | 31.0 | 23.0 | 27.5 |
| | 外観 | - | 001 | 001 | 001 | 022 | 001 | 001 | 001 | 001 | 032 | 032 | 001 | 001 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| 河川項目 | 河流量 | m ³ /s | | | | | | | | | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川透視度 | cm | >30.0 | >30.0 | >30.0 | 18.3 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| 健康項目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/l | | | | | | | | | | N.D. | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | γ-ヒ素水銀 | mg/l | | | | | | | | | | | | |
| | PCB | mg/l | | | | | | | | | | N.D. | | |
| | トクソゲン | mg/l | | <0.002 | | | | <0.002 | | | | <0.002 | | |
| フトクソゲン | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| 生活環境項目 | P H | - | 7.3 | 7.2 | 7.4 | 7.4 | 7.5 | 7.4 | 7.5 | 7.5 | 7.6 | 7.5 | 7.6 | |
| | D O | mg/l | 9.5 | 8.6 | 8.3 | 7.9 | 8.3 | 7.7 | 8.4 | 8.1 | 9.5 | 9.0 | 8.5 | |
| | B O D | mg/l | 2.4 | 2.4 | 2.3 | 2.6 | 2.6 | 1.8 | 2.4 | 1.9 | 2.5 | 2.4 | 2.5 | |
| | C O D | mg/l | 4.2 | 3.8 | 4.2 | 8.2 | 4.2 | 4.2 | 5.0 | 4.8 | 5.4 | 5.6 | 3.4 | |
| | S | mg/l | 23 | 23 | 16 | 81 | 20 | 18 | 19 | 16 | 7 | 9 | 13 | |
| 特殊項目 | 大腸菌群数 | MPN/100ml | | 2.7E03 | | 4.9E04 | | 1.7E03 | | 7.9E04 | | 1.1E04 | 1.4E04 | |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | 1.90 | | | | 2.00 | | | | 2.05 | | |
| | 全燐 | mg/l | | 0.098 | | 0.102 | | 0.223 | | 0.156 | | 0.276 | 0.148 | |
| 特殊項目 | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | 0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/l | | 0.01 | | | | 0.01 | | | | <0.01 | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| | 7-ヒ素性窒素 | mg/l | | 0.100 | | | | 0.170 | | | | 0.300 | | |
| | 亜硝酸性窒素 | mg/l | | 0.057 | | | | 0.067 | | | | 0.062 | | |
| | 硝酸性窒素 | mg/l | | 1.310 | | | | 1.270 | | | | 1.180 | | |
| 磷酸態燐 | mg/l | | 0.081 | | | | 0.132 | | | | 0.110 | | | |
| 特殊項目 | A B S | mg/l | | 0.02 | | | | 0.05 | | | | 0.10 | | |
| | 1,1,1-トリクロロエタン | mg/l | | | | | | | | | | | | |
| | 四塩化炭素 | mg/l | | | | | | | | | | | | |
| | クロロフィルa | mg/l | | | | | | | | | | | | |
| | 導電率 | μS/cm | | 148 | | | | 227 | | | | 322 | | |
| | 濁度 | mg/l | | 14 | | | | 47 | | | | <5 | | |
| | 塩素イオン | mg/l | | 13.0 | | | | 18.0 | | | | 21.7 | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 富 士 橋 (003-01) | | | | | | | | | | | |
|-------------|---------------|-----------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | | [A^B] | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 10/16 | 10/16 | 11/13 | 11/13 | 12/11 | 12/11 | 1/8 | 1/8 | 2/13 | 2/13 | 3/13 | 3/13 |
| | | 採取時刻 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 | 10:30 | 15:35 |
| 一般項目 | 天候 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気温 | ℃ | 21.5 | 23.0 | 11.0 | 17.2 | 8.5 | 10.0 | 6.1 | 9.1 | 7.0 | 11.8 | 11.0 | 15.5 |
| | 水温 | ℃ | 17.0 | 19.0 | 11.5 | 14.0 | 9.1 | 10.3 | 6.0 | 9.0 | 7.0 | 10.8 | 10.0 | 14.2 |
| | 外観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 320 | 320 |
| | 臭気 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m³/s | | | | | | | | | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川透視度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 健康項目 | カドミウム | μg/l | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | | シアン | μg/l | | N.D. | | | | N.D. | | | | N.D. | |
| 有機燐 | | μg/l | | | | | | | | | | N.D. | | |
| 鉛 | | μg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム(6価) | | μg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 砒素 | | μg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 総水銀 | | μg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| メチル水銀 | | μg/l | | | | | | | | | | | | |
| PCB | | μg/l | | | | | | | | | | N.D. | | |
| トリクロロイソ | | μg/l | | <0.002 | | | | <0.002 | | | | <0.002 | | |
| テトラクロロイソ | μg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| 生活環境項目 | P H | - | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.3 | 7.3 | 7.4 | 7.2 | 7.2 | 7.3 | 7.3 |
| | D O | mg/l | 9.4 | 8.6 | 9.6 | 9.3 | 9.9 | 9.3 | 10.0 | 10.0 | 10.0 | 10.0 | 9.8 | 9.2 |
| | B O D | mg/l | 1.3 | 1.5 | 1.3 | 1.5 | 2.4 | 2.5 | 3.5 | 2.5 | 3.7 | 5.1 | 2.6 | 2.6 |
| | C O D | mg/l | 2.6 | 2.3 | 3.3 | 3.0 | 2.9 | 3.2 | 3.9 | 2.9 | 4.5 | 5.5 | 2.9 | 4.9 |
| | S S | mg/l | 23 | 25 | 19 | 17 | 35 | 29 | 13 | 12 | 15 | 17 | 32 | 27 |
| | 大腸菌群数 | MPN/100ml | | 2.8E04 | | 4.9E04 | | 7.9E03 | | 4.9E02 | | 1.3E04 | | 1.3E04 |
| | n-Hex | μg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | 2.12 | | | | 1.92 | | | | 2.63 | | |
| | 全燐 | mg/l | | 0.081 | | 0.165 | | 0.089 | | 0.130 | | 0.109 | | 0.114 |
| | 特殊項目 | フェノール類 | μg/l | | | | | | | | | | | |
| 銅 | | μg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| 亜鉛 | | μg/l | | <0.01 | | | | 0.01 | | | | 0.02 | | |
| 鉄(溶解性) | | μg/l | | | | | | | | | | | | |
| マンガン(溶解性) | | μg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム | | μg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| フッ素 | | μg/l | | | | | | | | | | | | |
| アモニウム性窒素 | | mg/l | | 0.100 | | | | 0.230 | | | | 0.650 | | |
| 亜硝酸性窒素 | | mg/l | | 0.029 | | | | 0.029 | | | | 0.061 | | |
| 硝酸性窒素 | | mg/l | | 1.770 | | | | 1.650 | | | | 1.470 | | |
| 磷酸態燐 | mg/l | | 0.050 | | | | 0.052 | | | | 0.105 | | | |
| A B S | μg/l | | 0.02 | | | | <0.02 | | | | 0.04 | | | |
| 特殊項目 | 1,1,1-トリクロロイソ | μg/l | | | | | | | | | | | | |
| | 四塩化炭素 | μg/l | | | | | | | | | | | | |
| | クロロフィルa | μg/l | | | | | | | | | | | | |
| | 導電率 | μS/cm | | 168 | | | | 152 | | | | 182 | | |
| | 濁度 | μg/l | | <5 | | | | <5 | | | | <5 | | |
| | 塩素イオン | mg/l | | 10.4 | | | | 12.9 | | | | 19.2 | | |

公共用水域水質測定結果表

水域名 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | 南 部 橋 (015-01) | | | | | | | | | | | | |
|-----------------|-----------|-------------------|--------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|-------|
| [類型名] | | [A口] | | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 4/10 | 4/10 | 5/22 | 5/22 | 6/12 | 6/12 | 7/10 | 7/10 | 8/7 | 8/7 | 9/11 | 9/11 |
| | | 採取時刻 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 |
| 一 般 項 目 | 天 候 | - | 曇 | 曇 | 晴 | 晴 | 晴 | 曇 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 |
| | 気 温 | ℃ | 18.0 | 23.0 | 20.0 | 22.0 | 24.5 | 28.5 | 23.5 | 28.5 | 31.0 | 33.5 | 24.0 | 25.5 |
| | 水 温 | ℃ | 15.0 | 19.0 | 17.0 | 19.5 | 19.0 | 24.5 | 22.0 | 25.0 | 25.0 | 29.0 | 21.0 | 25.0 |
| | 外 観 | - | 320 | 320 | 320 | 320 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /s | | | | | | | | | | | | 9.09 |
| | 採 取 位 置 | - | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 |
| | 川 透 視 度 | cm | 19.0 | 23.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | カドミウム | ug/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シ ン ク | ug/l | | N.D. | | | | N.D. | | | | N.D. | | |
| 有 機 燐 | ug/l | | | | | | | | | | N.D. | | | |
| 鉛 | ug/l | | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム(6価) | ug/l | | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 砒 素 | ug/l | | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 総 水 銀 | ug/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| ア ー 基 水 銀 | ug/l | | | | | | | | | | | | | |
| P C B | ug/l | | | | | | | | | | N.D. | | | |
| トクソウイソ | ug/l | | <0.002 | | | | <0.002 | | | | <0.002 | | | |
| フトクソウイソ | ug/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| P H | - | 7.4 | 7.5 | 7.6 | 7.9 | 7.7 | 8.2 | 7.7 | 8.1 | 7.8 | 8.7 | 7.7 | 8.4 | |
| D O | ug/l | 9.9 | 9.7 | 10.3 | 9.9 | 9.5 | 9.3 | 9.0 | 10.0 | 8.8 | 10.5 | 8.1 | 10.5 | |
| B O D | ug/l | 1.5 | 1.4 | 1.1 | 1.0 | 0.6 | 0.5 | 1.3 | 0.7 | 1.0 | 1.3 | 1.3 | 1.6 | |
| C O D | ug/l | 3.0 | 2.8 | 2.2 | 2.7 | 2.1 | 2.0 | 2.9 | 2.6 | 1.7 | 2.6 | 1.5 | 2.0 | |
| S S | ug/l | 51 | 37 | 19 | 7 | 7 | 8 | 5 | 4 | 1 | 3 | 3 | 4 | |
| 大 腸 菌 群 数 | MPN/100ml | | 3.3E03 | | 1.7E03 | | 3.3E02 | | 7.9E02 | | 4.9E01 | | 4.6E02 | |
| n-Hex | ug/l | | | | | | | | | | | | | |
| 全 窒 素 | ug/l | | 1.20 | | | | 1.20 | | | | 0.70 | | | |
| 全 燐 | ug/l | | 0.067 | | 0.070 | | 0.116 | | 0.073 | | 0.058 | | 0.049 | |
| フエノール類 | ug/l | | | | | | | | | | | | | |
| 銅 | ug/l | | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| 亜 鉛 | ug/l | | 0.01 | | | | 0.02 | | | | 0.01 | | | |
| 鉄(溶解性) | ug/l | | | | | | | | | | | | | |
| マンガン(溶解性) | ug/l | | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム | ug/l | | <0.01 | | | | <0.01 | | | | 0.01 | | | |
| フッ 素 | ug/l | | | | | | | | | | | | | |
| アモニア性窒素 | ug/l | | <0.01 | | | | 0.020 | | | | 0.030 | | | |
| 亜硝酸性窒素 | ug/l | | 0.019 | | | | 0.014 | | | | 0.011 | | | |
| 硝酸性窒素 | ug/l | | 0.880 | | | | 0.870 | | | | 0.450 | | | |
| 磷酸態燐 | ug/l | | 0.055 | | | | 0.068 | | | | 0.032 | | | |
| A B S | ug/l | | 0.02 | | | | 0.02 | | | | 0.05 | | | |
| 1.1.1-トリクロロエチレン | ug/l | | | | | | | | | | | | | |
| 四塩化炭素 | ug/l | | | | | | | | | | | | | |
| クロロフィルa | ug/l | | | | | | | | | | | | | |
| 導 電 率 | μS/cm | | 163 | | | | 218 | | | | 272 | | | |
| 濁 度 | ug/l | | 37 | | | | 12 | | | | <5 | | | |
| 塩 素 イ オン | ug/l | | 9.3 | | | | 10.4 | | | | 13.0 | | | |

公共用水域水質測定結果表

調査担当機関 建設省

水域名 富士川

| 地点名(地点統一番号) | | | 南 部 橋 (015-01) | | | | | | | | | | | | |
|----------------|---------|-------------------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----|
| [類型名] | | | [A 口] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月 日 | 10/16 | 10/16 | 11/13 | 11/13 | 12/11 | 12/11 | 1/8 | 1/8 | 2/13 | 2/13 | 3/13 | 3/13 | |
| | | 採取時刻 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | |
| 一般項目 | 天 候 | - | 晴 | 曇 | 晴 | 晴 | 晴 | 雨 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 | |
| | 気 温 | ℃ | 17.0 | 23.0 | 8.5 | 19.5 | 9.0 | 13.0 | 2.0 | 9.5 | 3.0 | 13.0 | 8.0 | 12.5 | |
| | 水 温 | ℃ | 16.5 | 18.0 | 10.5 | 14.0 | 9.5 | 11.0 | 6.0 | 9.0 | 6.0 | 9.0 | 9.0 | 11.0 | |
| | 外 観 | - | 320 | 320 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 060 | 320 | 320 |
| | | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /s | | 83.28 | | 40.94 | | 48.61 | | 7.03 | | | | | |
| | 右 岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 |
| | 川 透 視 度 | cm | 20.0 | 20.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 22.0 | 23.0 | |
| | 健康項目 | カドミウム | ug/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | | シアン | ug/l | | N.D. | | | | N.D. | | | | N.D. | | |
| 有機燐 | | ug/l | | | | | | | | | | N.D. | | | |
| 鉛 | | ug/l | | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム(6価) | | ug/l | | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 砒 素 | | ug/l | | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 総 水 銀 | | ug/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| チニール水銀 | | ug/l | | | | | | | | | | | N.D. | | |
| P C B | | ug/l | | | | | | | | | | | | | |
| トリクロロエチレン | | ug/l | | <0.002 | | | | <0.002 | | | | <0.002 | | | |
| トトラクロロエチレン | ug/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | | |
| 生活環境項目 | P H | - | 7.6 | 7.6 | 7.5 | 7.6 | 7.6 | 7.6 | 7.5 | 7.5 | 7.3 | 7.4 | 7.4 | 7.5 | |
| | D O | ug/l | 10.0 | 10.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 12.0 | 12.0 | 13.0 | 11.0 | 11.0 | |
| | B O D | ug/l | 1.2 | 0.7 | 1.1 | 0.7 | 1.6 | 1.9 | 1.1 | 1.7 | 1.6 | 2.3 | 1.5 | 1.4 | |
| | C O D | ug/l | 2.3 | 2.0 | 1.7 | 2.1 | 2.2 | 2.8 | 1.7 | 1.8 | 2.6 | 2.7 | 2.6 | 2.8 | |
| | S S | ug/l | 39 | 41 | 11 | 11 | 27 | 43 | 3 | 2 | 3 | 19 | 36 | 45 | |
| | 大腸菌群数 | MPN/100ml | | 1.1E04 | | 2.3E04 | | 4.9E03 | | 1.1E03 | | 2.6E02 | | 1.7E04 | |
| | n-Hex | ug/l | | | | | | | | | | | | | |
| | 全 窒 素 | ug/l | | 1.38 | | | | 1.48 | | | | 1.58 | | | |
| | 全 燐 | ug/l | | 0.078 | | 0.153 | | 0.070 | | 0.047 | | 0.038 | | 0.070 | |
| | 特殊項目 | フェノール類 | ug/l | | | | | | | | | | | | |
| 銅 | | ug/l | | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| 亜 鉛 | | ug/l | | <0.01 | | | | 0.01 | | | | <0.01 | | | |
| 鉄(溶解性) | | ug/l | | | | | | | | | | | | | |
| マンガン(溶解性) | | ug/l | | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム | | ug/l | | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| フッ素 | | ug/l | | | | | | | | | | | | | |
| アモニウム性窒素 | | ug/l | | 0.050 | | | | 0.120 | | | | 0.060 | | | |
| 亜硝酸性窒素 | | ug/l | | 0.015 | | | | 0.019 | | | | 0.031 | | | |
| 硝酸性窒素 | | ug/l | | 1.200 | | | | 1.230 | | | | 1.110 | | | |
| 燐酸態燐 | ug/l | | 0.060 | | | | 0.047 | | | | 0.030 | | | | |
| A B S | ug/l | | <0.02 | | | | <0.02 | | | | 0.03 | | | | |
| 1,1,1-トリクロロエタン | ug/l | | | | | | | | | | | | | | |
| 四塩化炭素 | ug/l | | | | | | | | | | | | | | |
| クロロフィルa | ug/l | | | | | | | | | | | | | | |
| 導 電 率 | μS/cm | | 187 | | | | 155 | | | | 164 | | | | |
| 濁 度 | ug/l | | 30 | | | | 19 | | | | <5 | | | | |
| 塩素イオン | ug/l | | 9.4 | | | | 10.1 | | | | 12.5 | | | | |

公共用水域水質測定結果表

調査担当機関 山梨県

水域名 塩川

| 地点名(地点統一番号) | | 観 井 堰 (202-01) | | | | | | | | | | | | |
|-------------|----------------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| [類型名] | | [-] | | | | | | | | | | | | |
| 区 分 | 測定項目 | 月・日 | 4/18 | 4/18 | 5/7 | 5/7 | 8/1 | 8/1 | 7/2 | 7/2 | 8/1 | 8/1 | 9/5 | 9/5 |
| | | 採取時刻 | 11:55 | 14:00 | 11:10 | 12:57 | 11:15 | 13:18 | 11:40 | 14:10 | 11:30 | 13:50 | 11:33 | 13:45 |
| 般 項 目 | 天 候 | - | 曇 | 曇 | 曇 | 曇 | 曇 | 雨 | 曇 | 薄曇 | 晴 | 晴 | 晴 | 薄曇 |
| | 気 温 | ℃ | 11.0 | 15.0 | 17.0 | 18.5 | 24.0 | 17.9 | 24.5 | 28.5 | 31.5 | 36.5 | 30.0 | 31.0 |
| | 水 温 | ℃ | 10.0 | 10.0 | 12.5 | 14.0 | 16.8 | 16.0 | 21.0 | 22.0 | 24.8 | 26.5 | 25.0 | 24.5 |
| | 外 観 | - | 001 | 061 | 050 | 050 | 011 | 011 | 062 | 052 | 062 | 062 | 062 | 062 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /s | | | | | | | | | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 17.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 健 康 項 目 | カドミウム | ug/l | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | | シアン | ug/l | N.D. | | | | N.D. | | | | N.D. | | |
| 有機燐 | | ug/l | | | | | | | | | | | | |
| 鉛 | | ug/l | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム(6価) | | ug/l | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 砒素 | | ug/l | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 総水銀 | | ug/l | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| 7本キト水銀 | | ug/l | | | | | | | | | | | | |
| P C B | | ug/l | | | | | | | | | | | | |
| トリクロロベンゼン | | ug/l | <0.002 | | | | <0.002 | | | | <0.002 | | | |
| ポリクロロベンゼン | ug/l | <0.002 | | | | <0.002 | | | | <0.002 | | | | |
| 生 活 環 境 項 目 | P H | - | 7.7 | 7.7 | 7.7 | 7.8 | 7.9 | 7.8 | 8.3 | 8.2 | 8.5 | 8.4 | 8.4 | |
| | D O | ug/l | 10.0 | 9.9 | 9.8 | 9.4 | 8.3 | 8.3 | 8.6 | 7.8 | 7.9 | 7.9 | 8.0 | |
| | B O D | ug/l | 0.9 | 0.9 | 1.3 | 0.8 | 0.5 | 1.9 | <0.5 | 0.6 | <0.5 | 0.6 | 0.9 | |
| | C O D | ug/l | 1.9 | 1.9 | 3.4 | 3.3 | 2.6 | 3.6 | 2.5 | 4.4 | 2.6 | 2.6 | 2.5 | |
| | S S | ug/l | 4 | 4 | 10 | 11 | 9 | 8 | 4 | 40 | 4 | 4 | 6 | |
| | 大腸菌群数 | MPN/100ml | 4.9E03 | 4.9E03 | 2.2E04 | 5.4E04 | 7.9E03 | 7.9E03 | 1.3E04 | 1.3E04 | 1.7E04 | 1.7E04 | 3.3E03 | |
| | n-Hex | ug/l | | | | | | | | | | | | |
| | 全窒素 | ug/l | | | | | | | | | | | | |
| | 全燐 | ug/l | | | | | | | | | | | | |
| | 特 殊 項 目 | フェノール類 | ug/l | | | | | | | | | | | |
| 銅 | | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| 亜鉛 | | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| 鉄(溶解性) | | ug/l | <0.1 | | | | <0.1 | | | | <0.1 | | | |
| マンガン(溶解性) | | ug/l | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム | | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| フッ素 | | ug/l | <0.15 | | | | <0.15 | | | | <0.15 | | | |
| 還元性窒素 | | ug/l | | | | | | | | | | | | |
| 亜硝酸性窒素 | | ug/l | | | | | | | | | | | | |
| 硝酸性窒素 | | ug/l | | | | | | | | | | | | |
| 目 | 磷酸態燐 | ug/l | | | | | | | | | | | | |
| | A B S | ug/l | <0.02 | | | | 0.24 | | | | <0.02 | | | |
| | 1.1.1-トリクロロエタン | ug/l | | | | | <0.001 | | | | | | | |
| | 四塩化炭素 | ug/l | | | | | <0.001 | | | | | | | |
| | クロロフィルa | ug/l | | | | | | | | | | | | |
| | 導電率 | μS/cm | 130 | 127 | 120 | 125 | 188 | 195 | 189 | 188 | 208 | 202 | 195 | |
| | 濁度 | ug/l | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| | 塩素イオン | ug/l | 10.3 | | 7.9 | | 12.7 | | 11.6 | | 14.6 | | 10.9 | |

公 共 用 水 域 水 質 測 定 結 果 表

調査担当機関 山 梨 県

水域名 塩 川

| 地点名(地点統一番号) | | 藤 井 堰 (202-01) | | | | | | | | | | | | |
|-------------|-----------------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | [-] | | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 10/8 | 10/8 | 11/1 | 11/1 | 12/3 | 12/3 | 1/9 | 1/9 | 2/1 | 2/1 | 3/1 | 3/1 |
| | | 採取時刻 | 11:25 | 13:40 | 11:30 | 13:35 | 11:50 | 13:50 | 11:35 | 13:40 | 11:45 | 13:40 | 11:50 | 13:50 |
| 般 項 目 | 天 候 | - | 雨 | 雨 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 |
| | 気 温 | ℃ | 20.8 | 20.0 | 20.0 | 20.0 | 16.5 | 12.5 | 8.0 | 7.0 | 4.1 | 9.0 | 3.0 | 5.0 |
| | 水 温 | ℃ | 17.1 | 16.8 | 12.0 | 13.0 | 8.0 | 8.5 | 3.5 | 4.8 | 4.1 | 6.2 | 5.5 | 4.1 |
| | 外 観 | - | 202 | 202 | 001 | 001 | 060 | 060 | 001 | 001 | 001 | 001 | 060 | 060 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /s | | | | | | | | | | | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | 15.0 | 16.5 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | カドミウム | ug/l | <0.005 | | | | <0.005 | | | | | <0.005 | | |
| | シアン | ug/l | N.D. | | | | N.D. | | | | | N.D. | | |
| 健 康 項 目 | 有機燐 | ug/l | | | | | | | | | | | | |
| | 鉛 | ug/l | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| | クロム(6価) | ug/l | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| | 砒 素 | ug/l | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| | 総 水 銀 | ug/l | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| | 7ヶヶ水銀 | ug/l | | | | | | | | | | | | |
| | P C B | ug/l | | | | | | | | | | | | |
| | トリクロロエチレン | ug/l | <0.002 | | | | <0.002 | | | | <0.002 | | | |
| | テトラクロロエチレン | ug/l | <0.002 | | | | <0.002 | | | | <0.002 | | | |
| | 生 活 環 境 項 目 | P H | - | 7.5 | 7.3 | 8.0 | 8.1 | 7.6 | 7.7 | 7.6 | 7.8 | 7.9 | 7.9 | 7.8 |
| D O | | ug/l | 8.8 | 9.5 | 10.0 | 9.6 | 10.0 | 9.9 | 12.0 | 12.0 | 12.0 | 12.0 | 11.0 | 11.0 |
| B O D | | ug/l | 1.0 | 0.8 | 0.7 | 1.1 | 0.9 | 0.7 | 1.1 | 0.7 | 0.6 | 0.7 | 1.3 | 1.4 |
| C O D | | ug/l | 5.7 | 5.1 | 1.7 | 2.0 | 1.7 | 1.5 | 2.0 | 1.8 | 1.8 | 2.0 | 2.4 | 2.2 |
| S S | | ug/l | 46 | 38 | 2 | 2 | 5 | 4 | <1 | <1 | 1 | 1 | 2 | 2 |
| 特 殊 項 目 | 大腸菌群数 | MPN/100ml | 9.2E04 | 9.2E04 | 3.3E03 | 3.3E03 | 2.2E03 | 4.9E03 | 7.9E02 | 7.9E02 | 1.6E03 | 1.6E03 | 1.6E03 | 1.6E03 |
| | n-Hex | ug/l | | | | | | | | | | | | |
| | 全 窒 素 | ug/l | | | | | | | | | | | | |
| | 全 燐 | ug/l | | | | | | | | | | | | |
| | フェノール類 | ug/l | | | | | | | | | | | | |
| | 銅 | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| | 亜鉛 | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| | 鉄(溶解性) | ug/l | <0.1 | | | | <0.1 | | | | <0.1 | | | |
| | マンガン(溶解性) | ug/l | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| | クロム | ug/l | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| 特 殊 項 目 | フッ素 | ug/l | <0.15 | | | | <0.15 | | | | <0.15 | | | |
| | アモニウム性窒素 | ug/l | | | | | | | | | | | | |
| | 亜硝酸性窒素 | ug/l | | | | | | | | | | | | |
| | 硝酸性窒素 | ug/l | | | | | | | | | | | | |
| | 磷酸態燐 | ug/l | | | | | | | | | | | | |
| | A B S | ug/l | <0.02 | | | | 0.25 | | | | 0.06 | | | |
| | 1,1,1-トリクロロエチレン | ug/l | | | | | <0.001 | | | | | | | |
| | 四塩化炭素 | ug/l | | | | | <0.001 | | | | | | | |
| | クロロフィルa | ug/l | | | | | | | | | | | | |
| | 導 電 率 | μS/cm | 113 | 105 | 130 | 134 | 125 | 120 | 155 | 155 | 164 | 154 | 164 | 157 |
| 濁 度 | ug/l | 8 | | <5 | | <5 | | <5 | | <5 | | <5 | | |
| 塩素イオン | ug/l | 6.7 | | 9.4 | | 8.5 | | 14.7 | | 15.3 | | 13.7 | | |

公共用水域水質測定結果表

水域 大門川

調査担当機関 山梨県

| 地点名(地点統一番号) | | | 大門ダム貯水池 (209-09) | | | | | | | | | | | | |
|-------------|---------------|-----------|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| [類型名] | | | [-] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 4/23 | 5/8 | 6/13 | 7/12 | 8/17 | 9/13 | 10/12 | 11/7 | 12/7 | 1/14 | 2/6 | 3/6 | |
| | | 採取時刻 | 11:15 | 10:34 | 10:50 | 10:45 | 10:55 | 10:43 | 10:30 | 10:25 | 10:27 | 10:37 | 10:52 | 10:33 | |
| 一般項目 | 天候 | - | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | |
| | 気温 | ℃ | 14.5 | 18.0 | 25.8 | 24.5 | 25.8 | 25.5 | 14.0 | 17.9 | 8.5 | 2.8 | 2.9 | 6.0 | |
| | 水温 | ℃ | 12.0 | 14.0 | 22.0 | 23.0 | 24.2 | 23.0 | 13.8 | 11.7 | 8.0 | 1.0 | 3.8 | 5.8 | |
| | 外観 | - | 182 | 180 | 050 | 050 | 062 | 062 | 182 | 182 | 182 | 062 | 062 | 062 | |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | |
| | 湖 | 採取水深 | m | | | | | | | | | | | | |
| | | 全水深 | m | | | | | | | | | | | | |
| | 沼 | 透明度 | m | 1.2 | 1.0 | 1.1 | 1.5 | 1.5 | 1.7 | 1.0 | 1.5 | 0.7 | 3.1 | | |
| | 健康項目 | カドミウム | ug/l | <0.005 | | <0.005 | | <0.005 | | <0.005 | | <0.005 | | <0.005 | |
| | | シアン | ug/l | N.D. | | N.D. | | N.D. | | N.D. | | N.D. | | N.D. | |
| 有機燐 | | ug/l | N.D. | | N.D. | | N.D. | | N.D. | | N.D. | | N.D. | | |
| 鉛 | | ug/l | <0.05 | | <0.05 | | <0.05 | | <0.05 | | <0.05 | | <0.05 | | |
| クロム(6価) | | ug/l | <0.02 | | <0.02 | | <0.02 | | <0.02 | | <0.02 | | <0.02 | | |
| 砒素 | | ug/l | <0.02 | | <0.02 | | <0.02 | | <0.02 | | <0.02 | | <0.02 | | |
| 総水銀 | | ug/l | <.0005 | | <.0005 | | <.0005 | | <.0005 | | <.0005 | | <.0005 | | |
| アモニウム水銀 | | ug/l | | | | | | | | | | | | | |
| P C B | | ug/l | N.D. | | N.D. | | N.D. | | N.D. | | N.D. | | N.D. | | |
| トリカドミウム | | ug/l | <0.002 | | <0.002 | | <0.002 | | <0.002 | | <0.002 | | <0.002 | | |
| テトラカドミウム | ug/l | <.0005 | | <.0005 | | <.0005 | | <.0005 | | <.0005 | | <.0005 | | | |
| 生活環境項目 | P H | - | 9.4 | 9.2 | 9.5 | 9.6 | 9.2 | 9.0 | 7.1 | 7.6 | 7.2 | 7.2 | 7.3 | 7.8 | |
| | D O | ug/l | 12.0 | 12.0 | 9.4 | 10.0 | 9.6 | 9.6 | 9.0 | 8.7 | 8.9 | 10.0 | 12.0 | 13.0 | |
| | B O D | ug/l | 4.3 | 3.4 | 2.6 | 2.3 | 4.0 | 3.6 | 1.0 | 0.7 | <0.5 | 0.7 | 0.7 | 2.5 | |
| | C O D | ug/l | 4.7 | 4.4 | 4.6 | 4.8 | 5.1 | 5.1 | 3.4 | 1.9 | 2.3 | 2.3 | 2.1 | 3.0 | |
| | S S | ug/l | 7 | 11 | 11 | 3 | 3 | 5 | 7 | 1 | 4 | 1 | 3 | 3 | |
| | 大腸菌群数 | MPN/100ml | 7.0E02 | 3.3E02 | 3.3E02 | 2.0E01 | 2.8E03 | 1.8E03 | 9.2E03 | 2.6E02 | 7.0E02 | 1.3E02 | 5.0E00 | 8.0E00 | |
| | n-Hex | ug/l | | | | | | | | | | | | | |
| | 全窒素 | ug/l | 0.89 | 1.00 | 0.54 | 0.57 | 1.11 | 0.70 | 0.86 | 1.03 | 0.88 | 0.83 | 0.84 | 0.87 | |
| | 全燐 | ug/l | 0.036 | 0.051 | 0.015 | 0.014 | 0.045 | 0.013 | 0.043 | 0.014 | 0.026 | 0.021 | 0.008 | 0.026 | |
| | 特殊項目 | フェノール類 | ug/l | | | | | | | | | | | | |
| 銅 | | ug/l | <0.01 | | <0.01 | | <0.01 | | <0.01 | | <0.01 | | <0.01 | | |
| 亜鉛 | | ug/l | <0.01 | | <0.01 | | <0.01 | | <0.01 | | <0.01 | | <0.01 | | |
| 鉄(溶解性) | | ug/l | <0.1 | | 0.10 | | 0.10 | | <0.1 | | <0.1 | | <0.1 | | |
| マンガン(溶解性) | | ug/l | <0.05 | | <0.05 | | <0.05 | | <0.05 | | <0.05 | | <0.05 | | |
| クロム | | ug/l | <0.01 | | <0.01 | | <0.01 | | <0.01 | | <0.01 | | <0.01 | | |
| フッ素 | | ug/l | <0.15 | | <0.15 | | <0.15 | | <0.15 | | <0.15 | | <0.15 | | |
| アモニウム性窒素 | | ug/l | 0.040 | 0.030 | 0.020 | 0.020 | 0.040 | 0.170 | 0.060 | <0.01 | 0.040 | 0.020 | 0.030 | 0.010 | |
| 亜硝酸性窒素 | | ug/l | 0.004 | 0.004 | 0.002 | <0.001 | 0.009 | 0.010 | 0.006 | 0.008 | 0.006 | 0.004 | 0.008 | 0.007 | |
| 硝酸性窒素 | | ug/l | 0.316 | 0.396 | 0.152 | 0.087 | 0.851 | 0.213 | 0.791 | 0.861 | 0.651 | 0.620 | 0.789 | 0.613 | |
| 磷酸態燐 | ug/l | 0.009 | 0.022 | 0.004 | 0.009 | 0.015 | 0.007 | 0.011 | 0.005 | 0.005 | 0.005 | 0.007 | 0.024 | | |
| 特殊項目 | A B S | ug/l | <0.02 | | 0.12 | | <0.02 | | <0.02 | | <0.02 | | 0.04 | | |
| | 1.1.1-トリカドミウム | ug/l | | | <0.001 | | | | | | <0.001 | | | | |
| | 四塩化炭素 | ug/l | | | <0.001 | | | | | | <0.001 | | | | |
| | クロロフィルa | ug/l | 0.026 | 0.024 | 0.009 | 0.01 | 0.17 | 0.023 | 0.008 | 0.013 | 0.002 | 0.011 | 0.001 | 0.014 | |
| | 導電率 | μS/cm | 66 | 64 | 79 | 83 | 86 | 87 | 87 | 77 | 77 | 80 | 133 | 82 | |
| | 濁度 | ug/l | 9 | 9 | 9 | 5 | <5 | <5 | 13 | <5 | 6 | <5 | <5 | 6 | |
| 塩素イオン | ug/l | 2.5 | 2.3 | 2.5 | 3.8 | 3.1 | 3.4 | 2.7 | 3.0 | 3.4 | 3.5 | 4.1 | 3.1 | | |