

全国がん登録

都道府県版標準集計表 2019

(山梨県)

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	3,631	2,622	6,253	100.0	100.0	100.0	914.6	633.3	771.0	412.7	317.4	357.7	290.4	239.8	260.7	34.3	26.2	30.0
口腔・咽頭	C00-C14	101	37	138	2.8	1.4	2.2	25.4	8.9	17.0	14.9	3.6	9.2	11.0	2.6	6.7	1.3	0.2	0.8
食道	C15	162	25	187	4.5	1.0	3.0	40.8	6.0	23.1	18.6	2.3	10.1	13.0	1.6	7.1	1.7	0.2	0.9
胃	C16	454	222	676	12.5	8.5	10.8	114.4	53.6	83.4	47.3	18.9	32.0	32.0	13.1	21.9	3.7	1.5	2.6
大腸（結腸・直腸）	C18-C20	561	405	966	15.5	15.4	15.4	141.3	97.8	119.1	67.5	39.5	52.9	48.0	28.2	37.7	5.9	3.3	4.5
結腸	C18	361	291	652	9.9	11.1	10.4	90.9	70.3	80.4	41.3	26.8	33.7	29.0	18.8	23.7	3.6	2.1	2.9
直腸	C19-C20	200	114	314	5.5	4.3	5.0	50.4	27.5	38.7	26.2	12.7	19.2	19.0	9.4	14.1	2.2	1.1	1.7
肝および肝内胆管	C22	198	90	288	5.5	3.4	4.6	49.9	21.7	35.5	20.5	5.3	12.5	13.9	3.5	8.4	1.6	0.3	0.9
胆のう・胆管	C23-C24	84	62	146	2.3	2.4	2.3	21.2	15.0	18.0	7.5	3.7	5.4	4.8	2.6	3.6	0.5	0.3	0.4
膵臓	C25	134	141	275	3.7	5.4	4.4	33.8	34.1	33.9	15.5	12.6	14.0	10.9	8.9	9.8	1.3	1.0	1.1
喉頭	C32	26	6	32	0.7	0.2	0.5	6.5	1.4	3.9	2.8	0.6	1.6	1.9	0.4	1.1	0.2	0.0	0.1
肺	C33-C34	506	241	747	13.9	9.2	11.9	127.5	58.2	92.1	53.8	22.0	36.7	37.1	15.5	25.6	4.4	2.0	3.1
皮膚	C43-C44	89	57	146	2.5	2.2	2.3	22.4	13.8	18.0	8.5	3.9	6.0	5.9	2.8	4.2	0.6	0.3	0.4
乳房	C50	2	642	644	0.1	24.5	10.3	0.5	155.1	79.4	0.1	102.6	51.7	0.1	78.7	39.5	0.0	8.7	4.3
子宮	C53-C55	-	170	170	-	6.5	2.7	-	41.1	-	-	31.7	-	-	24.5	-	-	2.6	-
子宮頸部	C53	-	54	54	-	2.1	0.9	-	13.0	-	-	10.5	-	-	8.2	-	-	0.8	-
子宮体部	C54	-	115	115	-	4.4	1.8	-	27.8	-	-	21.1	-	-	16.2	-	-	1.8	-
卵巣	C56	-	72	72	-	2.7	1.2	-	17.4	-	-	11.9	-	-	9.9	-	-	1.0	-
前立腺	C61	701	-	701	19.3	-	11.2	176.6	-	-	73.8	-	-	49.8	-	-	6.4	-	-
膀胱	C67	113	31	144	3.1	1.2	2.3	28.5	7.5	17.8	11.3	2.1	6.3	7.8	1.4	4.4	0.8	0.2	0.5
腎・尿路（膀胱除く）	C64-C66 C68	134	54	188	3.7	2.1	3.0	33.8	13.0	23.2	17.1	5.2	11.0	12.8	3.8	8.2	1.5	0.5	1.0
脳・中枢神経系	C70-C72	21	19	40	0.6	0.7	0.6	5.3	4.6	4.9	2.9	3.1	2.9	2.1	2.8	2.4	0.2	0.2	0.2
甲状腺	C73	33	69	102	0.9	2.6	1.6	8.3	16.7	12.6	6.9	13.9	10.4	5.4	11.2	8.2	0.5	1.1	0.8
悪性リンパ腫	C81-C85 C96	123	120	243	3.4	4.6	3.9	31.0	29.0	30.0	15.0	13.0	13.9	11.2	9.4	10.2	1.4	1.1	1.2
多発性骨髄腫	C88-C90	26	22	48	0.7	0.8	0.8	6.5	5.3	5.9	2.9	2.4	2.6	1.9	1.7	1.8	0.2	0.2	0.2
白血病	C91-C95	40	32	72	1.1	1.2	1.2	10.1	7.7	8.9	5.1	5.6	5.2	4.1	6.3	5.1	0.4	0.4	0.4

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	3,972	3,009	6,981	100.0	100.0	100.0	1,000.5	726.8	860.8	458.6	396.3	419.0	324.6	302.1	308.1	38.4	32.2	35.1
食道	C15 D001	180	28	208	4.5	0.9	3.0	45.3	6.8	25.6	21.0	2.5	11.3	14.8	1.8	8.1	2.0	0.2	1.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	707	481	1,188	17.8	16.0	17.0	178.1	116.2	146.5	88.7	49.3	68.2	63.8	35.6	49.2	7.8	4.2	6.0
結腸 *2	C18 D010	459	340	799	11.6	11.3	11.4	115.6	82.1	98.5	55.5	33.3	43.9	39.6	23.8	31.4	4.9	2.7	3.8
直腸 *2	C19-C20 D011-D012	248	141	389	6.2	4.7	5.6	62.5	34.1	48.0	33.2	16.0	24.3	24.2	11.8	17.9	2.9	1.5	2.2
肺	C33-C34 D021-D022	513	255	768	12.9	8.5	11.0	129.2	61.6	94.7	54.8	24.2	38.3	37.9	17.2	26.8	4.5	2.2	3.3
皮膚	C43-C44 D030-D049	101	77	178	2.5	2.6	2.5	25.4	18.6	21.9	10.0	5.2	7.4	7.0	3.7	5.2	0.7	0.3	0.5
乳房	C50 D05	2	720	722	0.1	23.9	10.3	0.5	173.9	89.0	0.1	117.1	58.9	0.1	90.1	45.1	0.0	9.9	4.9
子宮	C53-C55 D06	-	310	310	-	10.3	4.4	-	74.9	-	-	77.0	-	-	61.3	-	-	5.7	-
子宮頸部	C53 D06	-	194	194	-	6.4	2.8	-	46.9	-	-	55.8	-	-	45.1	-	-	4.0	-
膀胱	C67 D090	233	58	291	5.9	1.9	4.2	58.7	14.0	35.9	26.3	4.6	14.8	19.2	3.1	10.8	2.1	0.4	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	3,631	3	1	2	1	1	9	10	17	38	48	91	179	322	494	698	707	530	326	128	26	0	0
	口腔・咽頭	C00-C14	101	0	0	0	0	0	0	1	3	1	7	7	12	8	18	15	13	11	4	1	0	0	0
	食道	C15	162	0	0	0	0	0	0	0	1	1	2	5	7	15	25	41	31	20	10	4	0	0	0
	胃	C16	454	0	0	0	0	0	0	0	0	8	3	11	12	28	68	78	94	78	50	22	2	0	0
	大腸（結腸・直腸）	C18-C20	561	0	0	0	0	0	0	1	3	6	14	21	32	65	78	110	100	75	37	15	4	0	0
	結腸	C18	361	0	0	0	0	0	0	0	3	3	7	11	16	32	54	79	61	53	30	9	3	0	0
	直腸	C19-C20	200	0	0	0	0	0	0	1	0	3	7	10	16	33	24	31	39	22	7	6	1	0	0
	肝および肝内胆管	C22	198	0	0	0	0	0	0	1	0	0	0	2	9	21	20	36	46	32	23	8	0	0	0
	胆のう・胆管	C23-C24	84	0	0	0	0	0	0	0	0	0	0	0	2	4	9	14	15	21	10	5	4	0	0
	膵臓	C25	134	0	0	0	0	0	0	0	2	2	2	3	6	16	16	24	22	24	11	5	1	0	0
	喉頭	C32	26	0	0	0	0	0	0	0	0	1	0	0	2	1	5	3	5	5	4	0	0	0	0
	肺	C33-C34	506	0	0	0	0	0	1	0	0	6	6	10	22	37	65	99	105	68	67	18	2	0	0
	皮膚	C43-C44	89	0	0	0	0	0	0	1	0	1	0	1	4	6	9	10	14	13	14	13	3	0	0
	乳房	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
	前立腺	C61	701	0	0	0	0	0	0	0	0	0	1	8	26	55	112	163	174	93	48	17	4	0	0
	膀胱	C67	113	0	0	0	0	0	0	0	0	0	1	1	8	11	13	12	19	18	18	12	0	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	134	1	0	0	0	0	0	0	0	3	5	5	8	19	12	32	23	14	10	2	0	0	0
	脳・中枢神経系	C70-C72	21	0	0	0	0	0	1	0	0	2	1	0	1	0	3	2	5	3	2	1	0	0	0
	甲状腺	C73	33	0	0	0	0	0	0	2	4	1	3	6	4	3	4	2	4	0	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	123	0	1	1	0	0	0	1	0	1	0	6	6	16	14	29	12	23	11	1	1	0	0
	多発性骨髄腫	C88-C90	26	0	0	0	0	0	0	0	0	0	1	0	1	2	2	7	8	5	0	0	0	0	0
	白血病	C91-C95	40	1	0	0	0	0	0	1	0	0	0	1	5	1	9	6	5	4	3	3	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	2,622	4	4	1	1	2	10	21	35	82	119	160	168	213	302	327	351	323	266	179	47	7	0
	口腔・咽頭	C00-C14	37	0	0	0	0	0	0	1	0	1	2	2	1	0	4	2	6	6	5	4	3	0	0
	食道	C15	25	0	0	0	0	0	0	0	0	0	0	0	1	3	7	0	6	3	3	1	1	0	0
	胃	C16	222	0	0	0	0	0	0	0	1	2	6	3	8	8	30	32	32	44	35	17	3	1	0
	大腸（結腸・直腸）	C18-C20	405	0	0	0	0	0	0	1	3	4	12	16	27	26	41	55	48	75	43	42	12	0	0
	結腸	C18	291	0	0	0	0	0	0	1	1	3	9	8	18	14	30	37	40	57	29	33	11	0	0
	直腸	C19-C20	114	0	0	0	0	0	0	0	2	1	3	8	9	12	11	18	8	18	14	9	1	0	0
	肝および肝内胆管	C22	90	0	0	0	0	0	0	0	0	0	0	1	2	2	6	8	18	12	20	20	1	0	0
	胆のう・胆管	C23-C24	62	0	0	0	0	0	0	0	0	0	0	0	1	4	5	6	7	10	10	12	7	0	0
	膵臓	C25	141	0	0	0	0	0	0	0	1	1	0	6	8	9	16	17	28	15	18	16	6	0	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	3	0	1	0	0	0	0
	肺	C33-C34	241	0	0	0	0	0	0	0	0	2	0	7	15	19	28	43	36	37	27	21	5	1	0
	皮膚	C43-C44	57	0	0	0	0	0	1	0	0	1	0	1	1	1	3	6	8	8	15	8	0	4	0
	乳房	C50	642	0	0	0	0	0	1	10	11	37	61	68	60	82	77	71	76	43	29	11	5	0	0
	子宮	C53-C55	170	0	0	0	0	0	1	8	5	15	15	24	21	12	20	16	12	11	9	1	0	0	0
	子宮頸部	C53	54	0	0	0	0	0	1	4	3	6	5	4	3	4	6	5	7	2	3	1	0	0	0
	子宮体部	C54	115	0	0	0	0	0	0	4	2	9	10	20	18	8	14	11	5	8	6	0	0	0	0
	卵巣	C56	72	0	0	0	1	0	4	0	0	5	6	7	2	9	13	6	5	7	4	2	0	1	0
	膀胱	C67	31	0	0	0	0	0	0	0	0	0	0	0	0	2	4	4	6	5	5	4	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	54	0	0	0	0	0	0	0	0	2	0	0	1	7	8	10	9	7	10	0	0	0	0
	脳・中枢神経系	C70-C72	19	0	1	1	0	0	0	0	1	1	1	0	0	3	1	2	2	5	1	0	0	0	0
	甲状腺	C73	69	0	0	0	0	1	2	0	10	3	4	10	5	9	8	6	3	6	1	1	0	0	0
	悪性リンパ腫	C81-C85 C96	120	0	0	0	0	0	0	0	1	3	3	5	8	11	15	16	21	17	12	6	2	0	0
	多発性骨髄腫	C88-C90	22	0	0	0	0	0	0	0	0	1	1	1	2	0	2	5	3	3	4	0	0	0	0
	白血病	C91-C95	32	3	2	0	0	0	0	0	1	2	2	1	1	0	3	5	3	1	4	4	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	6,253	7	5	3	2	3	19	31	52	120	167	251	347	535	796	1,025	1,058	853	592	307	73	7	0
	口腔・咽頭	C00-C14	138	0	0	0	0	0	0	2	3	2	9	9	13	8	22	17	19	17	9	5	3	0	0
	食道	C15	187	0	0	0	0	0	0	0	1	1	2	5	8	18	32	41	37	23	13	5	1	0	0
	胃	C16	676	0	0	0	0	0	0	0	1	10	9	14	20	36	98	110	126	122	85	39	5	1	0
	大腸（結腸・直腸）	C18-C20	966	0	0	0	0	0	0	2	6	10	26	37	59	91	119	165	148	150	80	57	16	0	0
	結腸	C18	652	0	0	0	0	0	0	1	4	6	16	19	34	46	84	116	101	110	59	42	14	0	0
	直腸	C19-C20	314	0	0	0	0	0	0	1	2	4	10	18	25	45	35	49	47	40	21	15	2	0	0
	肝および肝内胆管	C22	288	0	0	0	0	0	0	1	0	0	0	3	11	23	26	44	64	44	43	28	1	0	0
	胆のう・胆管	C23-C24	146	0	0	0	0	0	0	0	0	0	0	0	3	8	14	20	22	31	20	17	11	0	0
	膵臓	C25	275	0	0	0	0	0	0	0	3	3	2	9	14	25	32	41	50	39	29	21	7	0	0
	喉頭	C32	32	0	0	0	0	0	0	0	0	1	0	1	2	1	6	3	8	5	5	0	0	0	0
	肺	C33-C34	747	0	0	0	0	0	1	0	0	8	6	17	37	56	93	142	141	105	94	39	7	1	0
	皮膚	C43-C44	146	0	0	0	0	0	1	1	0	2	0	2	5	7	12	16	22	21	29	21	3	4	0
	乳房	C50	644	0	0	0	0	0	1	10	11	37	61	68	60	82	77	72	76	43	30	11	5	0	0
	子宮	C53-C55	170	0	0	0	0	0	1	8	5	15	15	24	21	12	20	16	12	11	9	1	0	0	0
	子宮頸部	C53	54	0	0	0	0	0	1	4	3	6	5	4	3	4	6	5	7	2	3	1	0	0	0
	子宮体部	C54	115	0	0	0	0	0	0	4	2	9	10	20	18	8	14	11	5	8	6	0	0	0	0
	卵巣	C56	72	0	0	0	1	0	4	0	0	5	6	7	2	9	13	6	5	7	4	2	0	1	0
	前立腺	C61	701	0	0	0	0	0	0	0	0	0	1	8	26	55	112	163	174	93	48	17	4	0	0
	膀胱	C67	144	0	0	0	0	0	0	0	0	0	1	1	8	13	17	16	25	23	23	16	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	188	1	0	0	0	0	0	0	0	5	5	5	9	26	20	42	32	21	20	2	0	0	0
	脳・中枢神経系	C70-C72	40	0	1	1	0	0	1	0	1	3	2	0	1	3	4	4	7	8	3	1	0	0	0
	甲状腺	C73	102	0	0	0	0	1	2	2	14	4	7	16	9	12	12	8	7	6	1	1	0	0	0
	悪性リンパ腫	C81-C85 C96	243	0	1	1	0	0	0	1	1	4	3	11	14	27	29	45	33	40	23	7	3	0	0
	多発性骨髄腫	C88-C90	48	0	0	0	0	0	0	0	0	1	2	1	3	2	4	12	11	8	4	0	0	0	0
	白血病	C91-C95	72	4	2	0	0	0	0	1	1	2	2	2	6	1	12	11	8	5	7	7	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	3,972	3	1	2	1	2	10	12	20	41	62	114	204	365	555	754	755	559	349	137	26	0	0
	食道	C15 D001	180	0	0	0	0	0	0	0	1	2	3	5	7	17	31	45	32	22	10	5	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	707	0	0	0	0	0	0	1	5	8	21	34	51	82	102	136	120	83	45	15	4	0	0
	結腸 *2	C18 D010	459	0	0	0	0	0	0	0	3	5	13	21	28	43	69	96	77	56	36	9	3	0	0
	直腸 *2	C19-C20 D011-D012	248	0	0	0	0	0	0	1	2	3	8	13	23	39	33	40	43	27	9	6	1	0	0
	肺	C33-C34 D021-D022	513	0	0	0	0	0	1	0	0	6	6	12	22	37	68	101	105	68	67	18	2	0	0
	皮膚	C43-C44 D030-D049	101	0	0	0	0	0	0	1	0	1	0	3	4	8	11	11	15	16	14	14	3	0	0
	乳房	C50 D05	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
	膀胱	C67 D090	233	0	0	0	0	1	1	2	0	0	6	6	11	30	32	26	37	30	32	19	0	0	0
	女	全部位	C00-C96 D00-D09	3,009	4	4	1	1	3	19	57	69	120	151	179	184	246	349	365	376	355	284	186	48	8
食道		C15 D001	28	0	0	0	0	0	0	0	0	0	0	0	1	3	8	1	6	3	3	2	1	0	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	481	0	0	0	0	0	1	1	5	7	13	18	31	35	58	67	55	87	49	42	12	0	0
結腸 *2		C18 D010	340	0	0	0	0	0	1	1	2	6	10	8	21	20	42	42	44	66	33	33	11	0	0
直腸 *2		C19-C20 D011-D012	141	0	0	0	0	0	0	0	3	1	3	10	10	15	16	25	11	21	16	9	1	0	0
肺		C33-C34 D021-D022	255	0	0	0	0	0	0	0	1	3	0	8	15	22	31	46	37	37	28	21	5	1	0
皮膚		C43-C44 D030-D049	77	0	0	0	0	0	1	0	0	1	1	1	1	1	4	9	13	9	19	11	1	5	0
乳房		C50 D05	720	0	0	0	0	0	1	11	14	46	72	76	65	94	87	78	80	48	32	11	5	0	0
子宮		C53-C55 D06	310	0	0	0	0	1	9	43	33	39	32	30	25	19	23	22	13	11	9	1	0	0	0
子宮頸部		C53 D06	194	0	0	0	0	1	9	39	31	30	22	10	7	11	9	11	8	2	3	1	0	0	0
膀胱	C67 D090	58	0	0	0	0	0	0	0	0	1	0	0	1	4	8	7	10	12	8	6	1	0	0	
総数 *3	全部位	C00-C96 D00-D09	6,981	7	5	3	2	5	29	69	89	161	213	293	388	611	904	1,119	1,131	914	633	323	74	8	0
	食道	C15 D001	208	0	0	0	0	0	0	0	1	2	3	5	8	20	39	46	38	25	13	7	1	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,188	0	0	0	0	0	1	2	10	15	34	52	82	117	160	203	175	170	94	57	16	0	0
	結腸 *2	C18 D010	799	0	0	0	0	0	1	1	5	11	23	29	49	63	111	138	121	122	69	42	14	0	0
	直腸 *2	C19-C20 D011-D012	389	0	0	0	0	0	0	1	5	4	11	23	33	54	49	65	54	48	25	15	2	0	0
	肺	C33-C34 D021-D022	768	0	0	0	0	0	1	0	1	9	6	20	37	59	99	147	142	105	95	39	7	1	0
	皮膚	C43-C44 D030-D049	178	0	0	0	0	0	1	1	0	2	1	4	5	9	15	20	28	25	33	25	4	5	0
	乳房	C50 D05	722	0	0	0	0	0	1	11	14	46	72	76	65	94	87	79	80	48	33	11	5	0	0
	子宮	C53-C55 D06	310	0	0	0	0	1	9	43	33	39	32	30	25	19	23	22	13	11	9	1	0	0	0
	子宮頸部	C53 D06	194	0	0	0	0	1	9	39	31	30	22	10	7	11	9	11	8	2	3	1	0	0	0
	膀胱	C67 D090	291	0	0	0	0	1	1	2	0	1	6	6	12	34	40	33	47	42	40	25	1	0	0

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	914.6	20.0	6.3	11.1	4.8	5.0	50.0	50.0	77.3	146.2	160.0	325.0	663.0	1,192.6	1,646.7	2,492.9	3,213.6	3,533.3	3,200.0	-
	口腔・咽頭	C00-C14	25.4	0.0	0.0	0.0	0.0	0.0	0.0	5.0	13.6	3.8	23.3	25.0	44.4	29.6	60.0	53.6	59.1	73.3	33.3	-
	食道	C15	40.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.8	6.7	17.9	25.9	55.6	83.3	146.4	140.9	133.3	93.3	-
	胃	C16	114.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.8	10.0	39.3	44.4	103.7	226.7	278.6	427.3	520.0	493.3	-
	大腸（結腸・直腸）	C18-C20	141.3	0.0	0.0	0.0	0.0	0.0	0.0	5.0	13.6	23.1	46.7	75.0	118.5	240.7	260.0	392.9	454.5	500.0	373.3	-
	結腸	C18	90.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	11.5	23.3	39.3	59.3	118.5	180.0	282.1	277.3	353.3	280.0	-
	直腸	C19-C20	50.4	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	11.5	23.3	35.7	59.3	122.2	80.0	110.7	177.3	146.7	93.3	-
	肝および肝内胆管	C22	49.9	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	7.1	33.3	77.8	66.7	128.6	209.1	213.3	206.7	-
	胆のう・胆管	C23-C24	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	14.8	30.0	50.0	68.2	140.0	126.7	-
	膵臓	C25	33.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	7.7	6.7	10.7	22.2	59.3	53.3	85.7	100.0	160.0	113.3	-
	喉頭	C32	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	7.4	3.7	16.7	10.7	22.7	33.3	26.7	-
	肺	C33-C34	127.5	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	23.1	20.0	35.7	81.5	137.0	216.7	353.6	477.3	453.3	580.0	-
	皮膚	C43-C44	22.4	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.8	0.0	3.6	14.8	22.2	30.0	35.7	63.6	86.7	200.0	-
	乳房	C50	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	6.7	-
	前立腺	C61	176.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	28.6	96.3	203.7	373.3	582.1	790.9	620.0	460.0	-
	膀胱	C67	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.6	29.6	40.7	43.3	42.9	86.4	120.0	200.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	33.8	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	16.7	17.9	29.6	70.4	40.0	114.3	104.5	93.3	80.0	-
	脳・中枢神経系	C70-C72	5.3	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	7.7	3.3	0.0	3.7	0.0	10.0	7.1	22.7	20.0	20.0	-
	甲状腺	C73	8.3	0.0	0.0	0.0	0.0	0.0	0.0	10.0	18.2	3.8	10.0	21.4	14.8	11.1	13.3	7.1	18.2	0.0	0.0	-
	悪性リンパ腫	C81-C85 C96	31.0	0.0	6.3	5.6	0.0	0.0	0.0	5.0	0.0	3.8	0.0	21.4	22.2	59.3	46.7	103.6	54.5	153.3	86.7	-
	多発性骨髄腫	C88-C90	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.7	7.4	6.7	25.0	36.4	33.3	0.0	-
	白血病	C91-C95	10.1	6.7	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	3.6	18.5	3.7	30.0	21.4	22.7	26.7	46.7	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	633.3	28.6	26.7	5.9	5.3	11.1	62.5	116.7	166.7	328.0	410.3	571.4	646.2	788.9	974.2	1,090.0	1,300.0	1,538.1	1,559.4	-
	口腔・咽頭	C00-C14	8.9	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	4.0	6.9	7.1	3.8	0.0	12.9	6.7	22.2	28.6	37.5	-
	食道	C15	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	11.1	22.6	0.0	22.2	14.3	15.6	-
	胃	C16	53.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.0	20.7	10.7	30.8	29.6	96.8	106.7	118.5	209.5	175.0	-
	大腸（結腸・直腸）	C18-C20	97.8	0.0	0.0	0.0	0.0	0.0	0.0	5.6	14.3	16.0	41.4	57.1	103.8	96.3	132.3	183.3	177.8	357.1	303.1	-
	結腸	C18	70.3	0.0	0.0	0.0	0.0	0.0	0.0	5.6	4.8	12.0	31.0	28.6	69.2	51.9	96.8	123.3	148.1	271.4	228.1	-
	直腸	C19-C20	27.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	4.0	10.3	28.6	34.6	44.4	35.5	60.0	29.6	85.7	75.0	-
	肝および肝内胆管	C22	21.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	7.7	7.4	19.4	26.7	66.7	57.1	128.1	-
	胆のう・胆管	C23-C24	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	14.8	16.1	20.0	25.9	47.6	90.6	-
	膵臓	C25	34.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.0	0.0	21.4	30.8	33.3	51.6	56.7	103.7	71.4	125.0	-
	喉頭	C32	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	3.2	0.0	11.1	0.0	3.1	-
	肺	C33-C34	58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	25.0	57.7	70.4	90.3	143.3	133.3	176.2	168.8	-
	皮膚	C43-C44	13.8	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	4.0	0.0	3.6	3.8	3.7	9.7	20.0	29.6	38.1	84.4	-
	乳房	C50	155.1	0.0	0.0	0.0	0.0	0.0	6.3	55.6	52.4	148.0	210.3	242.9	230.8	303.7	248.4	236.7	281.5	204.8	140.6	-
	子宮	C53-C55	41.1	0.0	0.0	0.0	0.0	0.0	6.3	44.4	23.8	60.0	51.7	85.7	80.8	44.4	64.5	53.3	44.4	52.4	31.3	-
	子宮頸部	C53	13.0	0.0	0.0	0.0	0.0	0.0	6.3	22.2	14.3	24.0	17.2	14.3	11.5	14.8	19.4	16.7	25.9	9.5	12.5	-
	子宮体部	C54	27.8	0.0	0.0	0.0	0.0	0.0	0.0	22.2	9.5	36.0	34.5	71.4	69.2	29.6	45.2	36.7	18.5	38.1	18.8	-
	卵巣	C56	17.4	0.0	0.0	0.0	5.3	0.0	25.0	0.0	0.0	20.0	20.7	25.0	7.7	33.3	41.9	20.0	18.5	33.3	21.9	-
	膀胱	C67	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	12.9	13.3	22.2	23.8	31.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	3.8	25.9	25.8	33.3	33.3	33.3	31.3	-
	脳・中枢神経系	C70-C72	4.6	0.0	6.7	5.9	0.0	0.0	0.0	0.0	4.8	4.0	3.4	0.0	0.0	11.1	3.2	6.7	7.4	23.8	3.1	-
	甲状腺	C73	16.7	0.0	0.0	0.0	0.0	5.6	12.5	0.0	47.6	12.0	13.8	35.7	19.2	33.3	25.8	20.0	11.1	28.6	6.3	-
	悪性リンパ腫	C81-C85 C96	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	12.0	10.3	17.9	30.8	40.7	48.4	53.3	77.8	81.0	62.5	-
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.4	3.6	7.7	0.0	6.5	16.7	11.1	14.3	12.5	-
	白血病	C91-C95	7.7	21.4	13.3	0.0	0.0	0.0	0.0	0.0	4.8	8.0	6.9	3.6	3.8	0.0	9.7	16.7	11.1	4.8	25.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	771.0	24.1	16.1	8.6	5.0	7.9	55.9	81.6	120.9	235.3	283.1	448.2	654.7	990.7	1,304.9	1,767.2	2,159.2	2,369.4	2,083.0	-
	口腔・咽頭	C00-C14	17.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	7.0	3.9	15.3	16.1	24.5	14.8	36.1	29.3	38.8	47.2	36.2	-
	食道	C15	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.0	3.4	8.9	15.1	33.3	52.5	70.7	75.5	63.9	40.4	-
	胃	C16	83.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	19.6	15.3	25.0	37.7	66.7	160.7	189.7	257.1	338.9	276.6	-
	大腸（結腸・直腸）	C18-C20	119.1	0.0	0.0	0.0	0.0	0.0	0.0	5.3	14.0	19.6	44.1	66.1	111.3	168.5	195.1	284.5	302.0	416.7	325.5	-
	結腸	C18	80.4	0.0	0.0	0.0	0.0	0.0	0.0	2.6	9.3	11.8	27.1	33.9	64.2	85.2	137.7	200.0	206.1	305.6	244.7	-
	直腸	C19-C20	38.7	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.7	7.8	16.9	32.1	47.2	83.3	57.4	84.5	95.9	111.1	80.9	-
	肝および肝内胆管	C22	35.5	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	5.4	20.8	42.6	42.6	75.9	130.6	122.2	153.2	-
	胆のう・胆管	C23-C24	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	14.8	23.0	34.5	44.9	86.1	102.1	-
	膵臓	C25	33.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	5.9	3.4	16.1	26.4	46.3	52.5	70.7	102.0	108.3	121.3	-
	喉頭	C32	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.8	3.8	1.9	9.8	5.2	16.3	13.9	10.6	-
	肺	C33-C34	92.1	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	15.7	10.2	30.4	69.8	103.7	152.5	244.8	287.8	291.7	300.0	-
	皮膚	C43-C44	18.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	0.0	3.9	0.0	3.6	9.4	13.0	19.7	27.6	44.9	58.3	121.3	-
	乳房	C50	79.4	0.0	0.0	0.0	0.0	0.0	2.9	26.3	25.6	72.5	103.4	121.4	113.2	151.9	126.2	124.1	155.1	119.4	97.9	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.8	15.1	24.1	27.9	27.6	51.0	63.9	85.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	23.2	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.8	8.5	8.9	17.0	48.1	32.8	72.4	65.3	58.3	46.8	-
	脳・中枢神経系	C70-C72	4.9	0.0	3.2	2.9	0.0	0.0	2.9	0.0	2.3	5.9	3.4	0.0	1.9	5.6	6.6	6.9	14.3	22.2	8.5	-
	甲状腺	C73	12.6	0.0	0.0	0.0	0.0	2.6	5.9	5.3	32.6	7.8	11.9	28.6	17.0	22.2	19.7	13.8	14.3	16.7	4.3	-
	悪性リンパ腫	C81-C85 C96	30.0	0.0	3.2	2.9	0.0	0.0	0.0	2.6	2.3	7.8	5.1	19.6	26.4	50.0	47.5	77.6	67.3	111.1	70.2	-
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.4	1.8	5.7	3.7	6.6	20.7	22.4	22.2	8.5	-
	白血病	C91-C95	8.9	13.8	6.5	0.0	0.0	0.0	0.0	2.6	2.3	3.9	3.4	3.6	11.3	1.9	19.7	19.0	16.3	13.9	31.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,000.5	20.0	6.3	11.1	4.8	10.0	55.6	60.0	90.9	157.7	206.7	407.1	755.6	1,351.9	1,850.0	2,692.9	3,431.8	3,726.7	3,413.3	-	
	食道	C15 D001	45.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.7	10.0	17.9	25.9	63.0	103.3	160.7	145.5	146.7	100.0	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	178.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	22.7	30.8	70.0	121.4	188.9	303.7	340.0	485.7	545.5	553.3	426.7	-
	結腸 *2	C18 D010	115.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	19.2	43.3	75.0	103.7	159.3	230.0	342.9	350.0	373.3	320.0	-
	直腸 *2	C19-C20 D011-D012	62.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	9.1	11.5	26.7	46.4	85.2	144.4	110.0	142.9	195.5	180.0	106.7	-
	肺	C33-C34 D021-D022	129.2	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	23.1	20.0	42.9	81.5	137.0	226.7	360.7	477.3	453.3	580.0	-	
	皮膚	C43-C44 D030-D049	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.8	0.0	10.7	14.8	29.6	36.7	39.3	68.2	106.7	206.7	-
	乳房	C50 D05	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	6.7	-
	膀胱	C67 D090	58.7	0.0	0.0	0.0	0.0	5.0	5.6	10.0	0.0	0.0	0.0	20.0	21.4	40.7	111.1	106.7	92.9	168.2	200.0	340.0	-
女	全部位	C00-C96 D00-D09	726.8	28.6	26.7	5.9	5.3	16.7	118.8	316.7	328.6	480.0	520.7	639.3	707.7	911.1	1,125.8	1,216.7	1,392.6	1,690.5	1,643.8	-	
	食道	C15 D001	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	11.1	25.8	3.3	22.2	14.3	18.8	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	116.2	0.0	0.0	0.0	0.0	0.0	6.3	5.6	23.8	28.0	44.8	64.3	119.2	129.6	187.1	223.3	203.7	414.3	321.9	-	
	結腸 *2	C18 D010	82.1	0.0	0.0	0.0	0.0	0.0	6.3	5.6	9.5	24.0	34.5	28.6	80.8	74.1	135.5	140.0	163.0	314.3	240.6	-	
	直腸 *2	C19-C20 D011-D012	34.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	4.0	10.3	35.7	38.5	55.6	51.6	83.3	40.7	100.0	81.3	-	
	肺	C33-C34 D021-D022	61.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	12.0	0.0	28.6	57.7	81.5	100.0	153.3	137.0	176.2	171.9	-	
	皮膚	C43-C44 D030-D049	18.6	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	4.0	3.4	3.6	3.8	3.7	12.9	30.0	48.1	42.9	112.5	-	
	乳房	C50 D05	173.9	0.0	0.0	0.0	0.0	0.0	6.3	61.1	66.7	184.0	248.3	271.4	250.0	348.1	280.6	260.0	296.3	228.6	150.0	-	
	子宮	C53-C55 D06	74.9	0.0	0.0	0.0	0.0	5.6	56.3	238.9	157.1	156.0	110.3	107.1	96.2	70.4	74.2	73.3	48.1	52.4	31.3	-	
子宮頸部	C53 D06	46.9	0.0	0.0	0.0	0.0	5.6	56.3	216.7	147.6	120.0	75.9	35.7	26.9	40.7	29.0	36.7	29.6	9.5	12.5	-		
膀胱	C67 D090	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	3.8	14.8	25.8	23.3	37.0	57.1	46.9	-		
総数 *3	全部位	C00-C96 D00-D09	860.8	24.1	16.1	8.6	5.0	13.2	85.3	181.6	207.0	315.7	361.0	523.2	732.1	1,131.5	1,482.0	1,929.3	2,308.2	2,538.9	2,208.5	-	
	食道	C15 D001	25.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3.9	5.1	8.9	15.1	37.0	63.9	79.3	77.6	69.4	44.7	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	146.5	0.0	0.0	0.0	0.0	0.0	2.9	5.3	23.3	29.4	57.6	92.9	154.7	216.7	262.3	350.0	357.1	472.2	355.3	-	
	結腸 *2	C18 D010	98.5	0.0	0.0	0.0	0.0	0.0	2.9	2.6	11.6	21.6	39.0	51.8	92.5	116.7	182.0	237.9	246.9	338.9	266.0	-	
	直腸 *2	C19-C20 D011-D012	48.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	11.6	7.8	18.6	41.1	62.3	100.0	80.3	112.1	110.2	133.3	89.4	-	
	肺	C33-C34 D021-D022	94.7	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.3	17.6	10.2	35.7	69.8	109.3	162.3	253.4	289.8	291.7	302.1	-	
	皮膚	C43-C44 D030-D049	21.9	0.0	0.0	0.0	0.0	0.0	2.9	2.6	0.0	3.9	1.7	7.1	9.4	16.7	24.6	34.5	57.1	69.4	142.6	-	
	乳房	C50 D05	89.0	0.0	0.0	0.0	0.0	0.0	2.9	28.9	32.6	90.2	122.0	135.7	122.6	174.1	142.6	136.2	163.3	133.3	104.3	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	35.9	0.0	0.0	0.0	0.0	0.0	2.6	2.9	5.3	0.0	2.0	10.2	10.7	22.6	63.0	65.6	56.9	95.9	116.7	140.4	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	6,122	19.6	29.5	0.0	49.1	1.8
口腔・咽頭	C00-C14	138	2.9	19.6	0.0	76.1	1.4
食道	C15	184	19.6	31.5	0.0	47.8	1.1
胃	C16	662	21.5	32.2	0.0	45.3	1.1
大腸（結腸・直腸）	C18-C20	942	20.1	23.8	0.0	55.0	1.2
結腸	C18	632	19.8	25.6	0.0	53.8	0.8
直腸	C19-C20	310	20.6	20.0	0.0	57.4	1.9
肝および肝内胆管	C22	278	10.8	50.7	0.0	36.3	2.2
胆のう・胆管	C23-C24	136	10.3	31.6	0.0	56.6	1.5
膵臓	C25	263	14.8	30.8	0.0	54.0	0.4
喉頭	C32	30	6.7	16.7	0.0	76.7	0.0
肺	C33-C34	729	20.0	40.5	0.0	37.9	1.6
皮膚	C43-C44	146	0.0	13.0	0.0	86.3	0.7
乳房	C50	638	31.8	13.0	0.0	53.0	2.2
乳房（女性のみ）	C50	636	31.9	13.1	0.0	52.8	2.2
子宮	C53-C55	170	15.9	16.5	0.0	66.5	1.2
子宮頸部	C53	54	14.8	16.7	0.0	64.8	3.7
子宮体部	C54	115	16.5	16.5	0.0	67.0	0.0
卵巣	C56	69	23.2	26.1	0.0	49.3	1.4
前立腺	C61	694	29.4	38.6	0.0	27.5	4.5
膀胱	C67	143	4.2	35.7	0.0	59.4	0.7
腎・尿路（膀胱除く）	C64-C66 C68	186	23.7	46.2	0.0	29.6	0.5
脳・中枢神経系	C70-C72	40	0.0	20.0	0.0	72.5	7.5
甲状腺	C73	102	34.3	23.5	0.0	38.2	3.9
悪性リンパ腫	C81-C85 C96	240	9.2	21.7	0.0	67.9	1.3
多発性骨髄腫	C88-C90	46	6.5	26.1	0.0	65.2	2.2
白血病	C91-C95	68	13.2	26.5	0.0	60.3	0.0

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	6,850	21.1	29.4	0.0	47.7	1.7
食道	C15 D001	205	21.5	32.7	0.0	44.4	1.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,164	24.7	24.3	0.0	49.9	1.1
結腸 *2	C18 D010	779	24.8	25.7	0.0	48.7	0.9
直腸 *2	C19-C20 D011-D012	385	24.4	21.6	0.0	52.5	1.6
肺	C33-C34 D021-D022	750	20.0	41.1	0.0	37.3	1.6
皮膚	C43-C44 D030-D049	178	0.0	12.4	0.0	87.1	0.6
乳房	C50 D05	716	34.1	13.4	0.0	50.4	2.1
乳房（女性のみ）	C50 D05	714	34.2	13.4	0.0	50.3	2.1
子宮	C53-C55 D06	310	28.4	22.9	0.0	48.1	0.6
子宮頸部	C53 D06	194	35.6	26.8	0.0	36.6	1.0
膀胱	C67 D090	290	9.3	32.4	0.0	57.9	0.3

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,009	49.0	10.5	13.5	18.2	8.8	24.0
口腔・咽頭	C00-C14	138	36.2	21.0	36.2	1.4	5.1	57.2
食道	C15	184	41.3	7.1	26.1	14.7	10.9	33.2
胃	C16	662	53.2	14.2	7.6	17.8	7.3	21.8
大腸（結腸・直腸）	C18-C20	942	45.2	17.2	10.7	20.1	6.6	27.9
結腸	C18	632	45.7	16.5	10.1	21.4	6.2	26.6
直腸	C19-C20	310	44.2	18.7	11.9	17.4	7.4	30.6
肝および肝内胆管	C22	278	66.9	1.4	6.5	12.9	12.2	7.9
胆のう・胆管	C23-C24	136	19.1	5.9	31.6	26.5	16.9	37.5
膵臓	C25	263	21.3	7.6	22.8	40.7	7.6	30.4
喉頭	C32	30	56.7	16.7	13.3	6.7	6.7	30.0
肺	C33-C34	729	37.2	11.1	9.7	35.5	6.4	20.9
皮膚	C43-C44	146	80.1	2.1	8.9	0.0	8.9	11.0
乳房	C50	638	57.4	23.8	4.4	6.6	7.8	28.2
乳房（女性のみ）	C50	636	57.5	23.7	4.2	6.6	7.9	28.0
子宮	C53-C55	170	60.0	4.1	21.8	8.8	5.3	25.9
子宮頸部	C53	54	38.9	1.9	40.7	11.1	7.4	42.6
子宮体部	C54	115	70.4	5.2	13.0	7.8	3.5	18.3
卵巣	C56	69	33.3	0.0	49.3	10.1	7.2	49.3
前立腺	C61	694	63.5	2.2	14.3	11.4	8.6	16.4
膀胱	C67	143	70.6	1.4	16.1	4.2	7.7	17.5
腎・尿路（膀胱除く）	C64-C66 C68	186	67.7	1.6	13.4	11.3	5.9	15.1
脳・中枢神経系	C70-C72	40	52.5	0.0	7.5	5.0	35.0	7.5
甲状腺	C73	102	49.0	25.5	11.8	2.9	10.8	37.3
悪性リンパ腫	C81-C85 C96	239	23.0	0.4	16.7	47.7	12.1	17.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,737	10.4	44.0	9.4	12.1	16.3	8.0	21.4
食道	C15 D001	205	7.8	37.1	6.3	23.4	13.2	12.2	29.8
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,164	19.2	36.6	13.9	8.7	16.2	5.4	22.6
結腸 *3	C18 D010	779	18.9	37.1	13.4	8.2	17.3	5.1	21.6
直腸 *3	C19-C20 D011-D012	385	19.7	35.6	15.1	9.6	14.0	6.0	24.7
肺	C33-C34 D021-D022	750	2.8	36.1	10.8	9.5	34.5	6.3	20.3
皮膚	C43-C44 D030-D049	178	17.4	65.7	1.7	7.3	0.0	7.9	9.0
乳房	C50 D05	716	10.1	51.4	21.4	3.9	5.9	7.4	25.3
乳房（女性のみ）	C50 D05	714	10.1	51.5	21.3	3.8	5.9	7.4	25.1
子宮	C53-C55 D06	310	45.2	32.9	2.3	11.9	4.8	2.9	14.2
子宮頸部	C53 D06	194	72.2	10.8	0.5	11.3	3.1	2.1	11.9
膀胱	C67 D090	290	50.0	34.8	0.7	7.9	2.1	4.5	8.6

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,009	0.5	47.8	7.8	11.8	17.7	14.4	19.5
口腔・咽頭	C00-C14	138	0.0	32.6	21.7	34.8	1.4	9.4	56.5
食道	C15	184	2.7	36.4	7.6	25.0	14.1	14.1	32.6
胃	C16	662	0.3	57.3	9.2	7.1	16.0	10.1	16.3
大腸（結腸・直腸）	C18-C20	942	0.6	40.7	14.2	13.0	19.3	12.2	27.2
結腸	C18	632	0.6	41.0	14.2	13.0	20.6	10.6	27.2
直腸	C19-C20	310	0.6	40.0	14.2	12.9	16.8	15.5	27.1
肝および肝内胆管	C22	278	0.0	65.8	1.4	6.8	12.6	13.3	8.3
胆のう・胆管	C23-C24	136	0.0	16.2	5.1	27.9	26.5	24.3	33.1
膵臓	C25	263	0.8	26.2	2.3	20.2	41.1	9.5	22.4
喉頭	C32	30	0.0	56.7	20.0	10.0	6.7	6.7	30.0
肺	C33-C34	729	0.3	28.4	8.8	7.8	34.0	20.7	16.6
皮膚	C43-C44	146	0.7	72.6	0.7	6.8	0.0	19.2	7.5
乳房	C50	638	1.9	64.3	14.7	4.2	6.4	8.5	19.0
乳房（女性のみ）	C50	636	1.9	64.3	14.8	4.1	6.4	8.5	18.9
子宮	C53-C55	170	1.2	59.4	2.9	16.5	8.2	11.8	19.4
子宮頸部	C53	54	3.7	37.0	1.9	38.9	11.1	7.4	40.7
子宮体部	C54	115	0.0	70.4	3.5	6.1	7.0	13.0	9.6
卵巣	C56	69	0.0	33.3	0.0	14.5	10.1	42.0	14.5
前立腺	C61	694	0.0	66.6	2.2	11.0	11.2	9.1	13.1
膀胱	C67	143	0.7	69.9	2.8	13.3	4.2	9.1	16.1
腎・尿路（膀胱除く）	C64-C66 C68	186	0.0	59.7	1.6	8.1	11.3	19.4	9.7
脳・中枢神経系	C70-C72	40	0.0	52.5	0.0	5.0	5.0	37.5	5.0
甲状腺	C73	102	0.0	53.9	12.7	6.9	2.9	23.5	19.6
悪性リンパ腫	C81-C85 C96	239	0.0	22.6	0.0	17.2	47.7	12.6	17.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,737	7.3	43.8	7.0	10.5	15.8	15.6	17.5
食道	C15 D001	205	9.3	33.2	6.8	22.4	12.7	15.6	29.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,164	12.2	33.8	11.5	10.5	15.6	16.4	22.0
結腸 *3	C18 D010	779	12.7	33.9	11.6	10.5	16.7	14.6	22.1
直腸 *3	C19-C20 D011-D012	385	11.2	33.5	11.4	10.4	13.5	20.0	21.8
肺	C33-C34 D021-D022	750	0.5	28.4	8.7	7.6	33.1	21.7	16.3
皮膚	C43-C44 D030-D049	178	16.9	59.6	0.6	5.6	0.0	17.4	6.2
乳房	C50 D05	716	9.8	59.4	13.3	3.8	5.7	8.1	17.0
乳房 (女性のみ)	C50 D05	714	9.8	59.4	13.3	3.6	5.7	8.1	16.9
子宮	C53-C55 D06	310	45.2	32.6	1.6	9.0	4.5	7.1	10.6
子宮頸部	C53 D06	194	72.2	10.3	0.5	10.8	3.1	3.1	11.3
膀胱	C67 D090	290	21.4	41.4	1.7	6.6	2.1	26.9	8.3

*1 DCO、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	3,483	57.5	12.3	10.8	4.6	14.7	23.1
口腔・咽頭	C00-C14	45	51.1	8.9	15.6	2.2	22.2	24.4
食道	C15	81	55.6	4.9	11.1	3.7	24.7	16.0
胃	C16	492	64.0	15.0	7.3	4.1	9.6	22.4
大腸（結腸・直腸）	C18-C20	758	50.9	19.0	10.8	11.7	7.5	29.8
結腸	C18	511	51.9	18.2	11.5	12.1	6.3	29.7
直腸	C19-C20	247	49.0	20.6	9.3	10.9	10.1	30.0
肝および肝内胆管	C22	108	64.8	0.9	1.9	1.9	30.6	2.8
胆のう・胆管	C23-C24	60	26.7	5.0	36.7	0.0	31.7	41.7
膵臓	C25	83	31.3	18.1	14.5	1.2	34.9	32.5
喉頭	C32	7	71.4	0.0	14.3	0.0	14.3	14.3
肺	C33-C34	334	61.7	10.8	9.6	5.4	12.6	20.4
皮膚	C43-C44	132	83.3	2.3	7.6	0.0	6.8	9.8
乳房	C50	451	62.1	23.9	1.8	1.1	11.1	25.7
乳房（女性のみ）	C50	450	62.2	23.8	1.8	1.1	11.1	25.6
子宮	C53-C55	129	74.4	3.9	14.0	3.1	4.7	17.8
子宮頸部	C53	29	72.4	0.0	20.7	0.0	6.9	20.7
子宮体部	C54	99	75.8	5.1	12.1	4.0	3.0	17.2
卵巣	C56	54	37.0	0.0	48.1	5.6	9.3	48.1
前立腺	C61	228	46.5	0.4	16.7	1.3	35.1	17.1
膀胱	C67	106	67.0	0.0	12.3	0.9	19.8	12.3
腎・尿路（膀胱除く）	C64-C66 C68	138	76.1	0.7	14.5	0.7	8.0	15.2
脳・中枢神経系	C70-C72	24	62.5	0.0	12.5	0.0	25.0	12.5
甲状腺	C73	92	44.6	27.2	12.0	0.0	16.3	39.1
悪性リンパ腫	C81-C85 C96	31	12.9	3.2	0.0	19.4	64.5	3.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	4,168	15.4	48.5	10.3	9.0	3.9	12.9	19.3
食道	C15 D001	99	14.1	45.5	4.0	9.1	3.0	24.2	13.1
大腸 (結腸・直腸) *3	C18-C20 D010-D012	979	22.4	39.4	14.7	8.4	9.1	6.0	23.1
結腸 *3	C18 D010	657	21.9	40.3	14.2	9.0	9.4	5.2	23.1
直腸 *3	C19-C20 D011-D012	322	23.3	37.6	15.8	7.1	8.4	7.8	23.0
肺	C33-C34 D021-D022	354	5.6	58.2	10.2	9.0	5.1	11.9	19.2
皮膚	C43-C44 D030-D049	160	16.3	68.8	1.9	6.3	0.0	6.9	8.1
乳房	C50 D05	513	11.1	55.0	21.1	1.6	1.0	10.3	22.6
乳房 (女性のみ)	C50 D05	512	11.1	55.1	20.9	1.6	1.0	10.4	22.5
子宮	C53-C55 D06	254	48.4	37.8	2.0	7.1	1.6	3.1	9.1
子宮頸部	C53 D06	154	79.9	13.6	0.0	3.9	0.0	2.6	3.9
膀胱	C67 D090	253	54.5	28.1	0.0	5.1	0.4	11.9	5.1

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	6,122	24.3	21.9	8.1	11.5	29.8	11.7	2.1	21.9
口腔・咽頭	C00-C14	138	37.7	0.0	0.7	58.0	53.6	0.0	0.7	14.5
食道	C15	184	5.4	21.7	23.4	25.0	41.3	0.0	1.1	22.3
胃	C16	662	15.3	23.9	31.1	0.3	21.5	0.2	0.3	23.0
大腸（結腸・直腸）	C18-C20	942	18.7	50.5	12.1	2.2	31.8	0.0	0.8	15.9
結腸	C18	632	19.3	50.5	10.9	0.5	29.3	0.0	1.1	16.8
直腸	C19-C20	310	17.4	50.6	14.5	5.8	37.1	0.0	0.3	14.2
肝および肝内胆管	C22	278	15.1	12.6	0.4	5.0	19.4	0.0	26.3	35.6
胆のう・胆管	C23-C24	136	25.0	8.1	3.7	2.2	25.0	0.0	1.5	54.4
膵臓	C25	263	22.4	5.7	0.8	3.4	52.1	0.4	1.1	38.0
喉頭	C32	30	20.0	0.0	0.0	73.3	33.3	0.0	0.0	10.0
肺	C33-C34	729	6.7	33.6	0.0	17.1	34.8	0.3	0.5	24.6
皮膚	C43-C44	146	87.0	0.0	0.0	1.4	2.7	0.0	5.5	6.8
乳房	C50	638	75.5	0.0	0.0	28.2	40.4	51.9	0.2	10.0
乳房（女性のみ）	C50	636	75.5	0.0	0.0	28.1	40.3	51.7	0.2	10.1
子宮	C53-C55	170	42.4	33.5	0.0	12.4	41.8	1.8	0.0	11.2
子宮頸部	C53	54	42.6	11.1	0.0	33.3	51.9	0.0	0.0	11.1
子宮体部	C54	115	42.6	44.3	0.0	2.6	37.4	2.6	0.0	10.4
卵巣	C56	69	68.1	7.2	0.0	0.0	52.2	0.0	0.0	18.8
前立腺	C61	694	2.4	19.9	0.6	12.0	1.4	54.0	0.6	19.9
膀胱	C67	143	5.6	8.4	73.4	3.5	31.5	0.7	10.5	16.8
腎・尿路（膀胱除く）	C64-C66 C68	186	14.5	57.5	0.0	3.8	15.6	0.0	0.5	19.9
脳・中枢神経系	C70-C72	40	50.0	0.0	0.0	40.0	45.0	0.0	0.0	37.5
甲状腺	C73	102	75.5	0.0	0.0	7.8	3.9	1.0	0.0	22.5
悪性リンパ腫	C81-C85 C96	240	6.3	0.8	0.0	13.8	57.5	1.3	1.7	31.7
多発性骨髄腫	C88-C90	46	0.0	0.0	0.0	19.6	67.4	0.0	0.0	28.3
白血病	C91-C95	68	1.5	0.0	0.0	2.9	70.6	0.0	0.0	29.4

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	6,850	24.9	21.0	12.5	10.7	26.9	10.7	2.3	20.2
食道	C15 D001	205	4.9	19.5	27.8	22.4	37.1	0.0	1.5	22.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,164	15.2	42.8	27.1	1.8	25.8	0.0	0.7	13.1
結腸 *2	C18 D010	779	15.7	43.3	25.7	0.4	23.7	0.0	0.9	13.9
直腸 *2	C19-C20 D011-D012	385	14.3	41.8	30.1	4.7	29.9	0.0	0.3	11.4
肺	C33-C34 D021-D022	750	6.5	35.3	0.0	16.7	33.9	0.3	0.7	23.9
皮膚	C43-C44 D030-D049	178	86.0	0.0	0.0	1.1	2.2	0.0	6.2	7.3
乳房	C50 D05	716	76.1	0.0	0.0	28.6	36.6	48.3	0.3	10.2
乳房（女性のみ）	C50 D05	714	76.1	0.0	0.0	28.6	36.4	48.2	0.3	10.2
子宮	C53-C55 D06	310	54.2	26.5	0.6	6.8	22.9	1.0	0.0	11.6
子宮頸部	C53 D06	194	61.3	16.0	1.0	9.3	14.4	0.0	0.0	11.9
膀胱	C67 D090	290	4.1	4.5	84.1	1.7	19.3	0.3	12.1	9.3

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	3,239	84.9	12.9	2.2
口腔・咽頭	C00-C14	52	86.5	7.7	5.8
食道	C15	86	88.4	10.5	1.2
胃	C16	448	92.4	6.5	1.1
大腸（結腸・直腸）	C18-C20	733	88.4	10.4	1.2
結腸	C18	487	87.7	11.1	1.2
直腸	C19-C20	246	89.8	8.9	1.2
肝および肝内胆管	C22	77	92.2	7.8	0.0
胆のう・胆管	C23-C24	46	67.4	30.4	2.2
膵臓	C25	76	78.9	21.1	0.0
喉頭	C32	6	100.0	0.0	0.0
肺	C33-C34	294	92.9	6.8	0.3
皮膚	C43-C44	127	89.0	8.7	2.4
乳房	C50	482	84.4	9.5	6.0
乳房（女性のみ）	C50	480	84.4	9.6	6.0
子宮	C53-C55	128	96.1	3.1	0.8
子宮頸部	C53	29	93.1	6.9	0.0
子宮体部	C54	99	97.0	2.0	1.0
卵巣	C56	52	84.6	9.6	5.8
前立腺	C61	159	69.8	29.6	0.6
膀胱	C67	115	31.3	68.7	0.0
腎・尿路（膀胱除く）	C64-C66 C68	133	90.2	6.8	3.0
脳・中枢神経系	C70-C72	20	50.0	45.0	5.0
甲状腺	C73	77	90.9	9.1	0.0
悪性リンパ腫	C81-C85 C96	17	41.2	52.9	5.9
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	1	100.0	0.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	3,911	86.1	11.6	2.3
食道	C15 D001	100	89.0	10.0	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	953	89.8	8.6	1.6
結腸 *2	C18 D010	632	88.9	9.3	1.7
直腸 *2	C19-C20 D011-D012	321	91.6	7.2	1.2
肺	C33-C34 D021-D022	314	93.3	6.4	0.3
皮膚	C43-C44 D030-D049	153	90.2	7.2	2.6
乳房	C50 D05	545	84.2	9.4	6.4
乳房（女性のみ）	C50 D05	543	84.2	9.4	6.4
子宮	C53-C55 D06	251	95.2	3.6	1.2
子宮頸部	C53 D06	152	94.1	4.6	1.3
膀胱	C67 D090	259	63.7	35.9	0.4

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.41	0.41	0.41	3.9	5.8	4.7	1.6	2.8	2.1	86.0	85.0	85.6	82.2	80.9	81.7
口腔・咽頭	C00-C14	0.25	0.49	0.31	2.0	0.0	1.4	0.0	0.0	0.0	98.0	91.9	96.4	98.0	86.5	94.9
食道	C15	0.41	0.44	0.41	3.7	8.0	4.3	1.9	0.0	1.6	94.4	76.0	92.0	93.8	76.0	91.4
胃	C16	0.38	0.51	0.43	4.0	3.6	3.8	2.2	1.8	2.1	94.9	92.3	94.1	94.9	92.3	94.1
大腸（結腸・直腸）	C18-C20	0.35	0.42	0.38	2.3	7.4	4.5	0.9	4.7	2.5	94.7	86.2	91.1	93.9	86.2	90.7
結腸	C18	0.38	0.46	0.42	3.6	8.2	5.7	1.4	5.2	3.1	93.6	85.9	90.2	92.8	85.9	89.7
直腸	C19-C20	0.30	0.32	0.31	0.0	5.3	1.9	0.0	3.5	1.3	96.5	86.8	93.0	96.0	86.8	92.7
肝および肝内胆管	C22	0.66	0.79	0.70	2.5	13.3	5.9	1.5	7.8	3.5	42.4	31.1	38.9	40.9	30.0	37.5
胆のう・胆管	C23-C24	0.98	1.19	1.07	10.7	24.2	16.4	2.4	12.9	6.8	65.5	48.4	58.2	47.6	33.9	41.8
膵臓	C25	0.83	0.88	0.85	11.9	14.2	13.1	2.2	6.4	4.4	68.7	51.8	60.0	56.0	39.0	47.3
喉頭	C32	0.23	0.17	0.22	7.7	16.7	9.4	3.8	16.7	6.3	88.5	83.3	87.5	84.6	83.3	84.4
肺	C33-C34	0.67	0.56	0.64	4.9	7.5	5.8	1.8	3.7	2.4	79.2	79.7	79.4	72.5	71.8	72.3
皮膚	C43-C44	0.07	0.02	0.05	0.0	1.8	0.7	0.0	0.0	0.0	98.9	98.2	98.6	98.9	98.2	98.6
乳房	C50	0.00	0.16	0.16	0.0	1.9	1.9	0.0	0.9	0.9	100.0	96.1	96.1	100.0	93.0	93.0
子宮	C53-C55	-	0.25	0.25	-	1.2	1.2	-	0.0	0.0	-	97.6	97.6	-	95.3	95.3
子宮頸部	C53	-	0.37	0.37	-	1.9	1.9	-	0.0	0.0	-	96.3	96.3	-	92.6	92.6
子宮体部	C54	-	0.17	0.17	-	0.9	0.9	-	0.0	0.0	-	99.1	99.1	-	97.4	97.4
卵巣	C56	-	0.42	0.42	-	5.6	5.6	-	4.2	4.2	-	81.9	81.9	-	80.6	80.6
前立腺	C61	0.12	-	0.12	1.3	-	1.3	1.0	-	1.0	88.4	-	88.4	86.2	-	86.2
膀胱	C67	0.34	0.55	0.38	1.8	3.2	2.1	0.9	0.0	0.7	92.9	90.3	92.4	75.2	64.5	72.9
腎・尿路（膀胱除く）	C64-C66 C68	0.22	0.44	0.29	2.2	1.9	2.1	0.7	1.9	1.1	85.8	87.0	86.2	80.6	81.5	80.9
脳・中枢神経系	C70-C72	0.48	0.21	0.35	9.5	0.0	5.0	0.0	0.0	0.0	76.2	63.2	70.0	76.2	63.2	70.0
甲状腺	C73	0.12	0.13	0.13	0.0	0.0	0.0	0.0	0.0	0.0	100.0	97.1	98.0	87.9	87.0	87.3
悪性リンパ腫	C81-C85 C96	0.46	0.33	0.39	6.5	9.2	7.8	1.6	0.8	1.2	92.7	88.3	90.5	90.2	86.7	88.5
多発性骨髄腫	C88-C90	0.62	0.73	0.67	11.5	4.5	8.3	3.8	4.5	4.2	80.8	81.8	81.3	73.1	72.7	72.9
白血病	C91-C95	0.88	0.72	0.81	15.0	6.3	11.1	7.5	3.1	5.6	92.5	93.8	93.1	65.0	75.0	69.4

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.37	0.36	0.36	3.5	5.0	4.2	1.4	2.5	1.9	87.2	86.9	87.1	83.6	83.1	83.4
食道	C15 D001	0.37	0.39	0.37	3.3	7.1	3.8	1.7	0.0	1.4	95.0	78.6	92.8	94.4	78.6	92.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.28	0.35	0.31	1.8	6.2	3.6	0.7	4.0	2.0	95.8	88.4	92.8	95.2	88.4	92.4
結腸 *2	C18 D010	0.30	0.39	0.34	2.8	7.1	4.6	1.1	4.4	2.5	95.0	87.9	92.0	94.3	87.9	91.6
直腸 *2	C19-C20 D011-D012	0.24	0.26	0.25	0.0	4.3	1.5	0.0	2.8	1.0	97.2	89.4	94.3	96.8	89.4	94.1
肺	C33-C34 D021-D022	0.66	0.53	0.62	4.9	7.1	5.6	1.8	3.5	2.3	79.5	80.8	79.9	72.9	72.5	72.8
皮膚	C43-C44 D030-D049	0.06	0.01	0.04	0.0	1.3	0.6	0.0	0.0	0.0	99.0	98.7	98.9	99.0	98.7	98.9
乳房	C50 D05	0.00	0.14	0.14	0.0	1.7	1.7	0.0	0.8	0.8	100.0	96.4	96.4	100.0	92.9	92.9
子宮	C53-C55 D06	-	0.14	0.14	-	0.6	0.6	-	0.0	0.0	-	98.7	98.7	-	97.4	97.4
子宮頸部	C53 D06	-	0.10	0.10	-	0.5	0.5	-	0.0	0.0	-	99.0	99.0	-	97.9	97.9
膀胱	C67 D090	0.16	0.29	0.19	0.9	1.7	1.0	0.4	0.0	0.3	96.6	94.8	96.2	86.7	79.3	85.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

山梨県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,475	1,072	2,547	100.0	100.0	100.0	377.2	263.4	319.2	139.6	79.9	106.4	93.9	56.1	72.9	9.7	5.6	7.6
口腔・咽頭	C00-C14	25	18	43	1.7	1.7	1.7	6.4	4.4	5.4	2.4	1.6	2.0	1.7	1.1	1.3	0.2	0.1	0.1
食道	C15	66	11	77	4.5	1.0	3.0	16.9	2.7	9.6	6.6	0.7	3.4	4.4	0.4	2.3	0.5	0.0	0.3
胃	C16	174	114	288	11.8	10.6	11.3	44.5	28.0	36.1	15.9	7.5	11.3	10.8	5.1	7.7	1.1	0.5	0.8
大腸（結腸・直腸）	C18-C20	197	170	367	13.4	15.9	14.4	50.4	41.8	46.0	19.6	11.3	15.2	13.6	8.0	10.7	1.6	0.8	1.2
結腸	C18	138	133	271	9.4	12.4	10.6	35.3	32.7	34.0	13.1	8.2	10.5	8.9	5.7	7.2	1.0	0.5	0.8
直腸	C19-C20	59	37	96	4.0	3.5	3.8	15.1	9.1	12.0	6.5	3.2	4.7	4.7	2.3	3.5	0.6	0.2	0.4
肝および肝内胆管	C22	131	71	202	8.9	6.6	7.9	33.5	17.4	25.3	12.7	3.4	7.8	8.6	2.2	5.2	0.9	0.2	0.5
胆のう・胆管	C23-C24	82	74	156	5.6	6.9	6.1	21.0	18.2	19.5	6.5	3.1	4.6	4.1	1.9	2.9	0.3	0.1	0.2
膵臓	C25	111	124	235	7.5	11.6	9.2	28.4	30.5	29.4	11.6	8.7	10.1	7.9	5.8	6.8	0.9	0.6	0.8
喉頭	C32	6	1	7	0.4	0.1	0.3	1.5	0.2	0.9	0.4	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	341	134	475	23.1	12.5	18.6	87.2	32.9	59.5	31.1	8.6	18.7	20.6	5.8	12.5	2.0	0.6	1.3
皮膚	C43-C44	6	1	7	0.4	0.1	0.3	1.5	0.2	0.9	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
乳房	C50	0	102	102	0.0	9.5	4.0	0.0	25.1	12.8	0.0	14.1	7.1	0.0	10.8	5.4	0.0	1.3	0.6
子宮	C53-C55	-	42	42	-	3.9	1.6	-	10.3	-	-	5.2	-	-	3.7	-	-	0.4	-
子宮頸部	C53	-	20	20	-	1.9	0.8	-	4.9	-	-	2.8	-	-	2.0	-	-	0.2	-
子宮体部	C54	-	19	19	-	1.8	0.7	-	4.7	-	-	2.0	-	-	1.4	-	-	0.2	-
卵巣	C56	-	30	30	-	2.8	1.2	-	7.4	-	-	3.8	-	-	2.9	-	-	0.3	-
前立腺	C61	81	-	81	5.5	-	3.2	20.7	-	-	6.4	-	-	4.2	-	-	0.3	-	-
膀胱	C67	38	17	55	2.6	1.6	2.2	9.7	4.2	6.9	3.2	0.6	1.8	2.1	0.3	1.1	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	30	24	54	2.0	2.2	2.1	7.7	5.9	6.8	3.1	0.8	1.9	2.2	0.5	1.4	0.3	0.0	0.1
脳・中枢神経系	C70-C72	10	4	14	0.7	0.4	0.5	2.6	1.0	1.8	1.2	0.5	0.8	0.8	0.4	0.6	0.1	0.0	0.1
甲状腺	C73	4	9	13	0.3	0.8	0.5	1.0	2.2	1.6	0.3	0.4	0.4	0.2	0.2	0.2	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	56	39	95	3.8	3.6	3.7	14.3	9.6	11.9	5.3	2.4	3.7	3.3	1.6	2.4	0.2	0.2	0.2
多発性骨髄腫	C88-C90	16	16	32	1.1	1.5	1.3	4.1	3.9	4.0	1.8	1.0	1.4	1.3	0.6	1.0	0.1	0.1	0.1
白血病	C91-C95	35	23	58	2.4	2.1	2.3	9.0	5.7	7.3	3.7	1.9	2.7	2.5	1.5	2.0	0.3	0.1	0.2

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,475	0	0	0	0	0	1	1	4	2	12	27	39	94	147	217	274	264	239	130	24	0	0
	口腔・咽頭	C00-C14	25	0	0	0	0	0	0	0	0	0	0	1	1	1	4	4	3	5	5	0	1	0	0
	食道	C15	66	0	0	0	0	0	0	0	0	0	0	2	1	6	4	17	16	8	7	5	0	0	0
	胃	C16	174	0	0	0	0	0	1	0	0	2	0	2	3	7	21	24	31	30	29	22	2	0	0
	大腸（結腸・直腸）	C18-C20	197	0	0	0	0	0	0	0	0	0	2	5	6	15	27	36	35	24	23	19	5	0	0
	結腸	C18	138	0	0	0	0	0	0	0	0	0	1	2	4	8	17	27	24	22	15	13	5	0	0
	直腸	C19-C20	59	0	0	0	0	0	0	0	0	0	1	3	2	7	10	9	11	2	8	6	0	0	0
	肝および肝内胆管	C22	131	0	0	0	0	0	0	0	0	0	1	3	3	15	9	17	24	29	23	7	0	0	0
	胆のう・胆管	C23-C24	82	0	0	0	0	0	0	0	0	0	0	1	1	4	2	8	18	16	20	9	3	0	0
	膵臓	C25	111	0	0	0	0	0	0	0	1	0	3	1	6	7	10	25	18	18	14	7	1	0	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	1	0	0	0
	肺	C33-C34	341	0	0	0	0	0	0	0	0	0	3	5	10	16	36	46	74	53	63	32	3	0	0
	皮膚	C43-C44	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	0	0	0
	乳房	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	前立腺	C61	81	0	0	0	0	0	0	0	0	0	1	1	0	2	8	7	14	15	22	9	2	0	0
	膀胱	C67	38	0	0	0	0	0	0	0	0	0	0	0	1	2	2	6	7	8	6	6	0	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	30	0	0	0	0	0	0	0	0	0	0	0	2	5	3	5	4	3	6	2	0	0	0
	脳・中枢神経系	C70-C72	10	0	0	0	0	0	0	0	0	0	0	1	0	1	1	4	2	0	1	0	0	0	0
	甲状腺	C73	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0
	悪性リンパ腫	C81-C85 C96	56	0	0	0	0	0	0	1	0	0	0	1	2	3	3	3	7	26	9	0	1	0	0
	多発性骨髄腫	C88-C90	16	0	0	0	0	0	0	0	1	0	0	0	0	1	4	2	1	6	1	0	0	0	0
	白血病	C91-C95	35	0	0	0	0	0	0	0	0	0	1	1	1	3	4	5	9	5	2	4	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,072	0	0	0	2	1	1	0	2	10	15	23	41	52	59	111	148	161	207	181	54	4	0
	口腔・咽頭	C00-C14	18	0	0	0	0	0	0	0	0	0	0	2	2	0	0	2	3	3	3	1	1	1	0
	食道	C15	11	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	1	1	1	0	0
	胃	C16	114	0	0	0	0	0	0	0	0	1	0	3	4	5	4	10	15	20	24	23	5	0	0
	大腸（結腸・直腸）	C18-C20	170	0	0	0	0	0	0	0	0	0	2	3	7	12	9	11	20	21	37	36	12	0	0
	結腸	C18	133	0	0	0	0	0	0	0	0	0	1	1	5	8	7	9	15	17	30	30	10	0	0
	直腸	C19-C20	37	0	0	0	0	0	0	0	0	0	1	2	2	4	2	2	5	4	7	6	2	0	0
	肝および肝内胆管	C22	71	0	0	0	0	0	0	0	0	0	0	1	0	1	2	8	7	12	18	19	3	0	0
	胆のう・胆管	C23-C24	74	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	9	15	15	20	9	0	0
	膵臓	C25	124	0	0	0	0	0	0	0	0	1	0	1	3	7	6	18	21	23	20	18	6	0	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	肺	C33-C34	134	0	0	0	0	0	0	0	0	0	2	0	5	4	8	15	23	15	30	27	4	1	0
	皮膚	C43-C44	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	乳房	C50	102	0	0	0	0	0	0	0	1	5	5	9	11	13	14	12	6	9	9	4	3	1	0
	子宮	C53-C55	42	0	0	0	0	0	0	0	0	2	4	2	2	2	1	10	10	6	1	2	0	0	0
	子宮頸部	C53	20	0	0	0	0	0	0	0	0	2	1	1	2	1	1	5	5	1	0	1	0	0	0
	子宮体部	C54	19	0	0	0	0	0	0	0	0	0	3	0	0	1	0	5	4	4	1	1	0	0	0
	卵巣	C56	30	0	0	0	0	0	1	0	0	1	1	1	3	2	4	5	5	2	3	1	1	0	0
	膀胱	C67	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	5	5	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	12	4	2	0	0
	脳・中枢神経系	C70-C72	4	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0
	甲状腺	C73	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	3	1	0	0	0
	悪性リンパ腫	C81-C85 C96	39	0	0	0	0	0	0	0	0	0	0	1	0	1	4	3	7	6	6	8	3	0	0
	多発性骨髄腫	C88-C90	16	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	1	4	4	1	1	0	0
	白血病	C91-C95	23	0	0	0	1	0	0	0	0	0	0	0	0	3	1	3	3	2	6	4	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	2,547	0	0	0	2	1	2	1	6	12	27	50	80	146	206	328	422	425	446	311	78	4	0
	口腔・咽頭	C00-C14	43	0	0	0	0	0	0	0	0	0	0	3	3	1	4	6	6	8	8	1	2	1	0
	食道	C15	77	0	0	0	0	0	0	0	0	0	0	2	1	6	5	18	18	12	8	6	1	0	0
	胃	C16	288	0	0	0	0	0	1	0	0	3	0	5	7	12	25	34	46	50	53	45	7	0	0
	大腸（結腸・直腸）	C18-C20	367	0	0	0	0	0	0	0	0	0	4	8	13	27	36	47	55	45	60	55	17	0	0
	結腸	C18	271	0	0	0	0	0	0	0	0	0	2	3	9	16	24	36	39	39	45	43	15	0	0
	直腸	C19-C20	96	0	0	0	0	0	0	0	0	0	2	5	4	11	12	11	16	6	15	12	2	0	0
	肝および肝内胆管	C22	202	0	0	0	0	0	0	0	0	0	1	4	3	16	11	25	31	41	41	26	3	0	0
	胆のう・胆管	C23-C24	156	0	0	0	0	0	0	0	0	0	0	1	1	4	5	11	27	31	35	29	12	0	0
	膵臓	C25	235	0	0	0	0	0	0	0	1	1	3	2	9	14	16	43	39	41	34	25	7	0	0
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	2	1	0	0	0
	肺	C33-C34	475	0	0	0	0	0	0	0	0	0	5	5	15	20	44	61	97	68	93	59	7	1	0
	皮膚	C43-C44	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	1	0	0
	乳房	C50	102	0	0	0	0	0	0	0	1	5	5	9	11	13	14	12	6	9	9	4	3	1	0
	子宮	C53-C55	42	0	0	0	0	0	0	0	0	2	4	2	2	2	1	10	10	6	1	2	0	0	0
	子宮頸部	C53	20	0	0	0	0	0	0	0	0	2	1	1	2	1	1	5	5	1	0	1	0	0	0
	子宮体部	C54	19	0	0	0	0	0	0	0	0	0	3	0	0	1	0	5	4	4	1	1	0	0	0
	卵巣	C56	30	0	0	0	0	0	1	0	0	1	1	1	3	2	4	5	5	2	3	1	1	0	0
	前立腺	C61	81	0	0	0	0	0	0	0	0	0	1	1	0	2	8	7	14	15	22	9	2	0	0
	膀胱	C67	55	0	0	0	0	0	0	0	0	0	0	0	1	2	2	6	9	12	11	11	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	54	0	0	0	0	0	0	0	0	0	0	0	2	5	3	6	7	5	18	6	2	0	0
	脳・中枢神経系	C70-C72	14	0	0	0	0	0	0	0	1	0	0	1	0	1	1	4	3	1	2	0	0	0	0
	甲状腺	C73	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	4	3	3	0	0	0
	悪性リンパ腫	C81-C85 C96	95	0	0	0	0	0	0	1	0	0	0	2	2	4	7	6	14	32	15	8	4	0	0
	多発性骨髄腫	C88-C90	32	0	0	0	0	0	0	0	1	0	0	0	1	1	4	6	2	10	5	1	1	0	0
	白血病	C91-C95	58	0	0	0	1	0	0	0	0	0	1	1	1	6	5	8	12	7	8	8	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	377.2	0.0	0.0	0.0	0.0	0.0	5.9	5.3	19.0	8.0	40.0	96.4	144.4	348.1	490.0	775.0	1,245.5	1,760.0	2,620.0	.
	口腔・咽頭	C00-C14	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	3.7	13.3	14.3	13.6	33.3	40.0	.
	食道	C15	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.7	22.2	13.3	60.7	72.7	53.3	80.0	.
	胃	C16	44.5	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	8.0	0.0	7.1	11.1	25.9	70.0	85.7	140.9	200.0	353.3	.
	大腸（結腸・直腸）	C18-C20	50.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	17.9	22.2	55.6	90.0	128.6	159.1	160.0	313.3	.
	結腸	C18	35.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	7.1	14.8	29.6	56.7	96.4	109.1	146.7	220.0	.
	直腸	C19-C20	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	10.7	7.4	25.9	33.3	32.1	50.0	13.3	93.3	.
	肝および肝内胆管	C22	33.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	10.7	11.1	55.6	30.0	60.7	109.1	193.3	200.0	.
	胆のう・胆管	C23-C24	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	14.8	6.7	28.6	81.8	106.7	213.3	.
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	10.0	3.6	22.2	25.9	33.3	89.3	81.8	120.0	146.7	.
	喉頭	C32	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	4.5	0.0	20.0	.
	肺	C33-C34	87.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	17.9	37.0	59.3	120.0	164.3	336.4	353.3	653.3	.
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.5	6.7	20.0	.
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.
	前立腺	C61	20.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.6	0.0	7.4	26.7	25.0	63.6	100.0	220.0	.
	膀胱	C67	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.4	6.7	21.4	31.8	53.3	80.0	.
	腎・尿路（膀胱除く）	C64-C66 C68	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	18.5	10.0	17.9	18.2	20.0	53.3	.
	脳・中枢神経系	C70-C72	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.7	3.3	14.3	9.1	0.0	6.7	.
	甲状腺	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.5	0.0	13.3	.
	悪性リンパ腫	C81-C85 C96	14.3	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	3.6	7.4	11.1	10.0	10.7	31.8	173.3	66.7	.
	多発性骨髄腫	C88-C90	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	3.7	13.3	7.1	4.5	40.0	6.7	.
	白血病	C91-C95	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.6	3.7	11.1	13.3	17.9	40.9	33.3	40.0	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	263.4	0.0	0.0	0.0	10.5	5.9	6.3	0.0	10.0	41.7	53.6	85.2	157.7	192.6	190.3	370.0	569.2	766.7	1,393.8	.
	口腔・咽頭	C00-C14	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	7.7	0.0	0.0	6.7	11.5	14.3	18.8	.
	食道	C15	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.3	7.7	19.0	9.4	.
	胃	C16	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	11.1	15.4	18.5	12.9	33.3	57.7	95.2	162.5	.
	大腸（結腸・直腸）	C18-C20	41.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	11.1	26.9	44.4	29.0	36.7	76.9	100.0	265.6	.
	結腸	C18	32.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	19.2	29.6	22.6	30.0	57.7	81.0	218.8	.
	直腸	C19-C20	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	7.4	7.7	14.8	6.5	6.7	19.2	19.0	46.9	.
	肝および肝内胆管	C22	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.7	6.5	26.7	26.9	57.1	125.0	.
	胆のう・胆管	C23-C24	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	10.0	34.6	71.4	137.5	.
	膵臓	C25	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.7	11.5	25.9	19.4	60.0	80.8	109.5	137.5	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	.
	肺	C33-C34	32.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	19.2	14.8	25.8	50.0	88.5	71.4	193.8	.
	皮膚	C43-C44	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	.
	乳房	C50	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	20.8	17.9	33.3	42.3	48.1	45.2	40.0	23.1	42.9	53.1	.
	子宮	C53-C55	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	14.3	7.4	7.7	7.4	3.2	33.3	38.5	28.6	9.4	.
	子宮頸部	C53	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	3.6	3.7	7.7	3.7	3.2	16.7	19.2	4.8	3.1	.
	子宮体部	C54	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	0.0	0.0	3.7	0.0	16.7	15.4	19.0	6.3	.
	卵巣	C56	7.4	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	4.2	3.6	3.7	11.5	7.4	12.9	16.7	19.2	9.5	15.6	.
	膀胱	C67	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	19.0	34.4	.
	腎・尿路（膀胱除く）	C64-C66 C68	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	11.5	9.5	56.3	.
	脳・中枢神経系	C70-C72	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	4.8	3.1	.
	甲状腺	C73	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	19.0	12.5	.
	悪性リンパ腫	C81-C85 C96	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.7	12.9	10.0	26.9	28.6	53.1	.
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	13.3	3.8	19.0	18.8	.
	白血病	C91-C95	5.7	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	3.2	10.0	11.5	9.5	31.3	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	319.2	0.0	0.0	0.0	5.0	2.8	6.1	2.7	14.6	24.5	46.6	90.9	150.9	270.4	337.7	565.5	879.2	1,180.6	1,785.1	.
	口腔・咽頭	C00-C14	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	5.7	1.9	6.6	10.3	12.5	22.2	25.5	.
	食道	C15	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.9	11.1	8.2	31.0	37.5	33.3	31.9	.
	胃	C16	36.1	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	6.1	0.0	9.1	13.2	22.2	41.0	58.6	95.8	138.9	223.4	.
	大腸（結腸・直腸）	C18-C20	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	14.5	24.5	50.0	59.0	81.0	114.6	125.0	280.9	.
	結腸	C18	34.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.5	17.0	29.6	39.3	62.1	81.3	108.3	219.1	.
	直腸	C19-C20	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	9.1	7.5	20.4	19.7	19.0	33.3	16.7	61.7	.
	肝および肝内胆管	C22	25.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	7.3	5.7	29.6	18.0	43.1	64.6	113.9	148.9	.
	胆のう・胆管	C23-C24	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	7.4	8.2	19.0	56.3	86.1	161.7	.
	膵臓	C25	29.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.0	5.2	3.6	17.0	25.9	26.2	74.1	81.3	113.9	140.4	.
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	4.2	0.0	6.4	.
	肺	C33-C34	59.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	9.1	28.3	37.0	72.1	105.2	202.1	188.9	340.4	.
	皮膚	C43-C44	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.1	2.8	8.5	.
	乳房	C50	12.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.2	8.6	16.4	20.8	24.1	23.0	20.7	12.5	25.0	36.2	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.7	3.3	10.3	18.8	33.3	48.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	9.3	4.9	10.3	14.6	13.9	55.3	.
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	1.8	0.0	1.9	1.6	6.9	6.3	2.8	4.3	.
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.1	11.1	12.8	.
	悪性リンパ腫	C81-C85 C96	11.9	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	3.6	3.8	7.4	11.5	10.3	29.2	88.9	57.4	.
	多発性骨髄腫	C88-C90	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	1.9	1.9	6.6	10.3	4.2	27.8	14.9	.
	白血病	C91-C95	7.3	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	1.7	1.8	1.9	11.1	8.2	13.8	25.0	19.4	34.0	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2019年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	3,631	3	1	2	1	1	9	10	17	38	48	91	179	322	494	698	707	530	326	128	26	0	0
	甲府市	781	*	*	*	0	*	0	0	*	12	14	20	33	64	90	146	147	124	84	34	*	0	0
	富士吉田市	244	0	0	0	0	0	0	*	*	*	*	*	12	25	33	42	53	42	23	*	0	0	0
	都留市	91	*	0	0	0	0	*	*	*	*	*	*	*	*	11	16	14	14	10	*	0	0	0
	山梨市	149	0	0	0	0	0	0	*	*	*	*	*	10	12	24	29	19	27	13	*	*	0	0
	大月市	139	0	0	0	0	0	0	*	0	*	*	*	*	13	22	27	28	14	19	*	*	0	0
	韮崎市	122	0	0	0	0	0	0	0	0	0	*	*	*	10	19	28	19	17	10	*	0	0	0
	南アルプス市	315	*	0	0	0	0	0	*	*	*	*	10	16	27	43	62	80	38	18	*	*	0	0
	北杜市	255	0	0	0	0	0	0	*	*	*	*	*	11	22	30	54	58	28	28	11	0	0	0
	甲斐市	323	0	0	0	0	0	*	*	*	*	*	*	24	19	47	72	71	40	22	*	*	0	0
	笛吹市	291	0	0	*	0	0	*	0	*	*	*	*	15	27	36	56	61	44	21	11	*	0	0
	上野原市	150	0	0	0	0	0	0	0	*	0	0	*	*	17	24	29	22	25	13	10	*	0	0
	甲州市	120	0	0	0	0	0	0	0	*	0	*	*	*	16	18	22	27	18	*	*	*	0	0
	中央市	112	0	0	0	0	0	*	0	*	*	0	*	*	12	19	16	19	19	*	*	*	0	0
	市川三郷町	83	0	0	0	0	0	0	0	0	*	0	*	*	*	11	*	20	13	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	0	0	0
	身延町	68	0	0	0	0	0	0	0	0	*	*	0	*	*	*	14	10	11	10	*	0	0	0
	南部町	34	0	0	0	0	0	0	0	0	0	0	0	0	*	*	11	*	*	*	*	0	0	0
	富士川町	69	0	0	0	0	0	*	0	0	*	*	*	0	*	*	*	12	17	*	*	*	0	0
	昭和町	63	0	0	0	0	0	*	0	*	0	*	*	*	*	15	17	*	*	*	*	0	0	0
	道志村	13	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	0	0	0	0	0	0
	西桂町	18	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	*	*	0	0
	忍野村	35	0	0	0	*	0	*	0	*	0	0	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	31	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	0	0	0
	鳴沢村	16	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0
	富士河口湖町	90	0	0	0	0	0	0	*	0	*	*	*	*	*	*	19	15	13	10	*	0	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	*	0	*	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	*	0	0	*	0	0	0	0	*	*	0	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2019年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	2,622	4	4	1	1	2	10	21	35	82	119	160	168	213	302	327	351	323	266	179	47	7	0
	甲府市	635	0	*	0	0	*	*	*	*	17	33	36	41	50	75	75	93	74	61	46	12	*	0
	富士吉田市	167	0	0	0	0	0	*	*	*	*	*	10	10	19	25	22	25	15	15	12	*	0	0
	都留市	73	0	0	0	0	0	0	0	*	*	*	*	0	*	*	*	*	11	10	10	0	0	0
	山梨市	110	0	0	0	0	0	0	0	*	*	*	13	*	*	12	*	16	23	17	*	*	0	0
	大月市	81	0	0	0	0	0	0	*	0	*	*	*	*	*	10	12	*	10	13	10	*	*	0
	韮崎市	78	0	0	0	0	0	0	*	0	*	*	*	*	*	*	15	12	*	*	*	*	0	0
	南アルプス市	204	0	0	*	0	0	*	*	*	*	*	14	17	15	25	29	23	25	19	*	*	*	0
	北杜市	167	0	0	0	0	0	0	*	*	*	*	*	12	18	20	27	20	14	18	13	*	0	0
	甲斐市	208	0	*	0	0	0	*	*	*	*	13	12	12	16	22	31	21	28	25	14	*	0	0
	笛吹市	244	*	*	0	*	0	0	*	*	*	10	12	13	17	31	37	28	41	20	13	*	*	0
	上野原市	91	0	0	0	0	0	0	*	0	*	*	*	*	*	*	10	20	12	10	*	*	0	0
	甲州市	108	0	0	0	0	0	0	0	*	*	*	*	*	13	14	*	19	10	10	*	*	0	0
	中央市	81	*	0	0	0	*	0	*	*	*	*	*	*	10	15	*	*	*	*	*	*	0	0
	市川三郷町	59	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	10	11	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	*	0	0	0	0	0	*	*	*	*	0	0	0	0
	身延町	58	0	0	0	0	0	0	0	*	*	*	*	*	*	11	*	*	*	*	*	*	*	0
	南部町	27	0	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	0	0	0
	富士川町	39	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	昭和町	53	*	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	*	*	*	0	0	0
	西桂町	*	0	0	0	0	0	0	0	0	0	*	0	0	*	*	0	*	0	0	*	0	0	0
	忍野村	20	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	*	*	*	*	*	0	0
	山中湖村	15	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0	0	0
	鳴沢村	*	0	0	0	0	0	0	0	0	*	0	0	*	0	0	0	*	*	*	0	0	0	0
	富士河口湖町	75	0	0	0	0	0	0	0	*	*	*	*	*	*	*	13	*	*	*	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2019年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
総数注2	山梨	6,253	7	5	3	2	3	19	31	52	120	167	251	347	535	796	1,025	1,058	853	592	307	73	7	0	
	甲府市	1,416	*	*	*	0	*	*	*	11	29	47	56	74	114	165	221	240	198	145	80	19	*	0	
	富士吉田市	411	0	0	0	0	0	*	*	*	*	*	12	22	44	58	64	78	57	38	17	*	0	0	
	都留市	164	*	0	0	0	0	*	*	*	*	*	*	*	14	18	25	21	25	20	15	0	0	0	
	山梨市	259	0	0	0	0	0	0	*	*	*	*	15	12	18	36	35	35	50	30	*	*	0	0	
	大月市	220	0	0	0	0	0	0	*	0	*	*	*	*	19	32	39	34	24	32	15	*	*	0	
	韮崎市	200	0	0	0	0	0	0	*	0	*	*	10	14	15	26	43	31	25	15	*	*	0	0	
	南アルプス市	519	*	0	*	0	0	*	*	*	10	13	24	33	42	68	91	103	63	37	15	*	*	0	
	北杜市	422	0	0	0	0	0	0	*	*	*	*	12	23	40	50	81	78	42	46	24	*	0	0	
	甲斐市	531	0	*	0	0	0	*	*	*	*	16	21	36	35	69	103	92	68	47	21	*	0	0	
	笛吹市	535	*	*	*	*	0	*	*	*	10	15	19	28	44	67	93	89	85	41	24	*	*	0	
	上野原市	241	0	0	0	0	0	0	*	*	*	*	*	14	22	29	39	42	37	23	13	*	0	0	
	甲州市	228	0	0	0	0	0	0	0	*	*	*	*	*	29	32	31	46	28	17	*	*	0	0	
	中央市	193	*	0	0	0	*	*	*	*	*	*	*	13	22	34	22	25	24	15	*	*	0	0	
	市川三郷町	142	0	0	0	0	0	*	*	*	*	*	*	*	10	15	14	30	24	16	*	*	0	0	
	早川町	14	0	0	0	0	0	0	0	0	*	0	0	0	0	*	*	*	*	*	*	0	0	0	
	身延町	126	0	0	0	0	0	0	0	*	*	*	*	*	11	18	18	15	17	16	10	*	*	0	
	南部町	61	0	0	0	0	0	0	0	0	0	0	0	0	*	10	15	10	*	*	*	0	0	0	
	富士川町	108	0	0	0	0	0	*	0	*	*	*	*	*	10	13	10	16	23	*	10	*	0	0	
	昭和町	116	*	0	0	0	0	*	*	*	*	*	*	*	*	18	22	15	11	12	*	*	0	0	
	道志村	19	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	0	0	0	
	西桂町	25	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	0	0
	忍野村	55	0	0	0	*	0	*	0	*	*	*	*	*	10	*	*	*	*	*	*	*	0	0	0
	山中湖村	46	0	0	0	0	0	0	0	0	0	0	*	*	*	*	10	10	*	*	0	0	0	0	
	鳴沢村	23	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	0	0	0	0	
	富士河口湖町	165	0	0	0	0	0	0	*	*	*	*	13	13	13	13	32	24	19	16	*	*	0	0	
	小菅村	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	*	0	*	0	0	0	
	丹波山村	*	0	0	0	0	0	0	0	0	*	0	0	*	0	0	0	0	*	*	0	0	0	0	

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2019年

性別	市区町村	総数 ^{注1}	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	3972	3	1	2	1	2	10	12	20	41	62	114	204	365	555	754	755	559	349	137	26	0	0
	甲府市	861	*	*	*	0	*	0	*	*	12	17	27	43	75	99	157	160	131	91	35	*	0	0
	富士吉田市	263	0	0	0	0	0	0	*	*	*	*	*	12	27	36	47	54	44	25	*	0	0	0
	都留市	99	*	0	0	0	0	*	*	*	*	*	*	*	*	12	18	15	14	11	*	0	0	0
	山梨市	165	0	0	0	0	0	0	*	*	*	*	*	12	14	26	29	23	29	13	*	*	0	0
	大月市	149	0	0	0	0	0	0	*	0	*	*	*	*	13	24	28	31	14	21	*	*	0	0
	韮崎市	132	0	0	0	0	0	0	0	0	0	*	*	10	12	20	29	19	18	10	*	0	0	0
	南アルプス市	351	*	0	0	0	0	0	*	*	*	*	12	19	31	52	70	84	43	18	*	*	0	0
	北杜市	274	0	0	0	0	0	0	*	*	*	*	*	11	24	37	55	61	30	30	11	0	0	0
	甲斐市	362	0	0	0	0	0	*	*	*	*	*	10	27	25	53	82	73	43	25	*	*	0	0
	笛吹市	320	0	0	*	0	*	*	0	*	*	*	*	18	29	40	63	65	46	23	11	*	0	0
	上野原市	164	0	0	0	0	0	0	0	*	*	*	*	*	20	27	29	24	27	13	10	*	0	0
	甲州市	126	0	0	0	0	0	0	0	*	0	*	*	*	17	20	22	28	19	*	*	*	0	0
	中央市	132	0	0	0	0	0	*	0	*	*	*	*	*	16	22	18	23	20	*	*	*	0	0
	市川三郷町	85	0	0	0	0	0	0	0	*	0	*	*	*	*	12	*	21	13	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	0	0	0
	身延町	74	0	0	0	0	0	0	0	0	*	*	0	*	11	*	14	10	11	11	*	0	0	0
	南部町	38	0	0	0	0	0	0	0	0	0	0	0	*	*	*	11	*	*	*	*	0	0	0
	富士川町	72	0	0	0	0	0	*	0	0	*	*	*	0	*	*	*	14	18	*	*	*	0	0
	昭和町	70	0	0	0	0	0	*	0	*	0	*	*	*	*	19	18	*	*	*	*	0	0	0
	道志村	13	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	0	0	0	0	0	0
	西桂町	20	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	*	*	0	0
	忍野村	38	0	0	0	*	0	*	0	*	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	山中湖村	31	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	鳴沢村	18	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0	0
	富士河口湖町	96	0	0	0	0	0	0	*	0	*	*	*	*	*	*	21	16	13	10	*	0	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	*	0	*	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	*	0	0	*	0	0	0	0	*	*	0	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2019年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	3009	4	4	1	1	3	19	57	69	120	151	179	184	246	349	365	376	355	284	186	48	8	0
	甲府市	725	0	*	0	0	*	*	12	17	23	41	42	42	61	81	83	104	79	71	47	12	*	0
	富士吉田市	186	0	0	0	0	0	*	*	*	*	*	11	11	21	28	24	27	16	15	14	*	0	0
	都留市	84	0	0	0	0	0	*	0	*	*	*	*	0	*	*	*	*	13	11	11	0	0	0
	山梨市	122	0	0	0	0	0	0	0	*	*	*	13	*	*	13	*	17	25	18	*	*	0	0
	大月市	90	0	0	0	0	*	0	*	0	*	*	*	*	*	10	13	*	13	13	10	*	*	0
	韭崎市	87	0	0	0	0	0	0	*	*	*	*	*	*	*	*	16	12	*	*	*	*	0	0
	南アルプス市	247	0	0	*	0	0	*	*	12	15	*	15	21	19	29	32	26	28	20	*	*	*	0
	北杜市	199	0	0	0	0	0	0	*	*	*	*	*	13	18	26	34	20	18	19	16	*	0	0
	甲斐市	256	0	*	0	0	0	*	*	*	12	19	14	13	18	29	35	22	30	26	14	*	*	0
	笛吹市	268	*	*	0	*	0	0	*	*	10	11	13	15	22	33	39	28	44	20	13	*	*	0
	上野原市	102	0	0	0	0	0	0	*	0	*	*	*	*	*	*	12	21	13	11	*	*	0	0
	甲州市	124	0	0	0	0	0	0	*	*	*	*	*	*	15	16	11	19	10	12	*	*	0	0
	中央市	95	*	0	0	0	*	0	*	*	*	*	*	*	11	17	*	*	*	*	*	0	0	0
	市川三郷町	68	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	10	12	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	*	0	0	0	0	*	*	*	*	*	0	0	0	0
	身延町	61	0	0	0	0	0	0	0	*	*	*	*	*	*	12	*	*	*	*	*	*	*	0
	南部町	31	0	0	0	0	0	0	*	0	*	*	0	0	*	*	*	*	*	*	*	0	0	0
	富士川町	45	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0	0
	昭和町	65	*	0	0	0	0	0	*	*	*	*	*	*	*	*	*	10	*	*	*	*	0	0
	道志村	*	0	0	0	0	0	0	*	0	0	0	0	0	*	0	0	0	*	*	*	0	0	0
	西桂町	*	0	0	0	0	0	0	0	0	0	*	0	0	*	*	0	*	0	0	*	0	0	0
	忍野村	23	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	17	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0	0
	鳴沢村	11	0	0	0	0	0	0	0	0	*	*	0	*	0	*	0	*	*	*	0	0	0	0
	富士河口湖町	78	0	0	0	0	0	0	*	*	*	*	*	*	*	*	13	*	*	*	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2019年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 注2	山 梨	6,981	7	5	3	2	5	29	69	89	161	213	293	388	611	904	1,119	1,131	914	633	323	74	8	0
	甲府市	1,586	*	*	*	0	*	*	13	19	35	58	69	85	136	180	240	264	210	162	82	19	*	0
	富士吉田市	449	0	0	0	0	0	*	*	*	*	10	13	23	48	64	71	81	60	40	20	*	0	0
	都留市	183	*	0	0	0	0	*	*	*	*	*	*	*	16	19	27	24	27	22	17	0	0	0
	山梨市	287	0	0	0	0	0	0	*	*	10	*	18	14	21	39	36	40	54	31	*	*	0	0
	大月市	239	0	0	0	0	*	0	*	0	*	*	*	10	19	34	41	38	27	34	15	*	*	0
	韮崎市	219	0	0	0	0	0	0	*	*	*	10	11	16	17	28	45	31	27	15	*	*	0	0
	南アルプス市	598	*	0	*	0	0	*	*	13	16	17	27	40	50	81	102	110	71	38	15	*	*	0
	北杜市	473	0	0	0	0	0	0	*	*	*	11	15	24	42	63	89	81	48	49	27	*	0	0
	甲斐市	618	0	*	0	0	0	*	10	*	15	23	24	40	43	82	117	95	73	51	23	*	*	0
	笛吹市	588	*	*	*	*	*	*	*	*	13	17	22	33	51	73	102	93	90	43	24	*	*	0
	上野原市	266	0	0	0	0	0	0	*	*	*	*	*	15	25	35	41	45	40	24	13	*	0	0
	甲州市	250	0	0	0	0	0	0	*	*	*	*	*	11	32	36	33	47	29	19	10	*	0	0
	中央市	227	*	0	0	0	*	*	*	*	*	*	10	14	27	39	26	31	25	15	*	*	0	0
	市川三郷町	153	0	0	0	0	0	*	*	*	*	*	*	*	10	19	14	31	25	16	*	*	0	0
	早川町	15	0	0	0	0	0	0	0	0	*	0	0	0	0	*	*	*	*	*	*	0	0	0
	身延町	135	0	0	0	0	0	0	0	*	*	*	*	*	14	21	19	15	17	17	10	*	*	0
	南部町	69	0	0	0	0	0	0	0	*	0	*	*	0	*	*	10	15	10	10	*	*	0	0
	富士川町	117	0	0	0	0	0	*	0	*	*	*	*	*	10	14	10	18	27	*	10	*	0	0
	昭和町	135	*	0	0	0	0	*	*	*	*	*	10	*	*	23	24	17	11	12	*	*	0	0
	道志村	21	0	0	0	0	0	0	*	0	0	0	*	0	*	*	*	*	*	*	*	*	0	0
	西桂町	27	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	0
	忍野村	61	0	0	0	*	0	*	0	*	*	*	*	*	11	*	*	10	*	*	*	0	0	0
	山中湖村	48	0	0	0	0	0	0	0	0	0	*	*	*	*	*	10	10	*	*	0	0	0	
	鳴沢村	29	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	0	0	0	0
	富士河口湖町	174	0	0	0	0	0	0	*	*	*	*	14	14	15	14	34	25	19	16	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	*	0	*	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	*	0	0	*	0	0	0	0	*	*	0	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2019年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	3,631	3	1	2	1	1	9	10	17	38	48	91	179	322	494	698	707	530	326	128	26	0	0
	医療圏	中北	1,971	*	*	*	0	*	*	*	*	21	30	54	100	156	263	395	400	273	178	66	15	0	0
		峡東	560	0	0	*	0	0	*	*	*	*	*	12	28	55	78	107	107	89	41	18	*	0	0
		峡南	262	0	0	0	0	0	*	0	0	*	*	*	*	27	34	41	48	49	24	12	*	0	0
		富士・東部	838	*	0	0	*	0	*	*	*	*	*	16	46	84	119	155	152	119	83	32	*	0	0
	保健所	甲府市	781	*	*	*	0	*	0	0	*	12	14	20	33	64	90	146	147	124	84	34	*	0	0
		峡南	262	0	0	0	0	0	*	0	0	*	*	*	*	27	34	41	48	49	24	12	*	0	0
		中北	1,190	*	0	0	0	0	*	*	*	*	16	34	67	92	173	249	253	149	94	32	*	0	0
		峡東	560	0	0	*	0	0	*	*	*	*	*	12	28	55	78	107	107	89	41	18	*	0	0
		富士・東部	838	*	0	0	*	0	*	*	*	*	*	16	46	84	119	155	152	119	83	32	*	0	0
女	都道府県	山梨	2,622	4	4	1	1	2	10	21	35	82	119	160	168	213	302	327	351	323	266	179	47	7	0
	医療圏	中北	1,426	*	*	*	0	*	*	15	23	44	70	85	101	118	167	188	184	158	139	93	24	*	0
		峡東	462	*	*	0	*	0	0	*	*	16	22	31	21	36	57	52	63	74	47	22	*	*	0
		峡南	189	0	0	0	0	0	*	*	*	*	*	*	11	*	24	17	26	27	21	21	*	*	0
		富士・東部	545	0	0	0	0	0	*	*	*	14	21	35	35	51	54	70	78	64	59	43	11	*	0
	保健所	甲府市	635	0	*	0	0	*	*	*	*	17	33	36	41	50	75	75	93	74	61	46	12	*	0
		峡南	189	0	0	0	0	0	*	*	*	*	*	*	11	*	24	17	26	27	21	21	*	*	0
		中北	791	*	*	*	0	*	*	10	14	27	37	49	60	68	92	113	91	84	78	47	12	*	0
		峡東	462	*	*	0	*	0	0	*	*	16	22	31	21	36	57	52	63	74	47	22	*	*	0
		富士・東部	545	0	0	0	0	0	*	*	*	14	21	35	35	51	54	70	78	64	59	43	11	*	0
総数注2	都道府県	山梨	6,253	7	5	3	2	3	19	31	52	120	167	251	347	535	796	1,025	1,058	853	592	307	73	7	0
	医療圏	中北	3,397	*	*	*	0	*	10	19	30	65	100	139	201	274	430	583	584	431	317	159	39	*	0
		峡東	1,022	*	*	*	0	*	*	10	22	29	43	49	91	135	159	170	163	88	40	11	*	0	
		峡南	451	0	0	0	0	0	*	*	*	13	*	18	16	35	58	58	74	76	45	33	*	*	0
		富士・東部	1,383	*	0	0	*	0	*	*	*	20	29	51	81	135	173	225	230	183	142	75	15	*	0
	保健所	甲府市	1,416	*	*	*	0	*	*	*	11	29	47	56	74	114	165	221	240	198	145	80	19	*	0
		峡南	451	0	0	0	0	0	*	*	*	13	*	18	16	35	58	58	74	76	45	33	*	*	0
		中北	1,981	*	*	*	0	*	*	14	19	36	53	83	127	160	265	362	344	233	172	79	20	*	0
		峡東	1,022	*	*	*	0	*	*	10	22	29	43	49	91	135	159	170	163	88	40	11	*	0	
		富士・東部	1,383	*	0	0	*	0	*	*	*	20	29	51	81	135	173	225	230	183	142	75	15	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2019年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	3,972	3	1	2	1	2	10	12	20	41	62	114	204	365	555	754	755	559	349	137	26	0	0
	医療圏	中北	2,182	*	*	*	0	*	*	*	*	22	37	68	118	185	302	429	427	292	190	72	15	0	0
		峡東	611	0	0	*	0	*	*	*	*	*	*	17	33	60	86	114	116	94	43	19	*	0	0
		峡南	277	0	0	0	0	0	*	0	0	*	*	*	*	29	37	41	51	50	28	12	*	0	0
	保健所	富士・東部	902	*	0	0	*	0	*	*	*	*	12	20	47	91	130	170	161	123	88	34	*	0	0
		甲府市	861	*	*	*	0	*	0	*	*	12	17	27	43	75	99	157	160	131	91	35	*	0	0
		峡南	277	0	0	0	0	0	*	0	0	*	*	*	*	29	37	41	51	50	28	12	*	0	0
		中北	1,321	*	0	0	0	0	*	*	*	10	20	41	75	110	203	272	267	161	99	37	*	0	0
		峡東	611	0	0	*	0	*	*	*	*	*	*	17	33	60	86	114	116	94	43	19	*	0	0
		富士・東部	902	*	0	0	*	0	*	*	*	*	12	20	47	91	130	170	161	123	88	34	*	0	0
女	都道府県	山梨	3,009	4	4	1	1	3	19	57	69	120	151	179	184	246	349	365	376	355	284	186	48	8	0
	医療圏	中北	1,674	*	*	*	0	*	14	36	50	70	93	98	109	136	194	214	202	173	152	97	24	*	0
		峡東	514	*	*	0	*	0	0	10	10	21	24	32	25	44	62	57	64	79	50	22	*	*	0
		峡南	212	0	0	0	0	0	*	*	*	11	*	10	11	*	30	18	26	32	21	21	*	*	0
	保健所	富士・東部	609	0	0	0	0	*	*	*	*	18	26	39	39	57	63	76	84	71	61	46	11	*	0
		甲府市	725	0	*	0	0	*	*	12	17	23	41	42	42	61	81	83	104	79	71	47	12	*	0
		峡南	212	0	0	0	0	0	*	*	*	11	*	10	11	*	30	18	26	32	21	21	*	*	0
		中北	949	*	*	*	0	*	*	24	33	47	52	56	67	75	113	131	98	94	81	50	12	*	0
		峡東	514	*	*	0	*	0	0	10	10	21	24	32	25	44	62	57	64	79	50	22	*	*	0
		富士・東部	609	0	0	0	0	*	*	*	*	18	26	39	39	57	63	76	84	71	61	46	11	*	0
総数注2	都道府県	山梨	6,981	7	5	3	2	5	29	69	89	161	213	293	388	611	904	1,119	1,131	914	633	323	74	8	0
	医療圏	中北	3,856	*	*	*	0	*	19	42	59	92	130	166	227	321	496	643	629	465	342	169	39	*	0
		峡東	1,125	*	*	*	*	*	12	14	28	33	49	58	104	148	171	180	173	93	41	12	*	*	0
		峡南	489	0	0	0	0	0	*	*	*	16	12	19	17	38	67	59	77	82	49	33	*	*	0
	保健所	富士・東部	1,511	*	0	0	*	*	12	11	25	38	59	86	148	193	246	245	194	149	80	15	*	*	0
		甲府市	1,586	*	*	*	0	*	13	19	35	58	69	85	136	180	240	264	210	162	82	19	*	*	0
		峡南	489	0	0	0	0	0	*	*	*	16	12	19	17	38	67	59	77	82	49	33	*	*	0
		中北	2,270	*	*	*	0	*	14	29	40	57	72	97	142	185	316	403	365	255	180	87	20	*	0
		峡東	1,125	*	*	*	*	*	12	14	28	33	49	58	104	148	171	180	173	93	41	12	*	*	0
		富士・東部	1,511	*	0	0	*	*	12	11	25	38	59	86	148	193	246	245	194	149	80	15	*	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

山梨県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1		
											男	女	総数 *1	男				女	総数 *1
全部位	000-C96 000-047	4,082	3,133	7,215	100.0	100.0	100.0	1,028.2	756.8	889.6	475.0	414.0	436.0	337.9	317.1	322.2	39.8	33.9	36.6
全部位	000-C96	3,631	2,622	6,253	89.0	83.7	86.7	914.6	633.3	771.0	412.7	317.4	357.7	290.4	239.8	260.7	34.3	26.2	30.0
口唇	000	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	4	0	4	0.1	0.0	0.1	1.0	0.0	0.5	0.7	0.0	0.3	0.5	0.0	0.3	0.1	0.0	0.0
その他および部位不明の舌	002	21	13	34	0.5	0.4	0.5	5.3	3.1	4.2	3.3	1.3	2.3	2.5	0.9	1.7	0.3	0.1	0.2
歯肉	003	12	6	18	0.3	0.2	0.2	3.0	1.4	2.2	1.4	0.5	0.9	1.0	0.3	0.6	0.1	0.0	0.1
口腔底	004	7	1	8	0.2	0.0	0.1	1.8	0.2	1.0	0.9	0.2	0.6	0.7	0.2	0.4	0.1	0.0	0.1
口蓋	005	2	1	3	0.0	0.0	0.0	0.5	0.2	0.4	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の口腔	006	0	5	5	0.0	0.2	0.1	0.0	1.2	0.6	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
耳下腺	007	1	3	4	0.0	0.1	0.1	0.3	0.7	0.5	0.2	0.5	0.3	0.2	0.4	0.3	0.0	0.1	0.0
その他および部位不明の大唾液腺	008	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
扁桃	009	10	2	12	0.2	0.1	0.2	2.5	0.5	1.5	1.7	0.2	0.9	1.2	0.1	0.7	0.2	0.0	0.1
中咽頭	C10	10	4	14	0.2	0.1	0.2	2.5	1.0	1.7	1.5	0.4	0.9	1.1	0.3	0.7	0.2	0.0	0.1
鼻<上>咽頭	C11	6	1	7	0.1	0.0	0.1	1.5	0.2	0.9	1.5	0.2	0.9	1.2	0.2	0.7	0.1	0.0	0.1
梨状陥凹<洞>	C12	10	0	10	0.2	0.0	0.1	2.5	0.0	1.2	1.3	0.0	0.6	0.9	0.0	0.4	0.1	0.0	0.0
下咽頭	C13	16	0	16	0.4	0.0	0.2	4.0	0.0	2.0	1.9	0.0	0.9	1.4	0.0	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	162	25	187	4.0	0.8	2.6	40.8	6.0	23.1	18.6	2.3	10.1	13.0	1.6	7.1	1.7	0.2	0.9
胃	C16	454	222	676	11.1	7.1	9.4	114.4	53.6	83.4	47.3	18.9	32.0	32.0	13.1	21.9	3.7	1.5	2.6
小腸	C17	17	9	26	0.4	0.3	0.4	4.3	2.2	3.2	2.8	0.8	1.8	2.0	0.6	1.3	0.2	0.1	0.2
結腸	C18	361	291	652	8.8	9.3	9.0	90.9	70.3	80.4	41.3	26.8	33.7	29.0	18.8	23.7	3.6	2.1	2.9
直腸S状結腸移行部	C19	36	20	56	0.9	0.6	0.8	9.1	4.8	6.9	4.6	2.8	3.6	3.3	2.2	2.7	0.4	0.3	0.3
直腸	C20	164	94	258	4.0	3.0	3.6	41.3	22.7	31.8	21.6	9.9	15.6	15.7	7.2	11.4	1.9	0.8	1.3
肛門および肛門管	C21	5	2	7	0.1	0.1	0.1	1.3	0.5	0.9	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
肝および肝内胆管	C22	198	90	288	4.9	2.9	4.0	49.9	21.7	35.5	20.5	5.3	12.5	13.9	3.5	8.4	1.6	0.3	0.9
胆のう	C23	23	34	57	0.6	1.1	0.8	5.8	8.2	7.0	2.1	2.1	2.1	1.3	1.5	1.4	0.2	0.2	0.2
その他および部位不明の胆道	C24	61	28	89	1.5	0.9	1.2	15.4	6.8	11.0	5.4	1.6	3.3	3.5	1.1	2.2	0.4	0.1	0.2
膵臓	C25	134	141	275	3.3	4.5	3.8	33.8	34.1	33.9	15.5	12.6	14.0	10.9	8.9	9.8	1.3	1.0	1.1
その他および部位不明の消化器	C26	10	11	21	0.2	0.4	0.3	2.5	2.7	2.6	1.2	2.1	1.6	0.8	1.7	1.3	0.1	0.2	0.1
鼻腔および中耳	C30	0	3	3	0.0	0.1	0.0	0.0	0.7	0.4	0.0	0.7	0.3	0.0	0.7	0.3	0.0	0.0	0.0
副鼻腔	C31	5	1	6	0.1	0.0	0.1	1.3	0.2	0.7	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
喉頭	C32	26	6	32	0.6	0.2	0.4	6.5	1.4	3.9	2.8	0.6	1.6	1.9	0.4	1.1	0.2	0.0	0.1
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	506	241	747	12.4	7.7	10.4	127.5	58.2	92.1	53.8	22.0	36.7	37.1	15.5	25.6	4.4	2.0	3.1
胸腺	C37	7	11	18	0.2	0.4	0.2	1.8	2.7	2.2	0.9	1.4	1.2	0.7	1.0	0.8	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.7	0.2	0.5	0.7	0.2	0.4	0.1	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	1	3	4	0.0	0.1	0.1	0.3	0.7	0.5	0.4	0.1	0.3	0.4	0.1	0.3	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	5	4	9	0.1	0.1	0.1	1.3	1.0	1.1	0.7	0.6	0.7	0.6	0.6	0.6	0.1	0.0	0.0
皮膚のその他	C44	84	53	137	2.1	1.7	1.9	21.2	12.8	16.9	7.8	3.3	5.3	5.3	2.2	3.6	0.5	0.2	0.4
中皮腫	C45	9	0	9	0.2	0.0	0.1	2.3	0.0	1.1	1.2	0.0	0.6	0.9	0.0	0.4	0.1	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.4	0.0	0.2	0.5	0.0	0.3	0.0	0.0	0.0
後腹膜および腹膜	C48	7	14	21	0.2	0.4	0.3	1.8	3.4	2.6	1.2	1.8	1.5	1.1	1.3	1.2	0.1	0.2	0.1
その他の結合組織および軟部組織	C49	14	14	28	0.3	0.4	0.4	3.5	3.4	3.5	2.4	2.0	2.2	1.8	2.0	1.9	0.1	0.2	0.2
乳房	C50	2	642	644	0.0	20.5	8.9	0.5	155.1	79.4	0.1	102.6	51.7	0.1	78.7	39.5	0.0	8.7	4.3
外陰	C51	-	4	4	-	0.1	0.1	-	1.0	-	-	0.3	-	-	0.2	-	-	0.0	-
陰	C52	-	2	2	-	0.1	0.0	-	0.5	-	-	0.3	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	54	54	-	1.7	0.7	-	13.0	-	-	10.5	-	-	8.2	-	-	0.8	-
子宮体部	C54	-	115	115	-	3.7	1.6	-	27.8	-	-	21.1	-	-	16.2	-	-	1.8	-
子宮部位不明	C55	-	1	1	-	0.0	0.0	-	0.2	-	-	0.1	-	-	0.0	-	-	0.0	-
卵巣	C56	-	72	72	-	2.3	1.0	-	17.4	-	-	11.9	-	-	9.9	-	-	1.0	-
その他および部位不明の女性性器	C57	-	3	3	-	0.1	0.0	-	0.7	-	-	0.4	-	-	0.3	-	-	0.1	-
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	5	-	5	0.1	-	0.1	1.3	-	-	0.4	-	-	0.2	-	-	0.0	-	-
前立腺	C61	701	-	701	17.2	-	9.7	176.6	-	-	73.8	-	-	49.8	-	-	6.4	-	-
精巣	C62	16	-	16	0.4	-	0.2	4.0	-	-	4.8	-	-	4.2	-	-	0.3	-	-
その他および部位不明の男性性器	C63	4	-	4	0.1	-	0.1	1.0	-	-	0.5	-	-	0.4	-	-	0.0	-	-
腎盂を除く腎	C64	104	32	136	2.5	1.0	1.9	26.2	7.7	16.8	14.2	3.7	8.8	10.9	2.7	6.7	1.3	0.4	0.8
腎盂	C65	16	11	27	0.4	0.4	0.4	4.0	2.7	3.3	1.6	0.8	1.2	1.1	0.5	0.8	0.1	0.1	0.1
尿管	C66	12	10	22	0.3	0.3	0.3	3.0	2.4	2.7	1.1	0.7	0.9	0.7	0.5	0.6	0.1	0.1	0.1
膀胱	C67	113	31	144	2.8	1.0	2.0	28.5	7.5	17.8	11.3	2.1	6.3	7.8	1.4	4.4	0.8	0.2	0.5
その他および部位不明の泌尿器	C68	2	1	3	0.0	0.0	0.0	0.5	0.2	0.4	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	C69	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	C70	0	3	3	0.0	0.1	0.0	0.0	0.7	0.4	0.0	0.2	0.1	0.0					

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

山梨県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	341	387	728	8.4	12.4	10.1	85.9	93.5	89.8	45.9	79.0	61.3	34.3	62.3	47.4	4.1	6.1	5.1
口腔、食道および胃	D00	28	6	34	0.7	0.2	0.5	7.1	1.4	4.2	3.7	0.5	2.0	2.7	0.3	1.5	0.4	0.0	0.2
食道	D001	18	3	21	0.4	0.1	0.3	4.5	0.7	2.6	2.3	0.2	1.3	1.8	0.2	1.0	0.2	0.0	0.1
その他および部位不明の消化器	D01	163	96	259	4.0	3.1	3.6	41.1	23.2	31.9	23.4	12.1	17.6	17.4	9.1	13.1	2.2	1.1	1.7
結腸	D010	98	49	147	2.4	1.6	2.0	24.7	11.8	18.1	14.2	6.5	10.3	10.6	5.0	7.7	1.3	0.6	0.9
直腸S状結腸移行部	D011	2	6	8	0.0	0.2	0.1	0.5	1.4	1.0	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.1	0.0
直腸	D012	46	21	67	1.1	0.7	0.9	11.6	5.1	8.3	6.8	2.8	4.8	5.0	2.1	3.6	0.7	0.3	0.5
中耳および呼吸器系	D02	8	14	22	0.2	0.4	0.3	2.0	3.4	2.7	1.2	2.2	1.7	0.9	1.7	1.3	0.1	0.2	0.2
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	7	14	21	0.2	0.4	0.3	1.8	3.4	2.6	1.0	2.2	1.6	0.8	1.7	1.2	0.1	0.2	0.2
上皮内黒色腫	D03	2	3	5	0.0	0.1	0.1	0.5	0.7	0.6	0.3	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.0
皮膚のその他	D04	10	17	27	0.2	0.5	0.4	2.5	4.1	3.3	1.2	1.1	1.2	0.9	0.7	0.8	0.1	0.1	0.1
乳房	D05	0	78	78	0.0	2.5	1.1	0.0	18.8	9.6	0.0	14.5	7.2	0.0	11.4	5.7	0.0	1.2	0.6
子宮頸部	D06	-	140	140	-	4.5	1.9	-	33.8	-	-	45.3	-	-	36.8	-	-	3.2	-
その他および部位不明の性器	D07	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
その他および部位不明	D09	130	32	162	3.2	1.0	2.2	32.7	7.7	20.0	16.2	2.9	9.3	12.1	2.0	6.9	1.3	0.2	0.8
膀胱	D090	120	27	147	2.9	0.9	2.0	30.2	6.5	18.1	15.0	2.4	8.5	11.4	1.7	6.4	1.2	0.2	0.7
良性腫瘍	D32-D35	50	65	115	1.2	2.1	1.6	12.6	15.7	14.2	8.3	10.8	9.5	6.6	9.6	8.1	0.7	0.9	0.8
髄膜	D32	19	36	55	0.5	1.1	0.8	4.8	8.7	6.8	2.8	3.9	3.4	2.1	2.7	2.4	0.2	0.3	0.3
脳および中枢神経系	D33	7	8	15	0.2	0.3	0.2	1.8	1.9	1.8	1.8	2.2	2.0	1.6	2.9	2.3	0.1	0.2	0.2
下垂体	D352	24	21	45	0.6	0.7	0.6	6.0	5.1	5.5	3.8	4.7	4.2	2.9	4.1	3.4	0.4	0.4	0.4
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	54	50	104	1.3	1.6	1.4	13.6	12.1	12.8	6.8	5.3	6.0	5.2	3.9	4.5	0.5	0.5	0.5
髄膜	D42	0	2	2	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D43	7	9	16	0.2	0.3	0.2	1.8	2.2	2.0	1.4	1.0	1.2	1.3	0.7	1.1	0.1	0.1	0.1
下垂体	D443	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D46	6	5	11	0.1	0.2	0.2	1.5	1.2	1.4	1.0	0.6	0.8	0.7	0.4	0.6	0.1	0.1	0.1
骨髄異形成症候群	D46	27	20	47	0.7	0.6	0.7	6.8	4.8	5.8	2.6	1.4	1.9	1.8	1.0	1.3	0.2	0.1	0.2
慢性骨髄増殖性疾患	D471	4	2	6	0.1	0.1	0.1	1.0	0.5	0.7	0.6	0.3	0.4	0.5	0.2	0.3	0.1	0.0	0.0
本態性（出血性）血小板血症	D473	10	9	19	0.2	0.3	0.3	2.5	2.2	2.3	1.3	1.4	1.3	0.9	1.1	1.0	0.1	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

山梨県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 000-D47	1,534	1,126	2,660	100.0	100.0	100.0	392.3	276.7	333.3	144.7	82.6	110.2	97.4	57.9	75.5	10.0	5.8	7.8
全部位	000-C97	1,475	1,072	2,547	96.2	95.2	95.8	377.2	263.4	319.2	139.6	79.9	106.4	93.9	56.1	72.9	9.7	5.6	7.6
口唇	000	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	002	3	6	9	0.2	0.5	0.3	0.8	1.5	1.1	0.3	0.8	0.6	0.2	0.6	0.4	0.0	0.1	0.0
歯肉	003	3	3	6	0.2	0.3	0.2	0.8	0.7	0.8	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
口腔底	004	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口蓋	005	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	1	3	4	0.1	0.3	0.2	0.3	0.7	0.5	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
耳下腺	007	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
扁桃	009	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	2	3	5	0.1	0.3	0.2	0.5	0.7	0.6	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
鼻<上>咽頭	C11	3	1	4	0.2	0.1	0.2	0.8	0.2	0.5	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
梨状陥凹<洞>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	10	1	11	0.7	0.1	0.4	2.6	0.2	1.4	0.9	0.1	0.5	0.6	0.0	0.3	0.1	0.0	0.0
その他および部位不明の口唇、口腔および咽頭	C14	3	0	3	0.2	0.0	0.1	0.8	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
食道	C15	66	11	77	4.3	1.0	2.9	16.9	2.7	9.6	6.6	0.7	3.4	4.4	0.4	2.3	0.5	0.0	0.3
胃	C16	174	114	288	11.3	10.1	10.8	44.5	28.0	36.1	15.9	7.5	11.3	10.8	5.1	7.7	1.1	0.5	0.8
小腸	C17	10	3	13	0.7	0.3	0.5	2.6	0.7	1.6	1.3	0.2	0.7	0.9	0.1	0.5	0.1	0.0	0.1
結腸	C18	138	133	271	9.0	11.8	10.2	35.3	32.7	34.0	13.1	8.2	10.5	8.9	5.7	7.2	1.0	0.5	0.8
直腸S状結腸移行部	C19	2	1	3	0.1	0.1	0.1	0.5	0.2	0.4	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
直腸	C20	57	36	93	3.7	3.2	3.5	14.6	8.8	11.7	6.3	3.1	4.6	4.6	2.2	3.3	0.5	0.2	0.4
肛門および肛門管	C21	1	1	2	0.1	0.1	0.1	0.3	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	131	71	202	8.5	6.3	7.6	33.5	17.4	25.3	12.7	3.4	7.8	8.6	2.2	5.2	0.9	0.2	0.5
胆のう	C23	17	32	49	1.1	2.8	1.8	4.3	7.9	6.1	1.4	1.5	1.5	0.9	0.9	0.9	0.1	0.1	0.1
その他および部位不明の胆道	C24	65	42	107	4.2	3.7	4.0	16.6	10.3	13.4	5.1	1.5	3.1	3.2	0.9	2.0	0.2	0.0	0.1
膵臓	C25	111	124	235	7.2	11.0	8.8	28.4	30.5	29.4	11.6	8.7	10.1	7.9	5.8	6.8	0.9	0.6	0.8
その他および部位不明の消化器	C26	2	0	2	0.1	0.0	0.1	0.5	0.0	0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
鼻腔および中耳	C30	1	2	3	0.1	0.2	0.1	0.3	0.5	0.4	0.0	0.6	0.3	0.0	0.6	0.3	0.0	0.0	0.0
副鼻腔	C31	5	1	6	0.3	0.1	0.2	1.3	0.2	0.8	0.5	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
喉頭	C32	6	1	7	0.4	0.1	0.3	1.5	0.2	0.9	0.4	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	341	134	475	22.2	11.9	17.9	87.2	32.9	59.5	31.1	8.6	18.7	20.6	5.8	12.5	2.0	0.6	1.3
胸腺	C37	1	1	2	0.1	0.1	0.1	0.3	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
心臓、縦隔および胸腺	C38	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の呼吸器および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	O40	2	0	2	0.1	0.0	0.1	0.5	0.0	0.3	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	O41	1	1	2	0.1	0.1	0.1	0.3	0.2	0.3	0.1	0.4	0.2	0.1	0.5	0.3	0.0	0.0	0.0
皮膚の悪性黒色腫	O43	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	O44	5	1	6	0.3	0.1	0.2	1.3	0.2	0.8	0.4	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
中皮腫	O45	3	1	4	0.2	0.1	0.2	0.8	0.2	0.5	0.4	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0
カボジ肉腫	O46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	O47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	O48	3	7	10	0.2	0.6	0.4	0.8	1.7	1.3	0.2	0.6	0.4	0.1	0.4	0.3	0.0	0.1	0.0
その他の結合組織および軟部組織	O49	6	2	8	0.4	0.2	0.3	1.5	0.5	1.0	1.0	0.3	0.7	0.8	0.3	0.5	0.1	0.0	0.0
乳房	O50	0	102	102	0.0	9.1	3.8	0.0	25.1	12.8	0.0	14.1	7.1	0.0	10.8	5.4	0.0	1.3	0.6
外陰	O51	-	1	1	-	0.1	0.0	-	0.2	-	-	0.1	-	-	0.0	-	-	0.0	-
陰	O52	-	1	1	-	0.1	0.0	-	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-
子宮頸部	O53	-	20	20	-	1.8	0.8	-	4.9	-	-	2.8	-	2.0	-	-	-	0.2	-
子宮体部	O54	-	19	19	-	1.7	0.7	-	4.7	-	-	2.0	-	1.4	-	-	-	0.2	-
子宮部位不明	O55	-	3	3	-	0.3	0.1	-	0.7	-	-	0.4	-	0.2	-	-	-	0.0	-
卵巣	O56	-	30	30	-	2.7	1.1	-	7.4	-	-	3.8	-	2.9	-	-	-	0.3	-
その他および部位不明の女性性器	O57	-	2	2	-	0.2	0.1	-	0.5	-	-	0.1	-	0.1	-	-	-	0.0	-
胎盤	O58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	0.0	-	-	-	0.0	-
陰茎	O60	3	-	3	0.2	-	0.1	0.8	-	-	0.3	-	-	0.2	-	-	-	0.0	-
前立腺	O61	81	-	81	5.3	-	3.0	20.7	-	-	6.4	-	-	4.2	-	-	-	0.3	-
精巣	O62	1	-	1	0.1	-	0.0	0.3	-	-	0.4	-	-	0.3	-	-	-	0.0	-
その他および部位不明の男性性器	O63	1	-	1	0.1	-	0.0	0.3	-	-	0.2	-	-	0.1	-	-	-	0.0	-
腎盂を除く腎	O64	15	10	25	1.0	0.9	0.9	3.8	2.5	3.1	1.6	0.3	1.0	1.2	0.2	0.7	0.1	0.0	0.1
腎盂	O65	7	7	14	0.5	0.6	0.5	1.8	1.7	1.8	0.6	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
尿管	O66	7	7	14	0.5	0.6	0.5	1.8	1.7	1.8	0.7	0.2	0.5	0.6	0.1	0.4	0.1	0.0	0.0
膀胱	O67	38	17	55	2.5	1.5	2.1	9.7	4.2	6.9	3.2	0.6	1.8	2.1	0.3	1.1	0.2	0.0	0.1
その他および部位不明の泌尿器	O68	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	O69	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	O70	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳	O71	10	4	14															

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

山梨県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	1	4	5	0.1	0.4	0.2	0.3	1.0	0.6	0.0	0.3	0.2	0.0	0.1	0.1	0.0	0.0	0.0
髄膜	D32	1	3	4	0.1	0.3	0.2	0.3	0.7	0.5	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	41	34	75	2.7	3.0	2.8	10.5	8.4	9.4	3.5	1.5	2.4	2.4	0.9	1.6	0.3	0.1	0.2
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	10	11	21	0.7	1.0	0.8	2.6	2.7	2.6	0.8	0.4	0.6	0.6	0.3	0.4	0.1	0.0	0.0
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	1	1	2	0.1	0.1	0.1	0.3	0.2	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	27	19	46	1.8	1.7	1.7	6.9	4.7	5.8	2.4	0.9	1.6	1.7	0.5	1.1	0.2	0.0	0.1
慢性骨髄増殖性疾患	D471	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

山梨県

2019年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96	6,122	25.9	6.2	0.8	3.1	16.3	4.1	0.4	0.7	15.3	0.3	3.5	1.4	21.9
口腔・咽頭	C00-C14	138	13.8	0.0	0.0	10.9	6.5	29.7	0.0	6.5	6.5	0.0	10.9	0.7	14.5
食道	C15	184	7.6	18.5	2.2	7.1	7.6	15.2	0.0	0.0	15.8	0.0	2.7	1.1	22.3
胃	C16	662	24.3	28.7	2.3	0.0	9.2	0.0	0.0	0.0	11.9	0.0	0.3	0.3	23.0
大腸（結腸・直腸）	C18-C20	942	39.9	9.2	2.2	0.1	5.7	0.3	0.0	0.0	23.9	0.6	1.8	0.2	15.9
結腸	C18	632	42.2	8.1	2.4	0.2	5.9	0.0	0.0	0.0	23.1	0.9	0.3	0.2	16.8
直腸	C19-C20	310	35.2	11.6	1.9	0.0	5.5	1.0	0.0	0.0	25.5	0.0	4.8	0.3	14.2
肝および肝内胆管	C22	278	23.4	0.0	0.4	3.6	6.1	1.1	8.6	0.0	3.2	0.4	0.4	17.3	35.6
胆のう・胆管	C23-C24	136	15.4	1.5	0.7	0.7	9.6	0.0	0.0	0.7	14.7	0.0	0.7	1.5	54.4
膵臓	C25	263	7.6	0.8	0.0	0.4	28.5	3.0	0.0	0.0	20.5	0.0	0.0	1.1	38.0
喉頭	C32	30	13.3	0.0	0.0	36.7	3.3	30.0	0.0	6.7	0.0	0.0	0.0	0.0	10.0
肺	C33-C34	729	30.9	0.0	0.0	9.1	18.2	7.3	0.1	0.3	8.6	0.0	0.5	0.4	24.6
皮膚	C43-C44	146	83.6	0.0	0.0	0.7	0.7	0.0	0.0	0.7	2.1	0.7	0.0	4.8	6.8
乳房	C50	638	8.9	0.0	0.0	1.3	11.4	1.7	0.0	2.4	41.4	0.0	22.7	0.2	10.0
乳房（女性のみ）	C50	636	9.0	0.0	0.0	1.3	11.5	1.7	0.0	2.4	41.4	0.0	22.6	0.2	10.1
子宮	C53-C55	170	44.1	0.0	0.0	1.2	2.9	9.4	0.0	0.6	29.4	0.0	1.2	0.0	11.2
子宮頸部	C53	54	33.3	0.0	0.0	3.7	1.9	29.6	0.0	0.0	20.4	0.0	0.0	0.0	11.1
子宮体部	C54	115	49.6	0.0	0.0	0.0	3.5	0.0	0.0	0.9	33.9	0.0	1.7	0.0	10.4
卵巣	C56	69	29.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	46.4	0.0	0.0	0.0	18.8
前立腺	C61	694	20.2	0.6	0.0	4.0	45.1	7.5	0.1	0.1	1.7	0.0	0.3	0.4	19.9
膀胱	C67	143	3.5	38.5	1.4	0.0	2.1	0.7	0.0	0.7	23.8	7.7	2.1	2.8	16.8
腎・尿路（膀胱除く）	C64-C66 C68	186	61.8	0.0	0.0	2.2	5.4	0.5	0.0	0.0	8.6	0.0	1.1	0.5	19.9
脳・中枢神経系	C70-C72	40	15.0	0.0	0.0	2.5	2.5	7.5	0.0	0.0	5.0	0.0	30.0	0.0	37.5
甲状腺	C73	102	66.7	0.0	0.0	0.0	2.0	0.0	0.0	6.9	1.0	0.0	1.0	0.0	22.5
悪性リンパ腫	C81-C85 C96	240	0.8	0.0	0.0	7.1	48.3	4.6	0.0	0.4	5.0	0.0	0.4	1.7	31.7
多発性骨髄腫	C88-C90	46	0.0	0.0	0.0	4.3	52.2	15.2	0.0	0.0	0.0	0.0	0.0	0.0	28.3
白血病	C91-C95	68	0.0	0.0	0.0	0.0	67.6	1.5	0.0	0.0	0.0	0.0	1.5	0.0	29.4

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

山梨県

2019年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96 D00-D09	6,850	27.2	10.4	0.8	2.8	14.6	3.7	0.4	0.9	14.0	0.6	3.2	1.3	20.2
食道	C15 D001	205	6.8	23.4	2.0	6.3	6.8	13.7	0.0	0.0	14.1	0.0	2.4	1.5	22.9
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,164	33.8	24.4	2.2	0.1	4.6	0.3	0.0	0.0	19.3	0.5	1.5	0.2	13.1
結腸 *4	C18 D010	779	36.1	22.8	2.4	0.1	4.7	0.0	0.0	0.0	18.7	0.8	0.3	0.1	13.9
直腸 *4	C19-C20 D011-D012	385	29.4	27.5	1.8	0.0	4.4	0.8	0.0	0.0	20.5	0.0	3.9	0.3	11.4
肺	C33-C34 D021-D022	750	32.7	0.0	0.0	8.8	17.7	7.1	0.1	0.3	8.4	0.0	0.5	0.5	23.9
皮膚	C43-C44 D030-D049	178	83.1	0.0	0.0	0.6	0.6	0.0	0.0	0.6	1.7	0.6	0.0	5.6	7.3
乳房	C50 D05	716	12.6	0.0	0.0	1.3	10.8	1.7	0.0	4.5	37.7	0.1	21.1	0.1	10.2
乳房 (女性のみ)	C50 D05	714	12.6	0.0	0.0	1.3	10.8	1.7	0.0	4.5	37.7	0.1	21.0	0.1	10.2
子宮	C53-C55 D06	310	63.2	0.6	0.0	0.6	1.6	5.2	0.0	0.3	16.1	0.0	0.6	0.0	11.6
子宮頸部	C53 D06	194	71.6	1.0	0.0	1.0	0.5	8.2	0.0	0.0	5.7	0.0	0.0	0.0	11.9
膀胱	C67 D090	290	3.4	56.2	0.7	0.0	1.0	0.3	0.0	0.3	15.5	10.7	1.0	1.4	9.3

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

*4 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

山梨県 2019年

医療圏／保健所	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺 C33-C34			乳房 C50			子宮	子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55	C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男
山梨県	3,631	2,622	6,253	454	222	676	561	405	966	361	291	652	200	114	314	198	90	288	506	241	747	2	642	644	170	54	115	701
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
中北	1,971	1,426	3,397	268	123	391	323	225	548	214	165	379	109	60	169	124	48	172	277	124	401	*	361	362	94	27	67	338
峡東	560	462	1,022	58	39	97	89	66	155	58	44	102	31	22	53	23	14	37	81	54	135	0	104	104	31	*	24	109
峡南	262	189	451	30	14	44	32	23	55	19	19	38	13	*	17	13	11	24	43	20	63	0	41	41	10	*	*	42
富士・東部	838	545	1,383	98	46	144	117	91	208	70	63	133	47	28	75	38	17	55	105	43	148	*	136	137	35	18	17	212
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
甲府市	781	635	1,416	120	41	161	131	106	237	87	77	164	44	29	73	47	23	70	117	60	177	0	168	168	34	11	23	118
峡南	262	189	451	30	14	44	32	23	55	19	19	38	13	*	17	13	11	24	43	20	63	0	41	41	10	*	*	42
中北	1,190	791	1,981	148	82	230	192	119	311	127	88	215	65	31	96	77	25	102	160	64	224	*	193	194	60	16	44	220
峡東	560	462	1,022	58	39	97	89	66	155	58	44	102	31	22	53	23	14	37	81	54	135	0	104	104	31	*	24	109
富士・東部	838	545	1,383	98	46	144	117	91	208	70	63	133	47	28	75	38	17	55	105	43	148	*	136	137	35	18	17	212

総数は年齢不詳を含む男女および性別不詳の合計
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表4. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

山梨県

2019年

医療圏／保健所	全部位			大腸(直腸・結腸)*1			結腸 *1			直腸*1			肺 C33-C34			乳房 C50			子宮		子宮頸部			
	C00-C96		D00-D09	C18-C20		D010-D012	C18		D010	C19-C20		D011-D012	C33-C34		D021-D022	C50		D05	C53-C55		D06	C53		D06
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	女		
山梨県	3,972	3,009	6,981	707	481	1,188	459	340	799	248	141	389	513	255	768	2	720	722	310			194		
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
中北	2,182	1,674	3,856	420	272	692	279	196	475	141	76	217	283	132	415	*	407	408	188			121		
峡東	611	514	1,125	112	73	185	74	49	123	38	24	62	82	57	139	0	117	117	55			30		
峡南	277	212	489	36	29	65	22	23	45	14	*	20	43	20	63	0	49	49	17			10		
富士・東部	902	609	1,511	139	107	246	84	72	156	55	35	90	105	46	151	*	147	148	50			33		
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
甲府市	861	725	1,586	166	126	292	109	90	199	57	36	93	118	64	182	0	185	185	63			40		
峡南	277	212	489	36	29	65	22	23	45	14	*	20	43	20	63	0	49	49	17			10		
中北	1,321	949	2,270	254	146	400	170	106	276	84	40	124	165	68	233	*	222	223	125			81		
峡東	611	514	1,125	112	73	185	74	49	123	38	24	62	82	57	139	0	117	117	55			30		
富士・東部	902	609	1,511	139	107	246	84	72	156	55	35	90	105	46	151	*	147	148	50			33		

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

市区町村	山梨県																											2019年	
	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮		子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55		C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
山梨県	3,631	2,622	6,253	454	222	676	561	405	966	361	291	652	200	114	314	198	90	288	506	241	747	2	642	644	170	54	115	701	
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
甲府市	781	635	1,416	120	41	161	131	106	237	87	77	164	44	29	73	47	23	70	117	60	177	0	168	168	34	11	23	118	
富士吉田市	244	167	411	34	12	46	36	31	67	28	22	50	*	*	17	*	*	11	32	16	48	0	42	42	*	*	*	60	
都留市	91	73	164	11	*	17	11	12	23	*	*	15	*	*	*	*	*	*	15	*	21	0	15	15	*	0	*	18	
山梨市	149	110	259	13	10	23	25	14	39	16	11	27	*	*	12	*	*	*	21	15	36	0	25	25	*	*	*	34	
大月市	139	81	220	18	*	25	25	14	39	17	10	27	*	*	12	*	*	14	13	*	19	0	16	16	*	*	*	39	
韭崎市	122	78	200	15	*	17	20	10	30	13	*	19	*	*	11	*	*	12	16	*	24	0	22	22	*	*	*	26	
南アルプス市	315	204	519	35	18	53	59	30	89	41	24	65	18	*	24	19	*	22	40	18	58	0	39	39	21	*	16	55	
北杜市	255	167	422	34	25	59	35	24	59	23	16	39	12	*	20	13	*	22	35	10	45	0	37	37	10	*	*	66	
甲斐市	323	208	531	41	23	64	56	37	93	33	28	61	23	*	32	27	*	36	43	16	59	*	53	54	12	*	*	51	
笛吹市	291	244	535	36	17	53	48	36	84	31	24	55	17	12	29	16	*	24	42	30	72	0	54	54	14	*	11	49	
上野原市	150	91	241	15	*	21	20	13	33	*	*	16	13	*	17	*	*	*	13	*	16	*	21	22	*	*	*	40	
甲州市	120	108	228	*	12	21	16	16	32	11	*	20	*	*	12	*	*	*	18	*	27	0	25	25	*	*	*	26	
中央市	112	81	193	17	*	25	15	*	20	11	*	16	*	0	*	*	0	*	14	*	21	0	29	29	*	*	*	12	
市川三郷町	83	59	142	*	*	13	*	*	15	*	*	11	*	*	*	*	*	*	13	*	18	0	13	13	*	*	*	15	
早川町	*	*	14	0	0	0	*	0	*	*	0	*	*	0	*	*	*	*	0	*	*	0	*	*	*	0	*	*	*
身延町	68	58	126	*	*	12	12	*	17	*	*	11	*	*	*	*	*	*	14	*	21	0	17	17	*	*	*	11	
南部町	34	27	61	*	*	*	*	*	10	*	*	*	*	*	*	*	*	*	*	*	*	0	*	*	0	0	0	*	*
富士川町	69	39	108	*	*	12	*	*	11	*	*	*	*	0	*	*	*	*	11	*	15	0	*	*	*	*	*	12	
昭和町	63	53	116	*	*	12	*	13	20	*	*	15	*	*	*	*	0	*	12	*	17	0	13	13	*	0	*	10	
道志村	13	*	19	0	*	*	*	*	*	*	0	*	*	*	*	*	0	*	0	0	0	0	*	*	0	0	0	*	*
西桂町	18	*	25	*	*	*	*	0	*	0	0	0	*	0	*	0	*	*	*	0	*	0	0	0	0	0	0	*	*
忍野村	35	20	55	*	0	*	*	*	10	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	*	*	*	0	11
山中湖村	31	15	46	*	*	*	*	*	*	*	*	*	*	0	*	*	0	*	*	*	*	0	*	*	*	0	0	*	*
鳴沢村	16	*	23	*	0	*	*	0	*	0	0	0	*	0	*	0	*	*	*	*	*	0	*	*	0	0	0	*	*
富士河口湖町	90	75	165	*	*	16	*	11	20	*	*	14	*	*	*	*	*	*	12	*	18	0	27	27	*	*	*	27	
小菅村	*	*	*	*	*	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0	0	0	0	0	0	0	0
丹波山村	*	*	*	*	0	*	*	*	*	*	*	*	0	0	0	*	0	*	*	*	*	0	0	0	0	0	0	0	0

総数は年齢不詳を含む男女および性別不詳の合計
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

市区町村	山梨県																			2019年
	全部位			大腸(直腸・結腸)*1			結腸*1			直腸*1			肺			乳房			子宮	子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-012			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	
山梨県	3,972	3,009	6,981	707	481	1,188	459	340	799	248	141	389	513	255	768	2	720	722	310	194
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
甲府市	861	725	1,586	166	126	292	109	90	199	57	36	93	118	64	182	0	185	185	63	40
富士吉田市	263	186	449	43	35	78	31	24	55	12	11	23	32	18	50	0	46	46	*	*
都留市	99	84	183	12	13	25	*	*	15	*	*	10	15	*	21	0	15	15	*	*
山梨市	165	122	287	32	16	48	21	13	34	11	*	14	21	16	37	0	26	26	14	*
大月市	149	90	239	29	17	46	19	12	31	10	*	15	13	*	19	0	19	19	*	*
韮崎市	132	87	219	21	11	32	14	*	20	*	*	12	17	*	25	0	23	23	12	*
南アルプス市	351	247	598	78	39	117	53	33	86	25	*	31	40	20	60	0	49	49	35	19
北杜市	274	199	473	42	26	68	27	17	44	15	*	24	36	12	48	0	43	43	19	13
甲斐市	362	256	618	81	47	128	52	34	86	29	13	42	45	16	61	*	60	61	37	28
笛吹市	320	268	588	61	40	101	41	26	67	20	14	34	43	31	74	0	62	62	24	13
上野原市	164	102	266	25	18	43	12	12	24	13	*	19	13	*	16	*	22	23	10	*
甲州市	126	124	250	19	17	36	12	10	22	*	*	14	18	10	28	0	29	29	17	10
中央市	132	95	227	24	*	33	17	*	24	*	*	*	14	*	21	0	32	32	14	*
市川三郷町	85	68	153	*	*	15	*	*	11	*	*	*	13	*	18	0	19	19	*	*
早川町	*	*	15	*	*	*	*	0	*	*	*	*	0	*	*	0	*	*	*	0
身延町	74	61	135	14	*	21	*	*	15	*	*	*	14	*	21	0	18	18	*	*
南部町	38	31	69	*	*	13	*	*	10	*	*	*	*	*	*	0	*	*	*	*
富士川町	72	45	117	*	*	13	*	*	*	*	*	*	11	*	15	0	*	*	*	*
昭和町	70	65	135	*	14	22	*	*	16	*	*	*	13	*	18	0	15	15	*	*
道志村	13	*	21	*	*	*	*	0	*	*	*	*	0	0	0	0	*	*	*	*
西桂町	20	*	27	*	0	*	0	0	0	*	0	*	*	0	*	0	0	0	0	0
忍野村	38	23	61	*	*	13	*	*	*	*	*	*	*	*	*	0	*	*	*	*
山中湖村	31	17	48	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	*	0
鳴沢村	18	11	29	*	*	*	0	*	*	*	0	*	*	*	*	0	*	*	*	*
富士河口湖町	96	78	174	11	12	23	*	*	17	*	*	*	12	*	18	0	27	27	*	*
小菅村	*	*	*	0	0	0	0	0	0	0	0	0	*	0	*	0	0	0	0	0
丹波山村	*	*	*	*	*	*	*	*	*	0	0	0	*	*	*	0	0	0	0	0

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)