

```

<?xml version="1.0" encoding="UTF-8"?>
<MCCL_IN200100UV01 ITSVersion="XML_1.0" xsi:schemaLocation="urn:hl7-org:v3 MCCL_IN200100UV01.xsd" xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <id extension="N.1.2" root="2.16.840.1.113883.3.989.2.1.3.22"/>
  <!-- N.1.2: Batch Number -->
  <creationTime value="20101214151617"/>
  <!-- N.1.5: Date of Batch Transmission -->
  <responseModeCode code="D"/>
  <interactionId extension="MCCL_IN200100UV01" root="2.16.840.1.113883.1.6"/>
  <name code="N.1.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.1" codeSystemVersion="2.0"/>
  <!-- N.1.1: Type of Messages in Batch -->
  <!-- Message #1 -->
  <PORR_IN049016UV>
    <id extension="N.2.r.1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
    <!-- N.2.r.1: Message Identifier -->
    <creationTime value="20101214151617"/>
    <!-- N.2.r.4: Date of Message Creation -->
    <interactionId extension="PORR_IN049016UV" root="2.16.840.1.113883.1.6"/>
    <processingCode code="P"/>
    <processingModeCode code="T"/>
    <acceptAckCode code="AL"/>
    <receiver typeCode="RCV">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.2.r.3" root="2.16.840.1.113883.3.989.2.1.3.12"/>
        <!-- N.2.r.3: Message Receiver Identifier -->
      </device>
    </receiver>
    <sender typeCode="SND">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.2.r.2" root="2.16.840.1.113883.3.989.2.1.3.11"/>
        <!-- N.2.r.2: Message Sender Identifier -->
      </device>
    </sender>
    <controlActProcess classCode="CACT" moodCode="EVN">
      <code code="PORR_TE049016UV" codeSystem="2.16.840.1.113883.1.18"/>
      <!-- HL7 Trigger Event ID -->
      <effectiveTime value="20101214151617"/>
      <!-- C.1.2: Date of Creation -->
      <subject typeCode="SUBJ">
        <investigationEvent classCode="INVSTG" moodCode="EVN">
          <id extension="C.1.1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
          <!-- C.1.1: Sender's (case) Safety Report Unique Identifier -->
          <id extension="C.1.8.1" root="2.16.840.1.113883.3.989.2.1.3.2"/>
          <!-- C.1.8.1: Worldwide Unique Case Identification Number -->
          <id extension="J2.1b" root="2.16.840.1.113883.3.989.5.1.3.2.3.1"/>
          <!-- @@J2.1b: 識別番号（番号） -->
          <code code="PAT_ADV_EVNT" codeSystem="2.16.840.1.113883.5.4"/>
          <text>H.1</text>
          <!-- H.1: Case Narrative Including Clinical Course, Therapeutic Measures, Outcome and Additional Relevant Information -->
          <statusCode code="active"/>
          <!-- @@J2.7.1 完了、未完了区分 -->
          <effectiveTime>
            <low value="20090101"/>
            <!-- C.1.4: Date Report Was First Received from Source -->
          </effectiveTime>
          <availabilityTime value="20090101"/>
          <!-- C.1.5: Date of Most Recent Information for This Report -->
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
              <title>C.1.6.1.r.1</title>
              <!-- C.1.6.1.r.1: Documents Held by Sender (repeat as necessary) #1 -->
              <text mediaType="application/pdf" representation="B64">C.1.6.1.r.2</text>
              <!-- C.1.6.1.r.2: Included Documents #1 -->
            </document>
          </reference>
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
              <title>C.1.6.1.r.1</title>
              <!-- C.1.6.1.r.1: Documents Held by Sender (repeat as necessary) #2 -->
              <text mediaType="image/jpeg" representation="B64" compression="DF">C.1.6.1.r.2</text>
              <!-- C.1.6.1.r.2: Included Documents #2 -->
            </document>
          </reference>
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
              <title>J2.17.r</title>
              <!-- @@J2.17.r 試験／研究の分類 #1 -->
              <text mediaType="application/pdf" representation="B64">C.4.r.2</text>
              <!-- C.4.r.2: Included Documents #1 -->
              <bibliographicDesignationText>C.4.r.1</bibliographicDesignationText>
              <!-- C.4.r.1: Literature Reference(s) #1 -->
            </document>
          </reference>
        </investigationEvent>
      </controlActProcess>
    </PORR_IN049016UV>
  
```

```

<participation typeCode="AUT">
    <assignedEntity classCode="ASSIGNED">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
            <asLocatedEntity classCode="LOCE">
                <location classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="J2.15.r" codeSystem="1.0.3166.1.2.2"/>
                    <!-- @@J2.15.r 公表国 #1 -->
                </location>
            </asLocatedEntity>
        </representedOrganization>
    </assignedEntity>
</participation>
</document>
</reference>
<reference typeCode="REFR">
    <document classCode="DOC" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
        <title>J2.17.r</title>
        <!-- @@J2.17.r 試験／研究の分類 #2 -->
        <text mediaType="application/pdf" representation="B64">C.4.r.2</text>
        <!-- C.4.r.2: Included Documents #2 -->
        <bibliographicDesignationText>C.4.r.1</bibliographicDesignationText>
        <!-- C.4.r.1: Literature Reference(s) #2 -->
        <participation typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                    <asLocatedEntity classCode="LOCE">
                        <location classCode="COUNTRY" determinerCode="INSTANCE">
                            <code code="J2.15.r" codeSystem="1.0.3166.1.2.2"/>
                            <!-- @@J2.15.r 公表国 #2 -->
                        </location>
                    </asLocatedEntity>
                </representedOrganization>
            </assignedEntity>
        </participation>
    </document>
</reference>
<component typeCode="COMP">
    <adverseEventAssessment classCode="INVSTG" moodCode="EVN">
        <subject1 typeCode="SBJ">
            <primaryRole classCode="INVSBJ">
                <player1 classCode="PSN" determinerCode="INSTANCE">
                    <name>D.1</name>
                    <!-- D.1: Patient (name or initials) -->
                    <administrativeGenderCode code="D.5" codeSystem="1.0.5218"/>
                    <!-- D.5 Sex -->
                    <birthTime value="20090101"/>
                    <!-- D.2.1: Date of Birth -->
                    <deceasedTime value="20090101"/>
                    <!-- D.9.1: Date of Death -->
                    <asIdentifiedEntity classCode="IDENT">
                        <id extension="D.1.1.1" root="2.16.840.1.113883.3.989.2.1.3.7"/>
                        <!-- D.1.1.1: Patient Medical Record Number(s) and Source(s) of the Record Number (GP Medical Record Number) -->
                    </asIdentifiedEntity>
                    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.4" codeSystemVersion="1.0" displayName="GP"/>
                </asIdentifiedEntity>
                <asIdentifiedEntity classCode="IDENT">
                    <id extension="D.1.1.2" root="2.16.840.1.113883.3.989.2.1.3.8"/>
                    <!-- D.1.1.2: Patient Medical Record Number(s) and Source(s) of the Record Number (Specialist Record Number) -->
                </asIdentifiedEntity>
                <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.4" codeSystemVersion="1.0" displayName="Specialist"/>
            </asIdentifiedEntity>
            <asIdentifiedEntity classCode="IDENT">
                <id extension="D.1.1.3" root="2.16.840.1.113883.3.989.2.1.3.9"/>
                <!-- D.1.1.3: Patient Medical Record Number(s) and Source(s) of the Record Number (Hospital Record Number) -->
                <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.4" codeSystemVersion="1.0" displayName="Hospital Record"/>
            </asIdentifiedEntity>
            <asIdentifiedEntity classCode="IDENT">
                <id extension="D.1.1.4" root="2.16.840.1.113883.3.989.2.1.3.10"/>
                <!-- D.1.1.4: Patient Medical Record Number(s) and Source(s) of the Record Number (Investigation Number) -->
                <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.4" codeSystemVersion="1.0" displayName="Investigation"/>
            </asIdentifiedEntity>
            <role classCode="PRS">
                <code code="PRN" codeSystem="2.16.840.1.113883.5.111"/>
                <associatedPerson classCode="PSN" determinerCode="INSTANCE">
                    <name>D.10.1</name>
                    <!-- D.10.1: Parent Identification -->
                    <administrativeGenderCode code="D.10.6" codeSystem="1.0.5218"/>
                    <!-- D.10.6: Sex of Parent -->
                    <birthTime value="20090101"/>
                </associatedPerson>
            </role>
        </asIdentifiedEntity>
    </adverseEventAssessment>

```

```

        <!-- D. 10. 2. 1: Date of Birth of Parent -->
</associatedPerson>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1.1" displayName="age"
/>
        <value xsi:type="PQ" value="10" unit="D. 10. 2. 2b"/>
        <!-- D. 10. 2. 2a: Age of Parent (number) -->
        <!-- D. 10. 2. 2b: Age of Parent (unit) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="22" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1.1" displayName="lastMenstrualPeriodDate"/>
        <value xsi:type="TS" value="20090101"/>
        <!-- D. 10. 3: Last Menstrual Period Date of Parent -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="7" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1.1" displayName="bodyWeight"/>
        <value xsi:type="PQ" value="50" unit="kg"/>
        <!-- D. 10. 4: Body Weight (kg) of Parent -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="17" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1.1" displayName="height"/>
        <value xsi:type="PQ" value="160" unit="cm"/>
        <!-- D. 10. 5: Height (cm) of Parent -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 20" codeSystemVersion="1.0" displayName="relevantMedicalHistoryAndConcurrentConditions"/>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="D. 10. 7. 1. r. 1b" codeSystem="2. 16. 840. 1. 113883. 6. 163" codeSystemVersion="D. 10. 7. 1. r. 1a"/>
                <!-- D. 10. 7. 1. r. 1a: MedDRA Version for Medical History #1 -->
                <!-- D. 10. 7. 1. r. 1b: Medical History (disease / surgical procedure/ etc.) (MedDRA code) #1 -->
                <effectiveTime xsi:type="IVL_TS">
                    <low value="20090101"/>
                    <!-- D. 10. 7. 1. r. 2: Start Date #1 -->
                    <high value="20090101"/>
                    <!-- D. 10. 7. 1. r. 4: End Date #1 -->
                </effectiveTime>
                <outboundRelationship2 typeCode="COMP">
                    <observation classCode="OBS" moodCode="EVN">
                        <code code="10" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1.1" displayName="comment"/>
                        <value xsi:type="ED">D. 10. 7. 1. r. 5</value>
                        <!-- D. 10. 7. 1. r. 5: Comments #1 -->
                    </observation>
                </outboundRelationship2>
                <inboundRelationship typeCode="REFR">
                    <observation classCode="OBS" moodCode="EVN">
                        <code code="13" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1.1" displayName="continuing"/>
                        <value xsi:type="BL" value="true"/>
                        <!-- D. 10. 7. 1. r. 3: Continuing #1 -->
                    </observation>
                </inboundRelationship>
            </component>
            <component typeCode="COMP">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="D. 10. 7. 1. r. 1b" codeSystem="2. 16. 840. 1. 113883. 6. 163" codeSystemVersion="D. 10. 7. 1. r. 1a"/>
                    <!-- D. 10. 7. 1. r. 1a: MedDRA Version for Medical History #2 -->
                    <!-- D. 10. 7. 1. r. 1b: Medical History (disease / surgical procedure/ etc.) (MedDRA code) #2 -->
                    <effectiveTime xsi:type="IVL_TS">
                        <low value="20090101"/>
                        <!-- D. 10. 7. 1. r. 2: Start Date #2 -->
                        <high value="20090101"/>
                        <!-- D. 10. 7. 1. r. 4: End Date #2 -->
                    </effectiveTime>
                    <outboundRelationship2 typeCode="COMP">
                        <observation classCode="OBS" moodCode="EVN">
                            <code code="10" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1.1" displayName="comment"/>

```

```

displayName="comment"/>
    <value xsi:type="ED">D. 10. 7. 1. r. 5</value>
    <!-- D. 10. 7. 1. r. 5: Comments #2 -->
  </observation>
</outboundRelationship2>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="13" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="continuing"/>
    <value xsi:type="BL" value="true"/>
    <!-- D. 10. 7. 1. r. 3: Continuing #2 -->
  </observation>
</inboundRelationship>
</observation>
</component>
<component typeCode="COMP">
  <observation classCode="OBS" moodCode="EVN">
    <code code="18" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="historyAndConcurrentConditionText"/>
    <value xsi:type="ED">D. 10. 7. 2</value>
    <!-- D. 10. 7. 2: Text for Relevant Medical History and Concurrent Conditions of Parent -->
  </observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <organizer classCode="CATEGORY" moodCode="EVN">
    <code code="2" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 20" codeSystemVersion="1. 0" displayName="drugHistory"/>
    <component typeCode="COMP">
      <substanceAdministration classCode="SBADM" moodCode="EVN">
        <effectiveTime xsi:type="IVL_TS">
          <low value="20090101"/>
          <!-- D. 10. 8. r. 4: Start Date #1 -->
          <high value="20090101"/>
          <!-- D. 10. 8. r. 5: End Date #1 -->
        </effectiveTime>
        <consumable typeCode="CSM">
          <instanceOfKind classCode="INST">
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
              <code code="D. 10. 8. r. 2b" codeSystem="TBD-MPID" codeSystemVersion="D. 10. 8. r. 2a"/>
              <!-- D. 10. 8. r. 2a: MPID Version Date / Number #1 -->
              <!-- D. 10. 8. r. 2b: Medicinal Product Identifier (MPID) #1 -->
              <name>D. 10. 8. r. 1</name>
              <!-- D. 10. 8. r. 1: Name of Drug as Reported #1 -->
            </kindOfProduct>
          </instanceOfKind>
        </consumable>
        <outboundRelationship2 typeCode="RSON">
          <observation classCode="OBS" moodCode="EVN">
            <code code="19" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="indication"/>
            <value xsi:type="CE" code="D. 10. 8. r. 6b" codeSystem="2. 16. 840. 1. 113883. 6. 163"
codeSystemVersion="D. 10. 8. r. 6a"/>
            <!-- D. 10. 8. r. 6a: MedDRA Version for Indication #1 -->
            <!-- D. 10. 8. r. 6b: Indication (MedDRA code) #1 -->
          </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="CAUS">
          <observation classCode="OBS" moodCode="EVN">
            <code code="29" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="reaction"/>
            <value xsi:type="CE" code="D. 10. 8. r. 7b" codeSystem="2. 16. 840. 1. 113883. 6. 163"
codeSystemVersion="D. 10. 8. r. 7a"/>
            <!-- D. 10. 8. r. 7a: MedDRA Version for Reaction #1 -->
            <!-- D. 10. 8. r. 7b: Reactions (MedDRA code) #1 -->
          </observation>
        </outboundRelationship2>
      </substanceAdministration>
    </component>
    <component typeCode="COMP">
      <substanceAdministration classCode="SBADM" moodCode="EVN">
        <effectiveTime xsi:type="IVL_TS">
          <low value="20090101"/>
          <!-- D. 10. 8. r. 4: Start Date #2 -->
          <high value="20090101"/>
          <!-- D. 10. 8. r. 5: End Date #2 -->
        </effectiveTime>
        <consumable typeCode="CSM">
          <instanceOfKind classCode="INST">
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
              <code code="D. 10. 8. r. 3b" codeSystem="TBD-PhPID" codeSystemVersion="D. 10. 8. r. 3a"/>
              <!-- D. 10. 8. r. 3a: PhPID Version Date / Number #2 -->
              <!-- D. 10. 8. r. 3b: Pharmaceutical Product Identifier (PhPID) #2 -->

```

```

        <name>D. 10. 8. r. 1</name>
        <!-- D. 10. 8. r. 1: Name of Drug as Reported #2 -->
        </kindOfProduct>
        </instanceOfKind>
    </consumable>
    <outboundRelationship2 typeCode="RS0N">
        <observation classCode="OBS" moodCode="EVN">
            <code code="19" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="indication"/>
            <value xsi:type="CE" code="D. 10. 8. r. 6b" codeSystem="2. 16. 840. 1. 113883. 6. 163"
codeSystemVersion="D. 10. 8. r. 6a"/>
            <!-- D. 10. 8. r. 6a: MedDRA Version for Indication #2 -->
            <!-- D. 10. 8. r. 6b: Indication (MedDRA code) #2 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="CAUS">
        <observation classCode="OBS" moodCode="EVN">
            <code code="29" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="reaction"/>
            <value xsi:type="CE" code="D. 10. 8. r. 7b" codeSystem="2. 16. 840. 1. 113883. 6. 163"
codeSystemVersion="D. 10. 8. r. 7a"/>
            <!-- D. 10. 8. r. 7a: MedDRA Version for Reaction #2 -->
            <!-- D. 10. 8. r. 7b: Reactions (MedDRA code) #2 -->
        </observation>
    </outboundRelationship2>
    </substanceAdministration>
    </component>
    </organizer>
    </subjectOf2>
    </role>
</player1>
<subjectOf1 typeCode="SBJ">
    <researchStudy classCode="CLNTRL" moodCode="EVN">
        <id extension="C. 5. 3" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 5"/>
        <!-- C. 5. 3: Sponsor Study Number -->
        <code code="C. 5. 4" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 8" codeSystemVersion="2. 0"/>
        <!-- C. 5. 4: Study Type Where Reaction(s) / Event(s) Were Observed -->
        <title>C. 5. 2</title>
        <!-- C. 5. 2: Study Name -->
        <authorization typeCode="AUTH">
            <studyRegistration classCode="ACT" moodCode="EVN">
                <id extension="C. 5. 1. r. 1" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 6"/>
                <!-- C. 5. 1. r. 1: Study Registration Number #1 -->
                <author typeCode="AUT">
                    <territorialAuthority classCode="TERR">
                        <governingPlace classCode="COUNTRY" determinerCode="INSTANCE">
                            <code code="C. 5. 1. r. 2" codeSystem="1. 0. 3166. 1. 2. 2"/>
                            <!-- C. 5. 1. r. 2: Study Registration Country #1 -->
                        </governingPlace>
                    </territorialAuthority>
                </author>
            </studyRegistration>
        </authorization>
        <authorization typeCode="AUTH">
            <studyRegistration classCode="ACT" moodCode="EVN">
                <id extension="C. 5. 1. r. 1" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 6"/>
                <!-- C. 5. 1. r. 1 Study Registration Number #2 -->
                <author typeCode="AUT">
                    <territorialAuthority classCode="TERR">
                        <governingPlace classCode="COUNTRY" determinerCode="INSTANCE">
                            <code code="C. 5. 1. r. 2" codeSystem="1. 0. 3166. 1. 2. 2"/>
                            <!-- C. 5. 1. r. 2: Study Registration Country #2 -->
                        </governingPlace>
                    </territorialAuthority>
                </author>
            </studyRegistration>
        </authorization>
    </researchStudy>
</subjectOf1>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1" displayName="age"/>
        <value xsi:type="PQ" value="10" unit="D. 2. 2b"/>
        <!-- D. 2. 2a: Age at Time of Onset of Reaction / Event (number) -->
        <!-- D. 2. 2b: Age at Time of Onset of Reaction / Event (unit) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="16" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1" displayName="gestationPeriod"/>
        <value xsi:type="PQ" value="10" unit="D. 2. 2. 1b"/>
        <!-- D. 2. 2. 1a: Gestation Period When Reaction / Event Was Observed in the Foetus (number) -->
        <!-- D. 2. 2. 1b: Gestation Period When Reaction / Event Was Observed in the Foetus (unit) -->
    </observation>
</subjectOf2>

```

```

        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="ageGroup"/>
            <value xsi:type="CE" code="D. 2. 3" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="2.0"/>
            <!-- D. 2. 3: Patient Age Group (as per reporter) -->
        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <code code="7" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="bodyWeight"/>
        >
            <value xsi:type="PQ" value="48.2" unit="kg"/>
            <!-- D. 3: Body Weight (kg) -->
        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <code code="17" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="height"/>
            <value xsi:type="PQ" value="152" unit="cm"/>
            <!-- D. 4: Height (cm) -->
        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <code code="22" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="lastMenstrualPeriodDate"/>
            <value xsi:type="TS" value="20090101"/>
            <!-- D. 6: Last Menstrual Period Date -->
        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <organizer classCode="CATEGORY" moodCode="EVN">
            <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="relevantMedicalHistoryAndConcurrentConditions"/>
            <component typeCode="COMP">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="D. 7. 1. r. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 7. 1. r. 1a"/>
                    <!-- D. 7. 1. r. 1a: MedDRA Version for Medical History #1 -->
                    <!-- D. 7. 1. r. 1b: Medical History (disease / surgical procedure / etc.) (MedDRA code) #1 -->
                    <effectiveTime xsi:type="IVL_TS">
                        <low value="20090101"/>
                        <!-- D. 7. 1. r. 2: Start Date #1 -->
                        <high value="20090101"/>
                        <!-- D. 7. 1. r. 4: End Date #1 -->
                    </effectiveTime>
                    <outboundRelationship2 typeCode="COMP">
                        <observation classCode="OBS" moodCode="EVN">
                            <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
                            <value xsi:type="ED">D. 7. 1. r. 5</value>
                            <!-- D. 7. 1. r. 5: Comments #1 -->
                        </observation>
                    </outboundRelationship2>
                    <outboundRelationship2 typeCode="EXPL">
                        <observation classCode="OBS" moodCode="EVN">
                            <code code="38" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="familyHistory"/>
                            <value xsi:type="BL" value="true"/>
                            <!-- D. 7. 1. r. 6: Family History #1 -->
                        </observation>
                    </outboundRelationship2>
                    <inboundRelationship typeCode="RFR">
                        <observation classCode="OBS" moodCode="EVN">
                            <code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="continuing"/>
                            <value xsi:type="BL" value="true"/>
                            <!-- D. 7. 1. r. 3: Continuing #1 -->
                        </observation>
                    </inboundRelationship>
                </component>
                <component typeCode="COMP">
                    <observation classCode="OBS" moodCode="EVN">
                        <code code="D. 7. 1. r. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 7. 1. r. 1a"/>
                        <!-- D. 7. 1. r. 1a: MedDRA Version for Medical History #2 -->
                        <!-- D. 7. 1. r. 1b: Medical history (disease / surgical procedure / etc.) (MedDRA code) #2 -->
                        <effectiveTime xsi:type="IVL_TS">
                            <low value="20090101"/>
                            <!-- D. 7. 1. r. 2: Start Date #2 -->
                            <high value="20090101"/>
                            <!-- D. 7. 1. r. 4: End Date #2 -->
                        </effectiveTime>

```

```

<outboundRelationship2 typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="comment"/>
        <value xsi:type="ED">D. 7. 1. r.5</value>
        <!-- D. 7. 1. r.5: Comments #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="EXPL">
    <observation classCode="OBS" moodCode="EVN">
        <code code="38" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="familyHistory"/>
        <value xsi:type="BL" value="true"/>
        <!-- D. 7. 1. r.6: Family History #2 -->
    </observation>
</outboundRelationship2>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="continuing"/>
        <value xsi:type="BL" value="true"/>
        <!-- D. 7. 1. r.3: Continuing #2 -->
    </observation>
</inboundRelationship>
</observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="18" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="historyAndConcurrentConditionText"/>
        <value xsi:type="ED">D. 7. 2</value>
        <!-- D. 7. 2: Text for Relevant Medical History and Concurrent Conditions (not including reaction / event) -->
    </observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="11" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="concomitantTherapy"/>
        <value xsi:type="BL" value="true"/>
        <!-- D. 7. 3: Concomitant Therapies -->
    </observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugHistory"/>
    </organizer>
    <component typeCode="COMP">
        <substanceAdministration classCode="SBADM" moodCode="EVN">
            <effectiveTime xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- D. 8. r.4: Start Date #1 -->
                <high value="20090101"/>
                <!-- D. 8. r.5: End Date #1 -->
            </effectiveTime>
            <consumable typeCode="CSM">
                <instanceOfKind classCode="INST">
                    <kindOfProduct classCode="MMAT" determinerCode="KIND">
                        <code code="D. 8. r. 2b" codeSystem="TBD-MPID" codeSystemVersion="D. 8. r. 2a"/>
                        <!-- D. 8. r. 2a: MPID Version Date / Number #1 -->
                        <!-- D. 8. r. 2b: Medicinal Product Identifier (MPID) #1 -->
                        <name>D. 8. r. 1</name>
                        <!-- D. 8. r. 1: Name of Drug as Reported #1 -->
                    </kindOfProduct>
                </instanceOfKind>
            </consumable>
            <outboundRelationship2 typeCode="RSON">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
                    <value xsi:type="CE" code="D. 8. r. 6b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 8. r. 6a"/>
                    <!-- D. 8. r. 6a: MedDRA Version for Indication #1 -->
                    <!-- D. 8. r. 6b: Indication (MedDRA code) #1 -->
                </observation>
            </outboundRelationship2>
            <outboundRelationship2 typeCode="CAUS">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="reaction"/>
                    <value xsi:type="CE" code="D. 8. r. 7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 8. r. 7a"/>
                </observation>
            </outboundRelationship2>
        </substanceAdministration>
    </organizer>

```

```

        <!-- D. 8. r. 7a: MedDRA Version for Reaction #1 -->
        <!-- D. 8. r. 7b: Reaction (MedDRA code) #1 -->
    </observation>
</outboundRelationship2>
</substanceAdministration>
</component>
<component typeCode="COMP">
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
        <!-- D. 8. r. 4: Start Date #2 -->
            <high value="20090101"/>
        <!-- D. 8. r. 5: End Date #2 -->
        </effectiveTime>
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <code code="D. 8. r. 3b" codeSystem="TBD-PhPID" codeSystemVersion="D. 8. r. 3a"/>
                    <!-- D. 8. r. 3a: PhPID Version Date / Number -->
                    <!-- D. 8. r. 3b: Pharmaceutical Product Identifier (PhPID) #2 -->
                    <name>D. 8. r. 1</name>
                    <!-- D. 8. r. 1: Name of Drug as Reported #2 -->
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
        <outboundRelationship2 typeCode="RSON">
            <observation classCode="OBS" moodCode="EVN">
                <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                    <value xsi:type="CE" code="D. 8. r. 6b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 8. r. 6a"/>
                    <!-- D. 8. r. 6a: MedDRA Version for Indication #2 -->
                    <!-- D. 8. r. 6b: Indication (MedDRA code) #2 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="CAUS">
            <observation classCode="OBS" moodCode="EVN">
                <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                    <value xsi:type="CE" code="D. 8. r. 7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 8. r. 7a"/>
                    <!-- D. 8. r. 7a: MedDRA Version for Reaction #2 -->
                    <!-- D. 8. r. 7b: Reaction (MedDRA code) #2 -->
            </observation>
        </outboundRelationship2>
    </substanceAdministration>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="32" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reportedCauseOfDeath"/>
        <value xsi:type="CE" code="D. 9. 2. r. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 9. 2. r. 1a">
            <!-- D. 9. 2. r. 1a: MedDRA Version for Reported Cause(s) of Death #1 -->
            <!-- D. 9. 2. r. 1b: Reported Cause(s) of Death (MedDRA code) #1 -->
            <originalText>D. 9. 2. r. 2</originalText>
            <!-- D. 9. 2. r. 2: Reported Cause(s) of Death (free text) #1 -->
        </value>
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="32" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reportedCauseOfDeath"/>
        <value xsi:type="CE" code="D. 9. 2. r. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 9. 2. r. 1a">
            <!-- D. 9. 2. r. 1a: MedDRA Version for Reported Cause(s) of Death #2 -->
            <!-- D. 9. 2. r. 1b: Reported Cause(s) of Death (MedDRA code) #2 -->
            <originalText>D. 9. 2. r. 2</originalText>
            <!-- D. 9. 2. r. 2: Reported Cause(s) of Death (free text) #2 -->
        </value>
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="5" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="autopsy"/>
        <value xsi:type="BL" value="true"/>
        <!-- D. 9. 3 Was Autopsy Done? -->
        <outboundRelationship2 typeCode="DRIV">
            <observation classCode="OBS" moodCode="EVN">
                <code code="8" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causeOfDeath"/>
                <value xsi:type="CE" code="D. 9. 4. r. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D. 9. 4. r. 1a"/>
            </observation>
        </outboundRelationship2>
    </observation>

```

```

        <!-- D. 9. 4. r. 1a: MedDRA Version for Autopsy-determined Cause(s) of Death #1 -->
        <!-- D. 9. 4. r. 1b Autopsy-determined Cause(s) of Death (MedDRA code) #1 -->
        <originalText>D. 9. 4. r. 2</originalText>
        <!-- D. 9. 4. r. 2: Autopsy-determined Cause(s) of Death (free text) #1 -->
    </value>
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="DRIV">
    <observation classCode="OBS" moodCode="EVN">
        <code code="8" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName=""
causeOfDeath"/>
r. 1a">
        <!-- D. 9. 4. r. 1a: MedDRA Version for Autopsy-determined Cause(s) of Death #2 -->
        <!-- D. 9. 4. r. 1b Autopsy-determined Cause(s) of Death (MedDRA code) #2 -->
        <originalText>D. 9. 4. r. 2</originalText>
        <!-- D. 9. 4. r. 2: Autopsy-determined Cause(s) of Death (free text) #2 -->
    </value>
    </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- E. i. 4: Date of Start of Reaction / Event #1 -->
            <high value="20090102"/>
            <!-- E. i. 5: Date of End of Reaction / Event #1 -->
        </effectiveTime>
        <value xsi:type="CE" code="E. i. 2. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E. i. 2. 1a">
            <!-- E. i. 2. 1a: MedDRA Version for Reaction / Event #1 -->
            <!-- E. i. 2. 1b: Reaction / Event (MedDRA code) #1 -->
            <originalText language="E. i. 1. 1b">E. i. 1. 1a</originalText>
            <!-- E. i. 1. 1a: Reaction / Event as Reported by the Primary Source in Native Language #1 -->
            <!-- E. i. 1. 1b: Reaction / Event as Reported by the Primary Source Language #1 -->
        </value>
        <location typeCode="LOC">
            <locatedEntity classCode="LOCE">
                <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="E. i. 9" codeSystem="1.0.3166.1.2.2"/>
                    <!-- E. i. 9: Identification of the Country Where the Reaction / Event Occurred #1 -->
                </locatedPlace>
            </locatedEntity>
        </location>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
                <value xsi:type="ED" value="E. i. 1. 2"/>
                <!-- E. i. 1. 2: Reaction / Event as Reported by the Primary Source for Translation #1 -->
            </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
                <value xsi:type="CE" code="E. i. 3. 1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
                <!-- E. i. 3. 1: Term Highlighted by the Reporter #1 -->
            </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
                <value xsi:type="BL" value="true"/>
                <!-- E. i. 3. 2a: Results in Death #1 -->
            </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E. i. 3. 2b: Life Threatening #1 -->
            </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName=">

```

```

requiresInpatientHospitalization"/>
    <value xsi:type="BL" value="true"/>
    <!-- E.i.3.2c: Caused / Prolonged Hospitalisation #1 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

resultsInPersistentOrSignificantDisability"/>
    <value xsi:type="BL" nullFlavor="NI"/>
    <!-- E.i.3.2d: Disabling / Incapacitating #1-->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

congenitalAnomalyBirthDefect"/>
    <value xsi:type="BL" nullFlavor="NI"/>
    <!-- E.i.3.2e: Congenital Anomaly / Birth Defect #1 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

otherMedicallyImportantCondition"/>
    <value xsi:type="BL" value="true"/>
    <!-- E.i.3.2f: Other Medically Important Condition #1 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
    <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.

0"/>
    <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #1 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

medicalConfirmationByHealthProfessional"/>
    <value xsi:type="BL" value="true"/>
    <!-- E.i.8: Medical Confirmation by Healthcare Professional #1 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="

"未知・既知"/>
    <value xsi:type="CE" code="J2.14.i" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.8" codeSystemVersion="1.1"/>
    <!-- @@J2.14.i 未知・既知 #1 -->
</observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- E.i.4: Date of Start of Reaction / Event #2 -->
            <width value="24" unit="E.i.6b"/>
            <!-- E.i.6a: Duration of Reaction / Event (number) #2 -->
            <!-- E.i.6b: Duration of Reaction / Event (unit) #2 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #2 -->
            <!-- E.i.2.1b: Reaction / Event (MedDRA code) #2 -->
            <originalText language="E.i.1.1b">E.i.1.1a</originalText>
            <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #2 -->
            <!-- E.i.1.1b: Reaction / Event as Reported by the Primary Source Language #2 -->
        </value>
        <location typeCode="LOC">
            <locatedEntity classCode="LOCE">
                <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
                    <!-- E.i.9: Identification of the Country Where the Reaction / Event Occurred #2 -->
                </locatedPlace>
            </locatedEntity>
        </location>

```

```

<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
        <value xsi:type="ED">E. i. 1. 2</value>
        <!-- E. i. 1. 2: Reaction / Event as Reported by the Primary Source for Translation #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
        <value xsi:type="CE" code="E. i. 3. 1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
        <!-- E. i. 3. 1: Term Highlighted by the Reporter #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3. 2a: Results in Death #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3. 2b: Life Threatening #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3. 2c: Caused / Prolonged Hospitalisation #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3. 2d: Disabling / Incapacitating #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3. 2e: Congenital Anomaly / Birth Defect #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3. 2f: Other Medically Important Condition #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
        <value xsi:type="CE" code="E. i. 7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0"/>
        <!-- E. i. 7: Outcome of Reaction / Event at the Time of Last Observation #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 8: Medical Confirmation by Healthcare Professional #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">

```

```

        <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未知・既知"/>
    codeSystemVersion="1.1"/>
        <!-- @@J2.14.i 未知・既知 #2 -->
        </observation>
    </outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <effectiveTime xsi:type="IVL_TS">
            <width value="24" unit="E.i.6b"/>
            <!-- E.i.6a: Duration of Reaction / Event (number) #3 -->
            <!-- E.i.6b: Duration of Reaction / Event (unit) #3 -->
            <high value="20101201"/>
            <!-- E.i.5: Date of End of Reaction / Event #3 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #3 -->
            <!-- E.i.2.1b: Reaction / Event (MedDRA code) #3 -->
            <originalText language="E.i.1.1b">E.i.1.1a</originalText>
            <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #3 -->
            <!-- E.i.1.1b: Reaction / Event as Reported by the Primary Source Language #3 -->
        </value>
        <location typeCode="LOC">
            <locatedEntity classCode="LOCE">
                <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
                    <!-- E.i.9: Identification of the Country Where the Reaction / Event Occurred #3 -->
                </locatedPlace>
            </locatedEntity>
        </location>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
                <value xsi:type="ED" value="E.i.1.2"/>
                <!-- E.i.1.2: Reaction / Event as Reported by the Primary Source for Translation #3 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
                <value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
                <!-- E.i.3.1: Term Highlighted by the Reporter #3 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2a: Results in Death #3 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2b: Life Threatening #3 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2c: Caused / Prolonged Hospitalisation #3 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2d: Disabling / Incapacitating #3 -->
            </observation>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
    <value xsi:type="BL" nullFlavor="NI"/>
    <!-- E.i.3.2e: Congenital Anomaly / Birth Defect #3 -->
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
    <value xsi:type="BL" value="true"/>
    <!-- E.i.3.2f: Other Medically Important Condition #3 -->
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
    <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0"/>
    <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #3 -->
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
    <value xsi:type="BL" value="true"/>
    <!-- E.i.8: Medical Confirmation by Healthcare Professional #3 -->
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未知・既知"/>
    <value xsi:type="CE" code="J2.14.i" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.8" codeSystemVersion="1.1"/>
    <!-- @@J2.14.i 未知・既知 #3 -->
  </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<effectiveTime xsi:type="SXPR_TS">
  <comp xsi:type="IVL_TS">
    <low value="20090101"/>
    <!-- E.i.4: Date of Start of Reaction / Event #4 -->
    <high value="20101201"/>
    <!-- E.i.5: Date of End of Reaction / Event #4 -->
  </comp>
  <comp xsi:type="IVL_TS" operator="A">
    <width value="24" unit="E.i.6b"/>
    <!-- E.i.6a: Duration of Reaction / Event (number) #4 -->
    <!-- E.i.6b: Duration of Reaction / Event (unit) #4 -->
  </comp>
</effectiveTime>
<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
  <!-- E.i.2.1a: MedDRA Version for Reaction / Event #4 -->
  <!-- E.i.2.1b: Reaction / Event (MedDRA code) #4 -->
  <originalText language="E.i.1.1b">E.i.1.1a</originalText>
  <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #4 -->
  <!-- E.i.1.1b: Reaction / Event as Reported by the Primary Source Language #4 -->
</value>
<location typeCode="LOC">
  <locatedEntity classCode="LOCE">
    <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
      <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
      <!-- E.i.9: Identification of the Country Where the Reaction / Event Occurred #4 -->
    </locatedPlace>
  </locatedEntity>
</location>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
    <value xsi:type="ED">E.i.1.2</value>
    <!-- E.i.1.2: Reaction / Event as Reported by the Primary Source for Translation #4 -->
  </observation>
</outboundRelationship2>

```

```

        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
            <value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
            <!-- E.i.3.1: Term Highlighted by the Reporter #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
            <value xsi:type="BL" value="true"/>
            <!-- E.i.3.2a: Results in Death #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
            <value xsi:type="BL" nullFlavor="NI"/>
            <!-- E.i.3.2b: Life Threatening #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
            <value xsi:type="BL" value="true"/>
            <!-- E.i.3.2c: Caused / Prolonged Hospitalisation #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
            <value xsi:type="BL" nullFlavor="NI"/>
            <!-- E.i.3.2d: Disabling / Incapacitating #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
            <value xsi:type="BL" nullFlavor="NI"/>
            <!-- E.i.3.2e: Congenital Anomaly / Birth Defect #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
            <value xsi:type="BL" value="true"/>
            <!-- E.i.3.2f: Other Medically Important Condition #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
            <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0"/>
            <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
            <value xsi:type="BL" value="true"/>
            <!-- E.i.8: Medical Confirmation by Healthcare Professional #4 -->
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未知・既知"/>
            <value xsi:type="CE" code="J2.14.i" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.8" codeSystemVersion="1.1"/>
            <!-- @@J2.14.i 未知・既知 #4 -->
        </observation>

```

```

        </outboundRelationship2>
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- E.i.4: Date of Start of Reaction / Event #5 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #5 -->
            <!-- E.i.2.1b: Reaction / Event (MedDRA code) #5 -->
            <originalText language="E.i.1.1b">E.i.1.1a</originalText>
            <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #5 -->
            <!-- E.i.1.1b: Reaction / Event as Reported by the Primary Source Language #5 -->
        </value>
        <location typeCode="LOC">
            <locatedEntity classCode="LOCE">
                <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
                    <!-- E.i.9: Identification of the Country Where the Reaction / Event Occurred #5 -->
                </locatedPlace>
            </locatedEntity>
        </location>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
                <value xsi:type="ED">E.i.1.2</value>
                <!-- E.i.1.2: Reaction / Event as Reported by the Primary Source for Translation #5 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
                <value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
                <!-- E.i.3.1: Term Highlighted by the Reporter #5 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2a: Results in Death #5 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2b: Life Threatening #5 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2c: Caused / Prolonged Hospitalisation #5 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2d: Disabling / Incapacitating #5 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2e: Congenital Anomaly / Birth Defect #5 -->
            </observation>
        </outboundRelationship2>

```

```

<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
        <value xsi:type="BL" value="true"/>
        <!-- E.i.3.2f: Other Medically Important Condition #5 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
        <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0"/>
        <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #5 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
        <value xsi:type="BL" value="true"/>
        <!-- E.i.8: Medical Confirmation by Healthcare Professional #5 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未知・既知"/>
        <value xsi:type="CE" code="J2.14.i" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.8" codeSystemVersion="1.1"/>
        <!-- @@J2.14.i 未知・既知 #5 -->
    </observation>
</outboundRelationship2>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <effectiveTime xsi:type="IVL_TS">
            <high value="20090101"/>
            <!-- E.i.4: Date of Start of Reaction / Event #6 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #6 -->
            <!-- E.i.2.1b: Reaction / Event (MedDRA code) #6 -->
            <originalText language="E.i.1.1b">E.i.1.1a</originalText>
            <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #6 -->
            <!-- E.i.1.1b: Reaction / Event as Reported by the Primary Source Language #6 -->
        </value>
        <location typeCode="LOC">
            <locatedEntity classCode="LOCE">
                <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
                    <!-- E.i.9: Identification of the Country Where the Reaction / Event Occurred #6 -->
                </locatedPlace>
            </locatedEntity>
        </location>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
                <value xsi:type="ED">E.i.1.2</value>
                <!-- E.i.1.2: Reaction / Event as Reported by the Primary Source for Translation #6 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
                <value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
                <!-- E.i.3.1: Term Highlighted by the Reporter #6 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2a: Results in Death #6 -->
            </observation>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

isLifeThreatening"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3. 2b: Life Threatening #6 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

requiresInpatientHospitalization"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3. 2c: Caused / Prolonged Hospitalisation #6 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

resultsInPersistentOrSignificantDisability"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3. 2d: Disabling / Incapacitating #6 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

congenitalAnomalyBirthDefect"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3. 2e: Congenital Anomaly / Birth Defect #6 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

otherMedicallyImportantCondition"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3. 2f: Other Medically Important Condition #6 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
        <value xsi:type="CE" code="E. i. 7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.

0"/>
        <!-- E. i. 7: Outcome of Reaction / Event at the Time of Last Observation #6 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

medicalConfirmationByHealthProfessional"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 8: Medical Confirmation by Healthcare Professional #6 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="

"未知・既知"/>
        <value xsi:type="CE" code="J2.14.i" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.8" codeSystemVersion="1.1"/>
        <!-- @@J2.14.i 未知・既知 #6 -->
    </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

        <effectiveTime xsi:type="IVL_TS">
            <width value="24" unit="E. i. 6b"/>
            <!-- E. i. 6a: Duration of Reaction / Event (number) #7 -->
            <!-- E. i. 6b: Duration of Reaction / Event (unit) #7 -->
        </effectiveTime>
        <value xsi:type="CE" code="E. i. 2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E. i. 2.1a">
            <!-- E. i. 2.1a: MedDRA Version for Reaction / Event #7 -->
            <!-- E. i. 2.1b: Reaction / Event (MedDRA code) #7 -->
            <originalText language="E. i. 1b">E. i. 1a</originalText>
            <!-- E. i. 1.1a: Reaction / Event as Reported by the Primary Source in Native Language #7 -->

```

```

        <!-- E. i. 1.1b: Reaction / Event as Reported by the Primary Source Language #7 -->
</value>
<location typeCode="LOC">
    <locatedEntity classCode="LOCE">
        <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
            <code code="E. i. 9" codeSystem="1.0.3166.1.2.2"/>
            <!-- E. i. 9: Identification of the Country Where the Reaction / Event Occurred #7 -->
        </locatedPlace>
    </locatedEntity>
</location>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
        <value xsi:type="ED">E. i. 1.2</value>
        <!-- E. i. 1.2: Reaction / Event as Reported by the Primary Source for Translation #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
        <value xsi:type="CE" code="E. i. 3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
        <!-- E. i. 3.1: Term Highlighted by the Reporter #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3.2a: Results in Death #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3.2b: Life Threatening #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3.2c: Caused / Prolonged Hospitalisation #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3.2d: Disabling / Incapacitating #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
        <value xsi:type="BL" nullFlavor="NI"/>
        <!-- E. i. 3.2e: Congenital Anomaly / Birth Defect #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
        <value xsi:type="BL" value="true"/>
        <!-- E. i. 3.2f: Other Medically Important Condition #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
        <value xsi:type="CE" code="E. i. 7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0"/>
        <!-- E. i. 7: Outcome of Reaction / Event at the Time of Last Observation #7 -->
    </observation>
</outboundRelationship2>

```

```

<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
        <value xsi:type="BL" value="true"/>
        <!-- E.i.8: Medical Confirmation by Healthcare Professional #7 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="codeSystemVersion="1.1"/>
        <value xsi:type="CE" code="J2.14.i" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.8">
            <!-- @@J2.14.i 未知・既知 #7 -->
        </value>
    </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="a15be092-8070-426d-af04-6863263443e0"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <effectiveTime xsi:type="SXPR_TS">
            <ccomp xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- E.i.4: Date of Start of Reaction / Event #8 -->
                <width value="24" unit="E.i.6b"/>
                <!-- E.i.6a: Duration of Reaction / Event (number) #8 -->
                <!-- E.i.6b: Duration of Reaction / Event (unit) #8 -->
            </ccomp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20101201"/>
                <!-- E.i.5: Date of End of Reaction / Event #8 -->
            </comp>
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #8 -->
            <!-- E.i.2.1b: Reaction / Event (MedDRA code) #8 -->
            <originalText language="E.i.1.1b">E.i.1.1a</originalText>
            <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #8 -->
            <!-- E.i.1.1b: Reaction / Event as Reported by the Primary Source Language #8 -->
        </value>
        <location typeCode="LOC">
            <locatedEntity classCode="LOCE">
                <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
                    <!-- E.i.9: Identification of the Country Where the Reaction / Event Occurred #8 -->
                </locatedPlace>
            </locatedEntity>
        </location>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
                <value xsi:type="ED" value="E.i.1.2"/>
                <!-- E.i.1.2: Reaction / Event as Reported by the Primary Source for Translation #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
                <value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="2.0"/>
                <!-- E.i.3.1: Term Highlighted by the Reporter #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2a: Results in Death #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2b: Life Threatening #8 -->
            </observation>

```

```

        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2c: Caused / Prolonged Hospitalisation #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2d: Disabling / Incapacitating #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
                <value xsi:type="BL" nullFlavor="NI"/>
                <!-- E.i.3.2e: Congenital Anomaly / Birth Defect #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.3.2f: Other Medically Important Condition #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
                <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0"/>
                <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
                <value xsi:type="BL" value="true"/>
                <!-- E.i.8: Medical Confirmation by Healthcare Professional #8 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未知・既知"/>
                <value xsi:type="CE" code="J2.14.i" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.8" codeSystemVersion="1.1"/>
                <!-- @@J2.14.i 未知・既知 #8 -->
            </observation>
        </outboundRelationship2>
        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <organizer classCode="CATEGORY" moodCode="EVN">
            <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="testsAndProceduresRelevantToTheInvestigation"/>
            <component typeCode="COMP">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
                        <!-- F.r.2.2a: MedDRA Version for Test Name #1 -->
                        <!-- F.r.2.2b: Test Name (MedDRA code) #1 -->
                        <originalText>F.r.2.1</originalText>
                        <!-- F.r.2.1: Test Name (free text) #1 -->
                    </code>
                    <effectiveTime value="20090101"/>
                    <!-- F.r.1: Test Date #1 -->
                    <value xsi:type="IVL_PQ">
                        <center value="10" unit="mg/dl"/>
                        <!-- F.r.3.2: Test Result (value / qualifier) #1 -->
                        <!-- F.r.3.3: Test Result (unit) #1 -->
                    </value>
                    <interpretationCode code="F.r.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.12" codeSystemVersion="2.0"/>
                    <!-- F.r.3.1: Test Result (code) #1 -->
                    <referenceRange typeCode="REFV">

```

```

<observationRange classCode="OBS" moodCode="EVN.CRT">
    <value xsi:type="PQ" value="40" unit="mg/dl"/>
    <!-- F.r.4: Normal Low Value #1 -->
    <interpretationCode code="L" codeSystem="2.16.840.1.113883.5.83"/>
</observationRange>
</referenceRange>
<referenceRange typeCode="REFV">
    <observationRange classCode="OBS" moodCode="EVN.CRT">
        <value xsi:type="PQ" value="110" unit="mg/dl"/>
        <!-- F.r.5: Normal High Value #1-->
        <interpretationCode code="H" codeSystem="2.16.840.1.113883.5.83"/>
    </observationRange>
</referenceRange>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
        <value xsi:type="ED">F.r. 6</value>
        <!-- F.r.6: Comments (free text) #1 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="25" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="moreInformationAvailable"/>
        <value xsi:type="BL" value="true"/>
        <!--F.r.7: More Information Available #1 -->
    </observation>
</outboundRelationship2>
</observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
            <!-- F.r.2.2a: MedDRA Version for Test Name #2 -->
            <!-- F.r.2.2b: Test Name (MedDRA code) #2 -->
            <originalText>F.r.2.1</originalText>
            <!-- F.r.2.1: Test Name (free text) #2 -->
        </code>
        <effectiveTime value="20090101"/>
        <!-- F.r.1: Test Date #2 -->
        <value xsi:type="IVL_PQ">
            <low nullFlavor="NINF"/>
            <high value="10" unit="mg/dl" inclusive="false"/>
        </value>
        <!-- F.r.3.2: Test Result (value / qualifier) #2 -->
        <!-- F.r.3.3: Test Result (unit) #2 -->
        <!-- LT 10 mg/dl #2 -->
    </observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
            <!-- F.r.2.2a: MedDRA Version for Test Name #3 -->
            <!-- F.r.2.2b: Test Name (MedDRA code) #3 -->
            <originalText>F.r.2.1</originalText>
            <!-- F.r.2.1: Test Name (free text) #3 -->
        </code>
        <effectiveTime value="20090101"/>
        <!-- F.r.1: Test Date #3 -->
        <value xsi:type="IVL_PQ">
            <low nullFlavor="NINF"/>
            <high value="10" unit="mg/dl" inclusive="true"/>
        </value>
        <!-- F.r.3.2: Test Result (value / qualifier) #3 -->
        <!-- F.r.3.3: Test Result (unit) #3 -->
        <!-- LE 10 mg/dl #3-->
    </observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
            <!-- F.r.2.2a: MedDRA Version for Test Name #4 -->
            <!-- F.r.2.2b: Test Name (MedDRA code) #4 -->
            <originalText>F.r.2.1</originalText>
            <!-- F.r.2.1: Test Name (free text) #4 -->
        </code>
        <effectiveTime value="20090101"/>
        <!-- F.r.1: Test Date #4 -->
        <value xsi:type="IVL_PQ">
            <low value="10" unit="mg/dl" inclusive="false"/>
            <high nullFlavor="PINF"/>
        </value>
        <!-- F.r.3.2: Test Result (value / qualifier) #4 -->
    </observation>
</component>

```

```

        <!-- F.r.3.3: Test Result (unit) #4 -->
        <!-- GT 10 mg/dl #4 -->
    </observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
            <!-- F.r.2.2a: MedDRA Version for Test Name #5 -->
            <!-- F.r.2.2b: Test Name (MedDRA code) #5 -->
            <originalText>F.r.2.1</originalText>
            <!-- F.r.2.1: Test Name (free text) #5 -->
        </code>
        <effectiveTime value="20090101"/>
        <!-- F.r.1: Test Date #5 -->
        <value xsi:type="IVL_PQ">
            <low value="10" unit="mg/dl" inclusive="true"/>
            <high nullFlavor="PINF"/>
        </value>
        <!-- F.r.3.2: Test Result (value / qualifier) #5 -->
        <!-- F.r.3.3: Test Result (unit) #5 -->
        <!-- GE 10 mg/dl #5 -->
    </observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
            <!-- F.r.2.2a: MedDRA Version for Test Name #6 -->
            <!-- F.r.2.2b: Test Name (MedDRA code) #6 -->
            <originalText>F.r.2.1</originalText>
            <!-- F.r.2.1: Test Name (free text) #6 -->
        </code>
        <effectiveTime value="20090101"/>
        <!-- F.r.1: Test Date #6 -->
        <value xsi:type="ED">F.r.3.4</value>
        <!-- F.r.3.4: Result Unstructured Data (free text) #6 -->
    </observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.20" codeSystemVersion="1.0" displayName="drugInformation"/>
        <!-- G.k Drug(s) Information (repeat as necessary) #1 -->
        <component typeCode="COMP">
            <substanceAdministration classCode="SBADM" moodCode="EVN">
                <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
                <consumable typeCode="CSM">
                    <instanceOfKind classCode="INST">
                        <kindOfProduct classCode="MMAT" determinerCode="KIND">
                            <code code="G.k.2.1.1b" codeSystem="TBD-MPID" codeSystemVersion="G.k.2.1.1a"/>
                            <!-- G.k.2.1.1a: MPID Version Date / Number #1 -->
                            <!-- G.k.2.1.1b: Medicinal Product Identifier (MPID) #1 -->
                            <name>G.k.2.2</name>
                            <!-- G.k.2.2: Medicinal Product Name as Reported by the Primary Source #1 -->
                            <asManufacturedProduct classCode="MANU">
                                <subjectOf typeCode="SBJ">
                                    <approval classCode="CNTRCT" moodCode="EVN">
                                        <id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
                                        <!-- G.k.3.1: Authorisation / Application Number #1 -->
                                        <holder typeCode="HLD">
                                            <role classCode="HLD">
                                                <playingOrganization classCode="ORG" determinerCode="INSTANCE">
                                                    <name>G.k.3.3</name>
                                                    <!-- G.k.3.3: Name of Holder / Applicant #1 -->
                                                </playingOrganization>
                                            </role>
                                        </holder>
                                    </approval>
                                <author typeCode="AUT">
                                    <territorialAuthority classCode="TERR">
                                        <territory classCode="NAT" determinerCode="INSTANCE">
                                            <code code="G.k.3.2" codeSystem="1.0.3166.1.2.2"/>
                                            <!-- G.k.3.2: Country of Authorisation / Application #1 -->
                                        </territory>
                                    </territorialAuthority>
                                </author>
                            <pertinentInformation typeCode="PERT">
                                <policy classCode="POLICY" moodCode="EVN">
                                    <code code="J2.5.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.4">
                                        <!-- @@@J2.5.k: 一般用医薬品等のリスク区分等 #1 -->
                                    </policy>
                                </pertinentInformation>
                            </approval>
                        </kindOfProduct>
                    </consumable>
                </substanceAdministration>
            </component>
        </organizer>
    </subjectOf2>

```

```

        </subjectOf>
        <subjectOf typeCode="SBJ">
            <characteristic classCode="OBS" moodCode="EVN">
                <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10">
                    <value xsi:type="CE" code="J2.4.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.
codeSystemVersion="1.0" displayName="新医薬品等の状況区分"/>
2.1.3" codeSystemVersion="1.1"/>
                    <!-- @@J2.4.k: 新医薬品等の状況区分 #1 -->
                </characteristic>
            </subjectOf>
        </asManufacturedProduct>
        <asSpecializedKind classCode="GEN">
            <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                <code>
                    <originalText>J2.12</originalText>
                    <!-- @@J2.12: 治験成分記号 -->
                </code>
            </generalizedMaterialKind>
        </asSpecializedKind>
        <ingredient classCode="ACTI">
            <quantity>
                <numerator value="10" unit="G.k.2.3.r.3b"/>
                <!-- G.k.2.3.r.3a: Strength (number) #1-1 -->
                <!-- G.k.2.3.r.3b: Strength (unit) #1-1 -->
                <denominator value="1"/>
            </quantity>
            <ingredientSubstance classCode="MMAT" determinerCode="KIND">
                <code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.
2a"/>
                <!-- G.k.2.3.r.2a: Substance / Specified Substance TermID Version Date / Number
#1-1 -->
                <!-- G.k.2.3.r.2b: Substance / Specified Substance TermID #1-1 -->
                <name>G.k.2.3.r.1</name>
                <!-- G.k.2.3.r.1: Substance / Specified Substance Name #1-1 -->
            </ingredientSubstance>
        </ingredient>
        <ingredient classCode="ACTI">
            <quantity>
                <numerator value="10" unit="G.k.2.3.r.3b"/>
                <!-- G.k.2.3.r.3a: Strength (number) #1-2 -->
                <!-- G.k.2.3.r.3b: Strength (unit) #1-2 -->
                <denominator value="1"/>
            </quantity>
            <ingredientSubstance classCode="MMAT" determinerCode="KIND">
                <code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.
2a"/>
                <!-- G.k.2.3.r.2a: Substance / Specified Substance TermID Version Date / Number
#1-2 -->
                <!-- G.k.2.3.r.2b: Substance / Specified Substance TermID #1-2 -->
                <name>G.k.2.3.r.1</name>
                <!-- G.k.2.3.r.1: Substance / Specified Substance Name #1-2 -->
            </ingredientSubstance>
        </ingredient>
    </kindOfProduct>
    <subjectOf typeCode="SBJ">
        <productEvent classCode="ACT" moodCode="EVN">
            <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.18" codeSystemVersion="1.0"
displayName="retailSupply"/>
            <performer typeCode="PRF">
                <assignedEntity classCode="ASSIGNED">
                    <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                        <addr>
                            <country>G.k.2.4</country>
                            <!-- G.k.2.4: Identification of the Country Where the Drug Was
Obtained #1 -->
                        </addr>
                    </representedOrganization>
                </assignedEntity>
            </performer>
        </productEvent>
    </subjectOf>
    <subjectOf typeCode="SBJ">
        <observationEvent classCode="OBS" moodCode="EVN">
            <code code="2" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.
0" displayName="一般用医薬品の入手経路"/>
            <value xsi:type="CE" code="J2.6.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.5"
codeSystemVersion="1.1"/>
                    <!-- @@J2.6.k: 一般用医薬品の入手経路 #1 -->
            </observationEvent>
        </subjectOf>
        <instanceOfKind>
        </consumable>
    <outboundRelationship1 typeCode="SAS">
        <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>

```

```

Event (number) Drug #1, Reaction #1 -->
Event (unit) Drug #1, Reaction #1 -->

Drug #1, Reaction #1 -->
Drug #1, Reaction #1 -->

Event (number) Drug #1, Reaction #2 -->
Event (unit) Drug #1, Reaction #2 -->

Drug #1, Reaction #2 -->
Drug #1, Reaction #2 -->

Event (number) Drug #1, Reaction #3 -->
Event (unit) Drug #1, Reaction #3 -->

Drug #1, Reaction #3 -->
Drug #1, Reaction #3 -->

Event (number) Drug #1, Reaction #4 -->
Event (unit) Drug #1, Reaction #4 -->

Drug #1, Reaction #4 -->
Drug #1, Reaction #4 -->

Event (number) Drug #1, Reaction #5 -->
Event (unit) Drug #1, Reaction #5 -->

```

<!-- G. k. 9. i. 3. 1a: Time Interval between Beginning of Drug Administration and Start of Reaction /

<!-- G. k. 9. i. 3. 1b: Time Interval between Beginning of Drug Administration and Start of Reaction /

<actReference classCode="OBS" moodCode="EVN">

<id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAE">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 2b"/>

<!-- G. k. 9. i. 3. 2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)

<!-- G. k. 9. i. 3. 2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

<actReference classCode="OBS" moodCode="EVN">

<id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAS">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 1b"/>

<!-- G. k. 9. i. 3. 1a: Time Interval between Beginning of Drug Administration and Start of Reaction /

<!-- G. k. 9. i. 3. 1b: Time Interval between Beginning of Drug Administration and Start of Reaction /

<actReference classCode="OBS" moodCode="EVN">

<id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAE">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 2b"/>

<!-- G. k. 9. i. 3. 2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)

<!-- G. k. 9. i. 3. 2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

<actReference classCode="OBS" moodCode="EVN">

<id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAS">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 1b"/>

<!-- G. k. 9. i. 3. 1a: Time Interval between Beginning of Drug Administration and Start of Reaction /

<!-- G. k. 9. i. 3. 1b: Time Interval between Beginning of Drug Administration and Start of Reaction /

<actReference classCode="OBS" moodCode="EVN">

<id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAE">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 2b"/>

<!-- G. k. 9. i. 3. 2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)

<!-- G. k. 9. i. 3. 2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

<actReference classCode="OBS" moodCode="EVN">

<id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAS">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 1b"/>

<!-- G. k. 9. i. 3. 1a: Time Interval between Beginning of Drug Administration and Start of Reaction /

<!-- G. k. 9. i. 3. 1b: Time Interval between Beginning of Drug Administration and Start of Reaction /

<actReference classCode="OBS" moodCode="EVN">

<id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAE">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 2b"/>

<!-- G. k. 9. i. 3. 2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)

<!-- G. k. 9. i. 3. 2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

<actReference classCode="OBS" moodCode="EVN">

<id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>

</actReference>

</outboundRelationship1>

<outboundRelationship1 typeCode="SAS">

<pauseQuantity value="10" unit="G. k. 9. i. 3. 1b"/>

<!-- G. k. 9. i. 3. 1a: Time Interval between Beginning of Drug Administration and Start of Reaction /

<!-- G. k. 9. i. 3. 1b: Time Interval between Beginning of Drug Administration and Start of Reaction /

```

<actReference classCode="OBS" moodCode="EVN">
    <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #1, Reaction #5 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

Drug #1, Reaction #5 -->
<actReference classCode="OBS" moodCode="EVN">
    <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
    <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
    <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #1, Reaction #6 -->
    <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)

Event (unit) Drug #1, Reaction #6 -->
<actReference classCode="OBS" moodCode="EVN">
    <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #1, Reaction #6 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

Drug #1, Reaction #6 -->
<actReference classCode="OBS" moodCode="EVN">
    <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
    <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
    <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #1, Reaction #7 -->
    <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)

Event (unit) Drug #1, Reaction #7 -->
<actReference classCode="OBS" moodCode="EVN">
    <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #1, Reaction #7 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

Drug #1, Reaction #7 -->
<actReference classCode="OBS" moodCode="EVN">
    <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
    <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
    <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction /
Event (number) Drug #1, Reaction #8 -->
    <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)

Event (unit) Drug #1, Reaction #8 -->
<actReference classCode="OBS" moodCode="EVN">
    <id root="a15be092-8070-426d-af04-6863263443e0"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
    <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
    <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
Drug #1, Reaction #8 -->
    <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)

Drug #1, Reaction #8 -->
<actReference classCode="OBS" moodCode="EVN">
    <id root="a15be092-8070-426d-af04-6863263443e0"/>
</actReference>
</outboundRelationship1>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="6" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="blinded"/>
        <value xsi:type="BL" value="true"/>
        <!-- G.k.2.5: Investigational Product Blinded #1 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-1 -->

```

```

<substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G. k. 4. r.8</text>
    <!-- G. k. 4. r. 8: Dosage Text #1-1 -->
    <effectiveTime xsi:type="SXP_TS">
        <comp xsi:type="PIVL_TS">
            <period value="10" unit="G. k. 4. r. 3"/>
            <!-- G. k. 4. r. 2: Number of Units in the Interval #1-1 -->
            <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #1-1 -->
        </comp>
        <comp xsi:type="IVL_TS" operator="A">
            <low value="20090101"/>
            <!-- G. k. 4. r. 4: Date and Time of Start of Drug #1-1 -->
            <high value="20090101"/>
            <!-- G. k. 4. r. 5: Date and Time of Last Administration #1-1 -->
        </comp>
        <comp xsi:type="IVL_TS" operator="A">
            <width value="4" unit="G. k. 4. r. 6b"/>
            <!-- G. k. 4. r. 6a: Duration of Drug Administration (number) #1-1 -->
            <!-- G. k. 4. r. 6b: Duration of Drug Administration (unit) #1-1 -->
        </comp>
    </effectiveTime>
    <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14"
codeSystemVersion="G. k. 4. r. 10. 2a">
    <!-- G. k. 4. r. 10. 2a: Route of Administration TermID Version Date / Number #1-1 -->
    <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #1-1 -->
    <originalText>G. k. 4. r. 10. 1</originalText>
    <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #1-1 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #1-1 -->
<!-- G. k. 4. r. 1b: Dose (unit) #1-1 -->
<consumable typeCode="CSM">
    <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
            <lotNumberText>G. k. 4. r. 7</lotNumberText>
            <!-- G. k. 4. r. 7: Batch / Lot Number #1-1 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
            <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #1-1 -->
                <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #1-1 -->
                <originalText>G. k. 4. r. 9. 1</originalText>
                <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #1-1 -->
            </formCode>
        </kindOfProduct>
    </instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
        <value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1.
14" codeSystemVersion="G. k. 4. r. 11. 2a">
            <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number #1-1 -->
            <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #1-1 -->
            <originalText>G. k. 4. r. 11. 1</originalText>
            <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #1-1 -->
        </value>
    </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #1-2 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r.8</text>
        <!-- G. k. 4. r. 8: Dosage Text #1-2 -->
        <effectiveTime xsi:type="SXP_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #1-2 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #1-2 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #1-2 -->
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #1-2 -->
            </comp>
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14"
codeSystemVersion="G. k. 4. r. 10. 2a">
            <!-- G. k. 4. r. 10. 2a: Route of Administration TermID Version Date / Number #1-1 -->
            <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #1-1 -->
            <originalText>G. k. 4. r. 10. 1</originalText>
            <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #1-1 -->
        </routeCode>
    </substanceAdministration>

```

```

codeSystemVersion="G. k. 4. r. 10. 2a">
    <!-- G. k. 4. r. 10. 2a: Route of Administration TermID Version Date / Number #1-2 -->
    <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #1-2 -->
    <originalText>G. k. 4. r. 10. 1</originalText>
    <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #1-2 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #1-2 -->
<!-- G. k. 4. r. 1b: Dose (unit) #1-2 -->
<consumable typeCode="CSM">
    <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
            <lotNumberText>G. k. 4. r. 7</lotNumberText>
            <!-- G. k. 4. r. 7: Batch / Lot Number #1-2 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
            <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #1-2
-->
                <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID Version Date / Number #1-2 -->
                <originalText>G. k. 4. r. 9. 1</originalText>
                <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #1-2 -->
            </formCode>
        </kindOfProduct>
    </instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
        <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
14" codeSystemVersion="G. k. 4. r. 11. 2a">
            <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#1-2 -->
            <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #1-2 -->
            <originalText>G. k. 4. r. 11. 1</originalText>
            <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #1-2 -->
            <value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1.
#1-2 -->
            <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#1-2 -->
            <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #1-2 -->
            <originalText>G. k. 4. r. 11. 1</originalText>
            <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #1-2 -->
            <value>
                <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #1-2 -->
                <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #1-2 -->
                <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #1-2 -->
                <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #1-2 -->
            </value>
        </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #1-3 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #1-3 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #1-3 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #1-3 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #1-3 -->
                <width value="4" unit="G. k. 4. r. 6b"/>
                <!-- G. k. 4. r. 6a: Duration of Drug Administration (number) #1-3 -->
                <!-- G. k. 4. r. 6b: Duration of Drug Administration (unit) #1-3 -->
            </comp>
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14"
codeSystemVersion="G. k. 4. r. 10. 2a">
            <!-- G. k. 4. r. 10. 2a: Route of Administration TermID Version Date / Number #1-3 -->
            <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #1-3 -->
            <originalText>G. k. 4. r. 10. 1</originalText>
            <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #1-3 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #1-3 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #1-3 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G. k. 4. r. 7</lotNumberText>
                    <!-- G. k. 4. r. 7: Batch / Lot Number #1-3 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                        <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #1-3
-->
                        <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #1-3 -->
                    </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
    </substanceAdministration>
</outboundRelationship2>

```

```

        <originalText>G. k. 4. r. 9.1</originalText>
        <!-- G. k. 4. r. 9.1: Pharmaceutical Dose Form (free text) #1-3 -->
    </formCode>
    </kindOfProduct>
    </instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
        <!-- G. k. 4. r. 11.2a: Parent Route of Administration TermID Version Date / Number
#1-3 -->
        <!-- G. k. 4. r. 11.2b: Parent Route of Administration TermID #1-3 -->
        <originalText>G. k. 4. r. 11.1</originalText>
        <!-- G. k. 4. r. 11.1: Parent Route of Administration (free text) #1-3 -->
        </value>
    </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4.r: Dosage and Relevant Information (repeat as necessary) #1-4 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4.r.8: Dosage Text #1-4 -->
        <effectiveTime xsi:type="SXPR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #1-4 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #1-4 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <width value="4" unit="G. k. 4. r. 6b"/>
                <!-- G. k. 4. r. 6a: Duration of Drug Administration (number) #1-4 -->
                <!-- G. k. 4. r. 6b: Duration of Drug Administration (unit) #1-4 -->
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #1-4 -->
            </comp>
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14"
codeSystemVersion="G. k. 4. r. 10. 2a">
            <!-- G. k. 4. r. 10.2a: Route of Administration TermID Version Date / Number #1-4 -->
            <!-- G. k. 4. r. 10.2b: Route of Administration TermID #1-4 -->
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-4 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #1-4 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #1-4 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G. k. 4. r. 7</lotNumberText>
                    <!-- G. k. 4. r. 7: Batch / Lot Number #1-4 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                        <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #1-4
-->
                        <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #1-4 -->
                        <originalText>G. k. 4. r. 9.1</originalText>
                        <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #1-4 -->
                    </formCode>
                    </kindOfProduct>
                </instanceOfKind>
            </consumable>
            <inboundRelationship typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
                    <!-- G. k. 4. r. 11.2a: Parent Route of Administration TermID Version Date / Number
#1-4 -->
                    <!-- G. k. 4. r. 11.2b: Parent Route of Administration TermID #1-4 -->
                    <originalText>G. k. 4. r. 11.1</originalText>
                    <!-- G. k. 4. r. 11.1: Parent Route of Administration (free text) #1-4 -->
                    </value>
                </observation>
            </inboundRelationship>
        </substanceAdministration>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4.r: Dosage and Relevant Information (repeat as necessary) #1-5 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4.r.8</text>
        <!-- G. k. 4.r.8: Dosage Text #1-5 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- G. k. 4.r.4: Date and Time of Start of Drug #1-5 -->
                <high value="20090101"/>
                <!-- G. k. 4.r.5: Date and Time of Last Administration #1-5 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <width value="4" unit="G. k. 4.r.6b"/>
                <!-- G. k. 4.r.6a: Duration of Drug Administration (number) #1-5 -->
                <!-- G. k. 4.r.6b: Duration of Drug Administration (unit) #1-5 -->
            </comp>
        </effectiveTime>
    <routeCode code="G. k. 4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G. k. 4.r.10.2a">
        <!-- G. k. 4.r.10.2a: Route of Administration TermID Version Date / Number #1-5 -->
        <!-- G. k. 4.r.10.2b: Route of Administration TermID #1-5 -->
        <originalText>G. k. 4.r.10.1</originalText>
        <!-- G. k. 4.r.10.1: Route of Administration (free text) #1-5 -->
    </routeCode>
    <doseQuantity value="10" unit="G. k. 4.r.1b"/>
    <!-- G. k. 4.r.1a Dose (number) #1-5 -->
    <!-- G. k. 4.r.1b: Dose (unit) #1-5 -->
    <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
            <productInstance classCode="MMAT" determinerCode="INSTANCE">
                <lotNumberText>G. k. 4.r.7</lotNumberText>
                <!-- G. k. 4.r.7: Batch / Lot Number #1-5 -->
            </productInstance>
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <formCode code="G. k. 4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.r.9.2a">
                    <!-- G. k. 4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-5 -->
                    <!-- G. k. 4.r.9.2b: Pharmaceutical Dose Form TermID #1-5 -->
                    <originalText>G. k. 4.r.9.1</originalText>
                    <!-- G. k. 4.r.9.1: Pharmaceutical Dose Form (free text) #1-5 -->
                </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
                <value xsi:type="CE" code="G. k. 4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G. k. 4.r.11.2a">
                    <!-- G. k. 4.r.11.2a: Parent Route of Administration TermID Version Date / Number #1-5 -->
                    <!-- G. k. 4.r.11.2b: Parent Route of Administration TermID #1-5 -->
                    <originalText>G. k. 4.r.11.1</originalText>
                    <!-- G. k. 4.r.11.1: Parent Route of Administration (free text) #1-5 -->
                </value>
            </observation>
        </inboundRelationship>
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4.r: Dosage and Relevant Information (repeat as necessary) #1-6 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4.r.8</text>
        <!-- G. k. 4.r.8: Dosage Text #1-6 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4.r.3"/>
                <!-- G. k. 4.r.2: Number of Units in the Interval #1-6 -->
                <!-- G. k. 4.r.3: Definition of the Time Interval Unit #1-6 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G. k. 4.r.4: Date and Time of Start of Drug #1-6 -->
                <width value="4" unit="G. k. 4.r.6b"/>
                <!-- G. k. 4.r.6a: Duration of Drug Administration (number) #1-6 -->
                <!-- G. k. 4.r.6b: Duration of Drug Administration (unit) #1-6 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20090101"/>
                <!-- G. k. 4.r.5: Date and Time of Last Administration #1-6 -->

```

```

        </comp>
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
        <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-6 -->
        <!-- G.k.4.r.10.2b: Route of Administration TermID #1-6 -->
        <originalText>G.k.4.r.10.1</originalText>
        <!-- G.k.4.r.10.1: Route of Administration (free text) #1-6 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #1-1 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-1 -->
    <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
            <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                <lotNumberText>G.k.4.r.7</lotNumberText>
                <!-- G.k.4.r.7: Batch / Lot Number #1-1 -->
            </productInstanceInstance>
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.>
                    <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-6 -->
                    <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-6 -->
                    <originalText>G.k.4.r.9.1</originalText>
                    <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-6 -->
                </formCode>
            </kindOfProduct>
        </instanceOfKind>
    </consumable>
    <inboundRelationship typeCode="REFR">
        <observation classCode="OBS" moodCode="EVN">
            <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" displayName="parentRouteOfAdministration"/>
            <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number #1-6 -->
            <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #1-6 -->
            <originalText>G.k.4.r.11.1</originalText>
            <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #1-6 -->
        </value>
    </observation>
    </inboundRelationship>
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-7 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #1-7 -->
        <effectiveTime xsi:type="SXR_PTS">
            <comp xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- G.k.4.r.4: Date and Time of Start of Drug #1-7 -->
                <width value="4" unit="G.k.4.r.6b"/>
                <!-- G.k.4.r.6a: Duration of Drug Administration (number) #1-7 -->
                <!-- G.k.4.r.6b: Duration of Drug Administration (unit) #1-7 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20090101"/>
                <!-- G.k.4.r.5: Date and Time of Last Administration #1-7 -->
            </comp>
        </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
        <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #1-7 -->
        <!-- G.k.4.r.10.2b: Route of Administration TermID #1-7 -->
        <originalText>G.k.4.r.10.1</originalText>
        <!-- G.k.4.r.10.1: Route of Administration (free text) #1-7 -->
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <!-- G.k.4.r.1a Dose (number) #1-7 -->
    <!-- G.k.4.r.1b: Dose (unit) #1-7 -->
    <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
            <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                <lotNumberText>G.k.4.r.7</lotNumberText>
                <!-- G.k.4.r.7: Batch / Lot Number #1-1 -->
            </productInstanceInstance>
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.>
                    <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #1-7 -->
                    <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #1-7 -->
                    <originalText>G.k.4.r.9.1</originalText>
                    <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #1-6 -->
                </formCode>
            </kindOfProduct>
        </instanceOfKind>
    </consumable>
</outboundRelationship2>

```

```

-->
    <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #1-7 -->
    <originalText>G. k. 4. r. 9. 1</originalText>
    <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #1-7 -->
    </formCode>
    </kindOfProduct>
    </instanceOfKind>
    </consumable>
    <inboundRelationship typeCode="REFR">
        <observation classCode="OBS" moodCode="EVN">
            <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                <value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G. k. 4. r. 11. 2a">
                    <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number #1-7 -->
                    <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #1-7 -->
                    <originalText>G. k. 4. r. 11. 1</originalText>
                    <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #1-7 -->
                    </value>
                </observation>
            </inboundRelationship>
        </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="SUMM">
        <observation classCode="OBS" moodCode="EVN">
            <code code="14" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                <value xsi:type="PQ" value="10" unit="G. k. 5b"/>
                <!-- G. k. 5a: Cumulative Dose to First Reaction (number) #1 -->
                <!-- G. k. 5b: Cumulative Dose to First Reaction (unit) #1 -->
            </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                <value xsi:type="PQ" value="10" unit="G. k. 6b"/>
                <!-- G. k. 6a: Gestation Period at Time of Exposure (number) #1 -->
                <!-- G. k. 6b: Gestation Period at Time of Exposure (unit) #1 -->
            </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="PERT">
        <observation classCode="OBS" moodCode="EVN">
            <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="2.0"/>
                <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #1, Reaction #1 -->
                <outboundRelationship1 typeCode="REFR">
                    <actReference classCode="OBS" moodCode="EVN">
                        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
                    </actReference>
                </outboundRelationship1>
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="PERT">
            <observation classCode="OBS" moodCode="EVN">
                <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                    <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="2.0"/>
                    <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #1, Reaction #2 -->
                    <outboundRelationship1 typeCode="REFR">
                        <actReference classCode="OBS" moodCode="EVN">
                            <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
                        </actReference>
                    </outboundRelationship1>
                </observation>
            </outboundRelationship2>
            <outboundRelationship2 typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                        <value xsi:type="CE" code="G. k. 10. r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17" codeSystemVersion="2.0"/>
                        <!-- G. k. 10. r: Additional Information on Drug (coded) (repeat as necessary) #1-1 -->
                    </observation>
                </outboundRelationship2>
                <outboundRelationship2 typeCode="REFR">
                    <observation classCode="OBS" moodCode="EVN">
                        <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                            <value xsi:type="CE" code="G. k. 10. r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17" codeSystemVersion="2.0"/>
                            <!-- G. k. 10. r: Additional Information on Drug (coded) (repeat as necessary) #1-1 -->
                        </observation>
                    </outboundRelationship2>
                </outboundRelationship2>
            </outboundRelationship2>
        </outboundRelationship2>
    </outboundRelationship2>

```

```

codeSystemVersion="2.0"/>
    <!-- G.k.10.r: Additional Information on Drug (coded) (repeat as necessary) #1-2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="additionalInformation"/>
            <value xsi:type="ST">G.k.11</value>
            <!-- G.k.11: Additional Information on Drug (free text) #1 -->
        </observation>
</outboundRelationship2>
<inboundRelationship typeCode="RSON">
    <observation classCode="OBS" moodCode="EVN">
        <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
            <value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="1.0"
"G.k.7.r.2a">
                <!-- G.k.7.r.2a: MedDRA Version for Indication #1-1 -->
                <!-- G.k.7.r.2b: Indication (MedDRA code) #1-1 -->
                <originalText>G.k.7.r.1</originalText>
                <!-- G.k.7.r.1: Indication as Reported by the Primary Source #1-1 -->
            </value>
            <performer typeCode="PRF">
                <assignedEntity classCode="ASSIGNED">
                    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"
displayName="sourceReporter"/>
                    </assignedEntity>
                </performer>
            </observation>
</inboundRelationship>
<inboundRelationship typeCode="RSON">
    <observation classCode="OBS" moodCode="EVN">
        <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
            <value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="1.0"
"G.k.7.r.2a">
                <!-- G.k.7.r.2a: MedDRA Version for Indication #1-2 -->
                <!-- G.k.7.r.2b: Indication (MedDRA code) #1-2 -->
                <originalText>G.k.7.r.1</originalText>
                <!-- G.k.7.r.1: Indication as Reported by the Primary Source #1-2 -->
            </value>
            <performer typeCode="PRF">
                <assignedEntity classCode="ASSIGNED">
                    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"
displayName="sourceReporter"/>
                    </assignedEntity>
                </performer>
            </observation>
</inboundRelationship>
<inboundRelationship typeCode="CAUS">
    <act classCode="ACT" moodCode="EVN">
        <code code="G.k.8" codeSystem="2.16.840.1.113883.3.989.2.1.1.15" codeSystemVersion="2.0"/>
        <!-- G.k.8: Action(s) Taken with Drug #1 -->
    </act>
</inboundRelationship>
</substanceAdministration>
</component>
<!-- G.k. Drug(s) Information (repeat as necessary) #2 -->
<component typeCode="COMP">
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <code code="G.k.2.1.2b" codeSystem="TBD-PhPID" codeSystemVersion="G.k.2.1.2a"/>
                    <!-- G.k.2.1.2a: PhPID Version Date / Number #2 -->
                    <!-- G.k.2.1.2b: Pharmaceutical Product Identifier (PhPID) #2 -->
                    <name>G.k.2.2</name>
                    <!-- G.k.2.2: Medicinal Product Name as Reported by the Primary Source #2 -->
                    <asManufacturedProduct classCode="MANU">
                        <subjectOf typeCode="SBJ">
                            <approval classCode="CNTRCT" moodCode="EVN">
                                <id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
                                <!-- G.k.3.1: Authorisation / Application Number #2 -->
                                <holder typeCode="HLD">
                                    <role classCode="HLD">
                                        <playingOrganization classCode="ORG" determinerCode="INSTANCE">
                                            <name>G.k.3.3</name>
                                            <!-- G.k.3.3: Name of Holder / Applicant #2 -->
                                        </playingOrganization>
                                    </role>
                                </holder>
                            <author typeCode="AUT">

```

```

<territorialAuthority classCode="TERR">
    <territory classCode="NAT" determinerCode="INSTANCE">
        <code code="G. k. 3. 2" codeSystem="1.0.3166.1.2.2"/>
        <!-- G. k. 3.2: Country of Authorisation / Application #2 -->
    </territory>
    </territorialAuthority>
</author>
<pertinentInformation typeCode="PERT">
    <policy classCode="POLICY" moodCode="EVN">
        <code code="J2.5.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.4">
            <!-- @@J2.5.k: 一般用医薬品等のリスク区分等 #2 -->
        </policy>
    </pertinentInformation>
</approval>
</subjectOf>
<subjectOf typeCode="SBJ">
    <characteristic classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10">
            <!-- @@J2.4.k: 新医薬品等の状況区分 #2 -->
        </characteristic>
    </subjectOf>
</asManufacturedProduct>
<ingredient classCode="ACTI">
    <quantity>
        <numerator value="10" unit="G. k. 2.3.r.3b"/>
        <!-- G. k. 2.3.r.3a: Strength (number) #2-1 -->
        <!-- G. k. 2.3.r.3b: Strength (unit) #2-1 -->
        <denominator value="1"/>
    </quantity>
    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <code code="G. k. 2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G. k. 2.3.r.2a"/>
        <!-- G. k. 2.3.r.2a: Substance / Specified Substance TermID Version Date / Number #2-1 -->
        <!-- G. k. 2.3.r.2b Substance / Specified Substance TermID #2-1 -->
        <name>G. k. 2.3.r.1</name>
        <!-- G. k. 2.3.r.1: Substance / Specified Substance Name #2-1 -->
    </ingredientSubstance>
</ingredient>
<ingredient classCode="ACTI">
    <quantity>
        <numerator value="10" unit="G. k. 2.3.r.3b"/>
        <!-- G. k. 2.3.r.3a: Strength (number) #2-2 -->
        <!-- G. k. 2.3.r.3b: Strength (unit) #2-2 -->
        <denominator value="1"/>
    </quantity>
    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <code code="G. k. 2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G. k. 2.3.r.2a"/>
        <!-- G. k. 2.3.r.2a: Substance / Specified Substance TermID Version Date/Number #2-2 -->
        <!-- G. k. 2.3.r.2b Substance / Specified Substance TermID #2-2 -->
        <name>G. k. 2.3.r.1</name>
        <!-- G. k. 2.3.r.1: Substance / Specified Substance Name #2-2 -->
    </ingredientSubstance>
</ingredient>
</kindOfProduct>
<subjectOf typeCode="SBJ">
    <productEvent classCode="ACT" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.18" codeSystemVersion="1.0" displayName="retailSupply"/>
        <performer typeCode="PRF">
            <assignedEntity classCode="ASSIGNED">
                <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                    <addr>
                        <country>G. k. 2.4</country>
                        <!-- G. k. 2.4: Identification of the Country Where the Drug Was Obtained #2 -->
                    </addr>
                </representedOrganization>
            </assignedEntity>
        </performer>
    </productEvent>
</subjectOf>
<subjectOf typeCode="SBJ">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="一般用医薬品の入手経路"/>
        <value xsi:type="CE" code="J2.6.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.5" codeSystemVersion="1.1"/>

```

```

<!-- @@J2.6.k: 一般用医薬品の入手経路 #2 -->
</observationEvent>
</subjectOf>
</instanceOfKind>
</consumable>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <actReference classCode="OBS" moodCode="EVN">
    <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
<actReference classCode="OBS" moodCode="EVN">
  <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <actReference classCode="OBS" moodCode="EVN">
    <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
<actReference classCode="OBS" moodCode="EVN">
  <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <actReference classCode="OBS" moodCode="EVN">
    <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAF">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
<actReference classCode="OBS" moodCode="EVN">
  <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / 
  <actReference classCode="OBS" moodCode="EVN">
    <id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
  </actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number)
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
<actReference classCode="OBS" moodCode="EVN">
  <id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
</actReference>

```

```

</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number) Drug #2, Reaction #5 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit) Drug #2, Reaction #5 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number) Drug #2, Reaction #5 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit) Drug #2, Reaction #5 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number) Drug #2, Reaction #6 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit) Drug #2, Reaction #6 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number) Drug #2, Reaction #6 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit) Drug #2, Reaction #6 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number) Drug #2, Reaction #7 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit) Drug #2, Reaction #7 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number) Drug #2, Reaction #7 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit) Drug #2, Reaction #7 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
  <pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
  <!-- G.k.9.i.3.1a: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number) Drug #2, Reaction #8 -->
  <!-- G.k.9.i.3.1b: Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit) Drug #2, Reaction #8 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="a15be092-8070-426d-af04-6863263443e0"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
  <pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
  <!-- G.k.9.i.3.2a: Time Interval between Last Dose of Drug and Start of Reaction / Event (number) Drug #2, Reaction #8 -->
  <!-- G.k.9.i.3.2b: Time Interval between Last Dose of Drug and Start of Reaction / Event (unit) Drug #2, Reaction #8 -->
<actReference classCode="OBS" moodCode="EVN">
  <id root="a15be092-8070-426d-af04-6863263443e0"/>
</actReference>
</outboundRelationship1>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="6" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
```

```

displayName="blinded"/>
    <value xsi:type="BL" value="true"/>
    <!-- G. k. 2.5: Investigational Product Blinded #2 -->
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r : Dosage and Relevant Information (repeat as necessary) #2-1 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r.8</text>
        <!-- G. k. 4. r.8: Dosage Text #2-1 -->
        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- G. k. 4. r.4: Date and Time of Start of Drug #2-1 -->
            <high value="20090101"/>
            <!-- G. k. 4. r.5: Date and Time of Last Administration #2-1 -->
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G. k. 4. r. 10. 2a">
            <!-- G. k. 4. r. 10.2a: Route of Administration TermID Version Date / Number #2-1 -->
            <!-- G. k. 4. r. 10.2b: Route of Administration TermID #2-1 -->
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-1 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #2-1 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #2-1 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G. k. 4. r. 7</lotNumberText>
                    <!-- G. k. 4. r. 7: Batch / Lot Number #2-1 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4. r. 9. 2a">
                        <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-1 -->
                        <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-1 -->
                        <originalText>G. k. 4. r. 9.1</originalText>
                        <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-1 -->
                    </formCode>
                    </kindOfProduct>
                </instanceOfKind>
            </consumable>
            <inboundRelationship typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" codeSystemVersion="G. k. 4. r. 11. 2a">
                        <!-- G. k. 4. r. 11.2a: Parent Route of Administration TermID Version Date / Number #2-1 -->
                        <!-- G. k. 4. r. 11.2b: Parent Route of Administration TermID #2-1 -->
                        <originalText>G. k. 4. r. 11.1</originalText>
                        <!-- G. k. 4. r. 11.1: Parent Route of Administration (free text) #2-1 -->
                    </value>
                </observation>
            </inboundRelationship>
        </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="COMP">
        <!-- G. k. 4. r : Dosage and Relevant Information (repeat as necessary) #2-2 -->
        <substanceAdministration classCode="SBADM" moodCode="EVN">
            <text>G. k. 4. r.8</text>
            <!-- G. k. 4. r.8: Dosage Text #2-2 -->
            <effectiveTime xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- G. k. 4. r.4: Date and Time of Start of Drug #2-2 -->
                <width value="4" unit="G. k. 4. r. 6b"/>
                <!-- G. k. 4. r.6a: Duration of Drug Administration (number) #2-2 -->
                <!-- G. k. 4. r. 6b: Duration of Drug Administration (unit) #2-2 -->
            </effectiveTime>
            <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G. k. 4. r. 10. 2a">
                <!-- G. k. 4. r. 10.2a: Route of Administration TermID Version Date / Number #2-2 -->
                <!-- G. k. 4. r. 10.2b: Route of Administration TermID #2-2 -->
                <originalText>G. k. 4. r. 10.1</originalText>
                <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-2 -->
            </routeCode>
            <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
            <!-- G. k. 4. r. 1a Dose (number) #2-2 -->
            <!-- G. k. 4. r. 1b: Dose (unit) #2-2 -->
            <consumable typeCode="CSM">
                <instanceOfKind classCode="INST">

```

```

<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
    <lotNumberText>G. k. 4. r. 7</lotNumberText>
    <!-- G. k. 4. r. 7: Batch / Lot Number #2-2 -->
</productInstanceInstance>
<kindOfProduct classCode="MMAT" determinerCode="KIND">
    <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
        <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-2
-->
        <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-2 -->
        <originalText>G. k. 4. r. 9. 1</originalText>
        <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-2 -->
    </formCode>
    </kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
        <value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1.
14" codeSystemVersion="G. k. 4. r. 11. 2a">
            <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-2 -->
            <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-2 -->
            <originalText>G. k. 4. r. 11. 1</originalText>
            <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-2 -->
        </value>
    </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-3 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #2-3 -->
        <effectiveTime xsi:type="IVL_TS">
            <width value="4" unit="G. k. 4. r. 6b"/>
            <!-- G. k. 4. r. 6a: Duration of Drug Administration (number) #2-3 -->
            <!-- G. k. 4. r. 6b: Duration of Drug Administration (unit) #2-3 -->
            <high value="20090101"/>
            <!-- G. k. 4. r. 5: Date and Time of Last Administration #2-3 -->
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14"
codeSystemVersion="G. k. 4. r. 10. 2a">
            <!-- G. k. 4. r. 10. 2a: Route of Administration TermID Version Date / Number #2-3 -->
            <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #2-3 -->
            <originalText>G. k. 4. r. 10. 1</originalText>
            <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #2-3 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #2-3 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #2-3 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G. k. 4. r. 7</lotNumberText>
                    <!-- G. k. 4. r. 7: Batch / Lot Number #2-3 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                        <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-3
-->
                        <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-3 -->
                        <originalText>G. k. 4. r. 9. 1</originalText>
                        <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-3 -->
                    </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
                <value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1.
14" codeSystemVersion="G. k. 4. r. 11. 2a">
                    <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-3 -->
                    <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-3 -->
                    <originalText>G. k. 4. r. 11. 1</originalText>
                    <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-3 -->
                </value>

```

```

        </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-4 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r.8</text>
        <!-- G. k. 4. r.8: Dosage Text #2-4 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r.3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #2-4 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #2-4 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #2-4 -->
            </comp>
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <!-- G. k. 4. r. 10.2a: Route of Administration TermID Version Date / Number #2-4 -->
            <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #2-4 -->
            <originalText>G. k. 4. r. 10. 1</originalText>
            <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #2-4 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #2-4 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #2-4 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G. k. 4. r. 7</lotNumberText>
                    <!-- G. k. 4. r. 7: Batch / Lot Number #2-4 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4. r. 9. 2a">
                        <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-4 -->
                        <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-4 -->
                        <originalText>G. k. 4. r. 9. 1</originalText>
                        <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-4 -->
                    </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
                <value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G. k. 4. r. 11. 2a">
                    <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number #2-4 -->
                    <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-4 -->
                    <originalText>G. k. 4. r. 11. 1</originalText>
                    <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-4 -->
                </value>
            </observation>
        </inboundRelationship>
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-5 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r.8</text>
        <!-- G. k. 4. r.8: Dosage Text #2-5 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r.3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #2-5 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #2-5 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #2-5 -->
            </comp>
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <!-- G. k. 4. r. 10.2a: Route of Administration TermID Version Date / Number #2-5 -->
            <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #2-5 -->

```

```

<originalText>G. k. 4. r. 10. 1</originalText>
<!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-5 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #2-5 -->
<!-- G. k. 4. r. 1b: Dose (unit) #2-5 -->
<consumable typeCode="CSM">
    <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
            <lotNumberText>G. k. 4. r. 7</lotNumberText>
            <!-- G. k. 4. r. 7: Batch / Lot Number #2-5 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
            <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-5
-->
                <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-5 -->
                <originalText>G. k. 4. r. 9. 1</originalText>
                <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-5 -->
            </formCode>
        </kindOfProduct>
    </instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
        <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-5 -->
        <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-5 -->
        <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-5 -->
        <originalText>G. k. 4. r. 11. 1</originalText>
        <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-5 -->
        </value>
    </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-6 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #2-6 -->
        <effectiveTime xsi:type="SXR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #2-6 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #2-6 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <width value="4" unit="G. k. 4. r. 6b"/>
                <!-- G. k. 4. r. 6a: Duration of Drug Administration (number) #2-6 -->
                <!-- G. k. 4. r. 6b: Duration of Drug Administration (unit) #2-6 -->
            </comp>
        </effectiveTime>
    <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14"
codeSystemVersion="G. k. 4. r. 10. 2a">
        <!-- G. k. 4. r. 10. 2a: Route of Administration TermID Version Date / Number #2-6 -->
        <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #2-6 -->
        <originalText>G. k. 4. r. 10. 1</originalText>
        <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #2-6 -->
    </routeCode>
    <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
    <!-- G. k. 4. r. 1a Dose (number) #2-6 -->
    <!-- G. k. 4. r. 1b: Dose (unit) #2-6 -->
    <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
            <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                <lotNumberText>G. k. 4. r. 7</lotNumberText>
                <!-- G. k. 4. r. 7: Batch / Lot Number #2-6 -->
            </productInstanceInstance>
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                    <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-6
-->
                    <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-6 -->
                    <originalText>G. k. 4. r. 9. 1</originalText>
                    <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-6 -->
                </formCode>
            </kindOfProduct>
        </instanceOfKind>

```

```

        </consumable>
        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.>
                        <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number #2-6 -->
                        <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-6 -->
                        <originalText>G.k.4.r.11.1</originalText>
                        <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-6 -->
                    </value>
                </observation>
            </inboundRelationship>
        </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="COMP">
        <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-7 -->
        <substanceAdministration classCode="SBADM" moodCode="EVN">
            <text>G.k.4.r.8</text>
            <!-- G.k.4.r.8: Dosage Text #2-7 -->
            <effectiveTime xsi:type="IVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #2-7 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #2-7 -->
            </effectiveTime>
            <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
                <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-7 -->
                <!-- G.k.4.r.10.2b: Route of Administration TermID #2-7 -->
                <originalText>G.k.4.r.10.1</originalText>
                <!-- G.k.4.r.10.1: Route of Administration (free text) #2-7 -->
            </routeCode>
            <doseQuantity value="10" unit="G.k.4.r.1b"/>
            <!-- G.k.4.r.1a Dose (number) #2-7 -->
            <!-- G.k.4.r.1b: Dose (unit) #2-7 -->
            <consumable typeCode="CSM">
                <instanceOfKind classCode="INST">
                    <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                        <lotNumberText>G.k.4.r.7</lotNumberText>
                        <!-- G.k.4.r.7: Batch / Lot Number #2-7 -->
                    </productInstanceInstance>
                    <kindOfProduct classCode="MMAT" determinerCode="KIND">
                        <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
                            <!-- G.k.4.r.9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-7 -->
                            <!-- G.k.4.r.9.2b: Pharmaceutical Dose Form TermID #2-7 -->
                            <originalText>G.k.4.r.9.1</originalText>
                            <!-- G.k.4.r.9.1: Pharmaceutical Dose Form (free text) #2-7 -->
                        </formCode>
                    </kindOfProduct>
                </instanceOfKind>
            </consumable>
        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
                    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.>
                        <!-- G.k.4.r.11.2a: Parent Route of Administration TermID Version Date / Number #2-7 -->
                        <!-- G.k.4.r.11.2b: Parent Route of Administration TermID #2-7 -->
                        <originalText>G.k.4.r.11.1</originalText>
                        <!-- G.k.4.r.11.1: Parent Route of Administration (free text) #2-7 -->
                    </value>
                </observation>
            </inboundRelationship>
        </substanceAdministration>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="COMP">
        <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #2-8 -->
        <substanceAdministration classCode="SBADM" moodCode="EVN">
            <text>G.k.4.r.8</text>
            <!-- G.k.4.r.8: Dosage Text #2-8 -->
            <effectiveTime xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- G.k.4.r.4: Date and Time of Start of Drug #2-8 -->
            </effectiveTime>
            <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
                <!-- G.k.4.r.10.2a: Route of Administration TermID Version Date / Number #2-8 -->
                <!-- G.k.4.r.10.2b: Route of Administration TermID #2-8 -->

```

```

<originalText>G. k. 4. r. 10. 1</originalText>
<!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-8 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #2-8 -->
<!-- G. k. 4. r. 1b: Dose (unit) #2-8 -->
<consumable typeCode="CSM">
    <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
            <lotNumberText>G. k. 4. r. 7</lotNumberText>
            <!-- G. k. 4. r. 7: Batch / Lot Number #2-8 -->
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
            <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-8
-->
                <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-8 -->
                <originalText>G. k. 4. r. 9. 1</originalText>
                <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-8 -->
            </formCode>
        </kindOfProduct>
    </instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
        <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-8 -->
        <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-8 -->
        <originalText>G. k. 4. r. 11. 1</originalText>
        <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-8 -->
        </value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1.
14" codeSystemVersion="G. k. 4. r. 11. 2a">
            <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-8 -->
            <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-8 -->
            <originalText>G. k. 4. r. 11. 1</originalText>
            <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-8 -->
            </value>
        </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-9 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #2-9 -->
        <effectiveTime xsi:type="IVL_TS">
            <high value="20090101"/>
            <!-- G. k. 4. r. 5: Date and Time of Last Administration #2-9 -->
        </effectiveTime>
        <routeCode code="G. k. 4. r. 10. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14"
codeSystemVersion="G. k. 4. r. 10. 2a">
            <!-- G. k. 4. r. 10. 2a: Route of Administration TermID Version Date / Number #2-9 -->
            <!-- G. k. 4. r. 10. 2b: Route of Administration TermID #2-9 -->
            <originalText>G. k. 4. r. 10. 1</originalText>
            <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #2-9 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #2-9 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #2-9 -->
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                    <lotNumberText>G. k. 4. r. 7</lotNumberText>
                    <!-- G. k. 4. r. 7: Batch / Lot Number #2-9 -->
                </productInstanceInstance>
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <formCode code="G. k. 4. r. 9. 2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.
r. 9. 2a">
                        <!-- G. k. 4. r. 9. 2a: Pharmaceutical Dose Form TermID Version Date / Number #2-9
-->
                        <!-- G. k. 4. r. 9. 2b: Pharmaceutical Dose Form TermID #2-9 -->
                        <originalText>G. k. 4. r. 9. 1</originalText>
                        <!-- G. k. 4. r. 9. 1: Pharmaceutical Dose Form (free text) #2-9 -->
                    </formCode>
                </kindOfProduct>
            </instanceOfKind>
        </consumable>
        <inboundRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="28" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 19" codeSystemVersion="1. 1"
displayName="parentRouteOfAdministration"/>
                <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-8 -->
                <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-8 -->
                <originalText>G. k. 4. r. 11. 1</originalText>
                <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-8 -->
            </value xsi:type="CE" code="G. k. 4. r. 11. 2b" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1.
14" codeSystemVersion="G. k. 4. r. 11. 2a">
                    <!-- G. k. 4. r. 11. 2a: Parent Route of Administration TermID Version Date / Number
#2-8 -->
                    <!-- G. k. 4. r. 11. 2b: Parent Route of Administration TermID #2-8 -->
                    <originalText>G. k. 4. r. 11. 1</originalText>
                    <!-- G. k. 4. r. 11. 1: Parent Route of Administration (free text) #2-8 -->
                </value>
            </observation>
        </inboundRelationship>
    </substanceAdministration>
</outboundRelationship2>

```

```

#2-9 -->
    <!-- G. k. 4.r. 11.2b: Parent Route of Administration TermID #2-9 -->
    <originalText>G. k. 4.r. 11.1</originalText>
    <!-- G. k. 4.r. 11.1: Parent Route of Administration (free text) #2-9 -->
        </value>
    </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4.r.: Dosage and Relevant Information (repeat as necessary) #2-10 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4.r.8</text>
        <!-- G. k. 4.r.8: Dosage Text #2-10 -->
        <effectiveTime xsi:type="IVL_TS">
            <width value="4" unit="G. k. 4.r. 6b"/>
        <!-- G. k. 4.r.6a: Duration of Drug Administration (number) #2-10 -->
        <!-- G. k. 4.r.6b: Duration of Drug Administration (unit) #2-10 -->
    </effectiveTime>
    <routeCode code="G. k. 4.r. 10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G. k. 4.r. 10.2a">
        <!-- G. k. 4.r. 10.2a: Route of Administration TermID Version Date / Number #2-10 -->
        <!-- G. k. 4.r. 10.2b: Route of Administration TermID #2-10 -->
        <originalText>G. k. 4.r. 10.1</originalText>
        <!-- G. k. 4.r. 10.1: Route of Administration (free text) #2-10 -->
    </routeCode>
    <doseQuantity value="10" unit="G. k. 4.r. 1b"/>
    <!-- G. k. 4.r. 1a Dose (number) #2-10 -->
    <!-- G. k. 4.r. 1b: Dose (unit) #2-10 -->
    <consumable typeCode="CSM">
        <instanceOfKind classCode="INST">
            <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
                <lotNumberText>G. k. 4.r. 7</lotNumberText>
                <!-- G. k. 4.r. 7: Batch / Lot Number #2-10 -->
            </productInstanceInstance>
            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                <formCode code="G. k. 4.r. 9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G. k. 4.r. 9.2a">
                    <!-- G. k. 4.r. 9.2a: Pharmaceutical Dose Form TermID Version Date / Number #2-10 -->
                    <!-- G. k. 4.r. 9.2b: Pharmaceutical Dose Form TermID #2-10 -->
                    <originalText>G. k. 4.r. 9.1</originalText>
                    <!-- G. k. 4.r. 9.1: Pharmaceutical Dose Form (free text) #2-10 -->
                </formCode>
            </kindOfProduct>
        </instanceOfKind>
    </consumable>
    <inboundRelationship typeCode="REFR">
        <observation classCode="OBS" moodCode="EVN">
            <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
            <!-- G. k. 4.r. 11.2a: Parent Route of Administration TermID Version Date / Number #2-10 -->
            <!-- G. k. 4.r. 11.2a: Parent Route of Administration TermID Version Date / Number #2-10 -->
            <!-- G. k. 4.r. 11.2b: Parent Route of Administration TermID #2-10 -->
            <originalText>G. k. 4.r. 11.1</originalText>
            <!-- G. k. 4.r. 11.1: Parent Route of Administration (free text) #2-10 -->
        </observation>
    </inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="SUMM">
    <observation classCode="OBS" moodCode="EVN">
        <code code="14" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="cumulativeDoseToReaction"/>
        <!-- G. k. 5a: Cumulative Dose to First Reaction (number) #2 -->
        <!-- G. k. 5b: Cumulative Dose to First Reaction (unit) #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="gestationPeriod"/>
        <!-- G. k. 6a: Gestation Period at Time of Exposure (number) #2 -->
        <!-- G. k. 6b: Gestation Period at Time of Exposure (unit) #2 -->
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="gestationPeriod"/>
    </observation>
</outboundRelationship2>

```

```

displayName="recurrenceOfReaction"/>
    <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
codeSystemVersion="2.0"/>
    <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #2, Reaction #1 -->
    <outboundRelationship1 typeCode="REFR">
        <actReference classCode="OBS" moodCode="EVN">
            <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
        </actReference>
    </outboundRelationship1>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="recurrenceOfReaction"/>
            <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
codeSystemVersion="2.0"/>
            <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #2, Reaction #2 -->
            <outboundRelationship1 typeCode="REFR">
                <actReference classCode="OBS" moodCode="EVN">
                    <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
                </actReference>
            </outboundRelationship1>
        </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="REFR">
        <observation classCode="OBS" moodCode="EVN">
            <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="codedDrugInformation"/>
                <value xsi:type="CE" code="G. k. 10. r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17"
codeSystemVersion="2.0"/>
                <!-- G. k. 10. r: Additional Information on Drug (coded) (repeat as necessary) #2-1 -->
            </observation>
        </outboundRelationship2>
        <outboundRelationship2 typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
                <code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="codedDrugInformation"/>
                    <value xsi:type="CE" code="G. k. 10. r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17"
codeSystemVersion="2.0"/>
                    <!-- G. k. 10. r: Additional Information on Drug (coded) (repeat as necessary) #2-2 -->
                </observation>
            </outboundRelationship2>
            <outboundRelationship2 typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="additionalInformation"/>
                        <value xsi:type="ST">G. k. 11</value>
                        <!-- G. k. 11: Additional Information on Drug (free text) #2 -->
                    </observation>
                </outboundRelationship2>
                <inboundRelationship typeCode="RS0N">
                    <observation classCode="OBS" moodCode="EVN">
                        <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="indication"/>
                            <value xsi:type="CE" code="G. k. 7. r. 2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="1.0"
"G. k. 7. r. 2a">
                                <!-- G. k. 7. r. 2a: MedDRA Version for Indication #2-1 -->
                                <!-- G. k. 7. r. 2b: Indication (MedDRA code) #2-1 -->
                                <originalText>G. k. 7. r. 1</originalText>
                                <!-- G. k. 7. r. 1: Indication as Reported by the Primary Source #2-1 -->
                            </value>
                            <performer typeCode="PRF">
                                <assignedEntity classCode="ASSIGNED">
                                    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"
 displayName="sourceReporter"/>
                                    </assignedEntity>
                                </performer>
                            </observation>
                        </inboundRelationship>
                        <inboundRelationship typeCode="RS0N">
                            <observation classCode="OBS" moodCode="EVN">
                                <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
 displayName="indication"/>
                                    <value xsi:type="CE" code="G. k. 7. r. 2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="1.0"
"G. k. 7. r. 2a">
                                        <!-- G. k. 7. r. 2a: MedDRA Version for Indication #2-2 -->
                                        <!-- G. k. 7. r. 2b: Indication (MedDRA code) #2-2 -->
                                        <originalText>G. k. 7. r. 1</originalText>
                                        <!-- G. k. 7. r. 1: Indication as Reported by the Primary Source #2-2 -->
                                    </value>
                                    <performer typeCode="PRF">
                                        <assignedEntity classCode="ASSIGNED">
                                            <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0"

```

```

displayName="sourceReporter"/>
    </assignedEntity>
    </performer>
    </observation>
</inboundRelationship>
<inboundRelationship typeCode="CAUS">
    <act classCode="ACT" moodCode="EVN">
        <code code="G.k.8" codeSystem="2.16.840.1.113883.3.989.2.1.1.15" codeSystemVersion="2.0"/>
        <!-- G.k.8: Action(s) Taken with Drug #2 -->
    </act>
</inboundRelationship>
</substanceAdministration>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.11" codeSystemVersion="1.0" displayName="治験の概要"/>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="7" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="届出回数"/>
                <!-- @@@J2.13.r.1: 届出回数 #1 -->
            </observation>
        </component>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="8" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="対象疾患"/>
                <!-- @@@J2.13.r.2: 対象疾患 #1 -->
            </observation>
        </component>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="9" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="開発相"/>
                <!-- @@@J2.13.r.3: 開発相 #1 -->
            </observation>
        </component>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="10" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="投薬中の症例の有無"/>
                <!-- @@@J2.13.r.4: 投薬中の症例の有無 #1 -->
            </observation>
        </component>
        </organizer>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <organizer classCode="CATEGORY" moodCode="EVN">
            <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.11" codeSystemVersion="1.0" displayName="治験の概要"/>
            <component typeCode="COMP">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="7" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="届出回数"/>
                    <!-- @@@J2.13.r.1: 届出回数 #2 -->
                </observation>
            </component>
            <component typeCode="COMP">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="8" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="対象疾患"/>
                    <!-- @@@J2.13.r.2: 対象疾患 #2 -->
                </observation>
            </component>
            <component typeCode="COMP">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="9" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="開発相"/>
                    <!-- @@@J2.13.r.3: 開発相 #2 -->
                </observation>
            </component>
            <component typeCode="COMP">

```

```

<observation classCode="OBS" moodCode="EVN">
    <code code="10" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="投薬中の症例の有無"/>
    <value xsi:type="BL" value="false"/>
    <!-- @@J2.13.r.4: 投薬中の症例の有無 #2 -->
</observation>
</component>
</organizer>
</subjectOf2>
</primaryRole>
</subject1>
<component typeCode="COMP">
    <causalityAssessment classCode="OBS" moodCode="EVN">
        <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="interventionCharacterization"/>
        <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="2.0"/>
        <!-- G.k.1: Characterisation of Drug Role Drug #1 -->
        <subject2 typeCode="SUBJ">
            <productUseReference classCode="SBADM" moodCode="EVN">
                <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
            </productUseReference>
        </subject2>
        <causalityAssessment>
    </component>
    <component typeCode="COMP">
        <causalityAssessment classCode="OBS" moodCode="EVN">
            <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="interventionCharacterization"/>
            <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="2.0"/>
            <!-- G.k.1: Characterisation of Drug Role Drug #2 -->
            <subject2 typeCode="SUBJ">
                <productUseReference classCode="SBADM" moodCode="EVN">
                    <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
                </productUseReference>
            </subject2>
            <causalityAssessment>
        </component>
        <component typeCode="COMP">
            <causalityAssessment classCode="OBS" moodCode="EVN">
                <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
                <value xsi:type="ST">G.k.9.i.2.r.3</value>
                <!-- G.k.9.i.2.r.3: Result of Assessment Drug #1, Reaction #1, Assessment #1 -->
                <methodCode>
                    <originalText>G.k.9.i.2.r.2</originalText>
                    <!-- G.k.9.i.2.r.2: Method of Assessment Drug #1, Reaction #1, Assessment #1 -->
                </methodCode>
                <author typeCode="AUT">
                    <assignedEntity classCode="ASSIGNED">
                        <code>
                            <originalText>G.k.9.i.2.r.1</originalText>
                            <!-- G.k.9.i.2.r.1: Source of Assessment Drug #1, Reaction #1, Assessment #1 -->
                        </code>
                    </assignedEntity>
                </author>
                <subject1 typeCode="SUBJ">
                    <adverseEffectReference classCode="OBS" moodCode="EVN">
                        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
                    </adverseEffectReference>
                </subject1>
                <subject2 typeCode="SUBJ">
                    <productUseReference classCode="SBADM" moodCode="EVN">
                        <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
                    </productUseReference>
                </subject2>
                <causalityAssessment>
            </component>
            <component typeCode="COMP">
                <causalityAssessment classCode="OBS" moodCode="EVN">
                    <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
                    <value xsi:type="ST">G.k.9.i.2.r.3</value>
                    <!-- G.k.9.i.2.r.3: Result of Assessment Drug #1, Reaction #2, Assessment #1 -->
                    <methodCode>
                        <originalText>G.k.9.i.2.r.2</originalText>
                        <!-- G.k.9.i.2.r.2: Method of Assessment Drug #1, Reaction #2, Assessment #1 -->
                    </methodCode>
                    <author typeCode="AUT">
                        <assignedEntity classCode="ASSIGNED">
                            <code>
                                <originalText>G.k.9.i.2.r.1</originalText>
                                <!-- G.k.9.i.2.r.1: Source of Assessment Drug #1, Reaction #2, Assessment #1 -->
                            </code>
                        </assignedEntity>
                    </author>
                <subject1 typeCode="SUBJ">

```

```

        <adverseEffectReference statusCode="OBS" moodCode="EVN">
            <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
        </adverseEffectReference>
    </subject1>
    <subject2 typeCode="SUBJ">
        <productUseReference statusCode="SBADM" moodCode="EVN">
            <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
        </productUseReference>
    </subject2>
</causalityAssessment>
</component>
<component typeCode="COMP">
    <causalityAssessment statusCode="OBS" moodCode="EVN">
        <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
        <value xsi:type="ST">G. k. 9. i. 2. r. 3</value>
        <!--G. k. 9. i. 2. r. 3: Result of Assessment Drug #2, Reaction #2, Assessment #1 -->
        <methodCode>
            <originalText>G. k. 9. i. 2. r. 2</originalText>
            <!--G. k. 9. i. 2. r. 2: Method of Assessment Drug #2, Reaction #2, Assessment #1 -->
        </methodCode>
        <author typeCode="AUT">
            <assignedEntity statusCode="ASSIGNED">
                <code>
                    <originalText>G. k. 9. i. 2. r. 1</originalText>
                    <!-- G. k. 9. i. 2. r. 1: Source of Assessment Drug #2, Reaction #2, Assessment #1 -->
                </code>
            </assignedEntity>
        </author>
        <subject1 typeCode="SUBJ">
            <adverseEffectReference statusCode="OBS" moodCode="EVN">
                <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
            </adverseEffectReference>
        </subject1>
        <subject2 typeCode="SUBJ">
            <productUseReference statusCode="SBADM" moodCode="EVN">
                <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
            </productUseReference>
        </subject2>
    </causalityAssessment>
</component>
<component typeCode="COMP">
    <causalityAssessment statusCode="OBS" moodCode="EVN">
        <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
        <value xsi:type="ST">G. k. 9. i. 2. r. 3</value>
        <!--G. k. 9. i. 2. r. 3: Result of Assessment Drug #2, Reaction #2, Assessment #2 -->
        <methodCode>
            <originalText>G. k. 9. i. 2. r. 2</originalText>
            <!--G. k. 9. i. 2. r. 2: Method of Assessment Drug #2, Reaction #2, Assessment #2 -->
        </methodCode>
        <author typeCode="AUT">
            <assignedEntity statusCode="ASSIGNED">
                <code>
                    <originalText>G. k. 9. i. 2. r. 1</originalText>
                    <!-- G. k. 9. i. 2. r. 1: Source of Assessment Drug #2, Reaction #2, Assessment #2 -->
                </code>
            </assignedEntity>
        </author>
        <subject1 typeCode="SUBJ">
            <adverseEffectReference statusCode="OBS" moodCode="EVN">
                <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
            </adverseEffectReference>
        </subject1>
        <subject2 typeCode="SUBJ">
            <productUseReference statusCode="SBADM" moodCode="EVN">
                <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
            </productUseReference>
        </subject2>
    </causalityAssessment>
</component>
<component1 typeCode="COMP">
    <observationEvent statusCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
        <value xsi:type="ED">H. 2</value>
        <!-- H. 2: Reporter's Comments -->
        <author typeCode="AUT">
            <assignedEntity statusCode="ASSIGNED">
                <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sourceReporter"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent statusCode="OBS" moodCode="EVN">

```

```

<code code="15" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="diagnosis"/>
<value xsi:type="CE" code="H.3.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="H.3.r.1a"/>
<!-- H.3.r.1a: MedDRA Version for Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event #1 -->
<!-- H.3.r.1b: Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event (MedDRA code) #1 -->
<author typeCode="AUT">
    <assignedEntity classCode="ASSIGNED">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
    </assignedEntity>
</author>
</observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="15" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="diagnosis"/>
        <value xsi:type="CE" code="H.3.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="H.3.r.1a"/>
        <!-- H.3.r.1a: MedDRA Version for Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event #2 -->
        <!-- H.3.r.1b: Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event (MedDRA code) #2 -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
        <value xsi:type="ED">H.4</value>
        <!-- H.4: Sender's Comments -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未完了に対するコメント"/>
        <value xsi:type="ED">J2.7.2</value>
        <!-- @@J2.7.2: 未完了に対するコメント -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="感染症の遡及調査"/>
        <value xsi:type="ED">J2.9</value>
        <!-- @@J2.9: 感染症の遡及調査 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="今後の対応"/>
        <value xsi:type="ED">J2.10</value>
        <!-- @@J2.10: 今後の対応 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="その他参考事項等"/>
        <value xsi:type="ED">J2.11</value>
        <!-- @@J2.11: その他参考事項等 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="12" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="報告内容の要点"/>
        <value xsi:type="ED">J2.16</value>
        <!-- @@J2.16: 報告内容の要点 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="13" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考1"/>
        <value xsi:type="ED">J2.19</value>
        <!-- @@J2.19: 備考1 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">

```

```

        <code code="14" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考2"/>
        <value xsi:type="ED">J2.20</value>
        <!-- @@J2.20: 備考2 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="15" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考3"/>
        <value xsi:type="ED">J2.21</value>
        <!-- @@J2.21: 備考3 -->
    </observationEvent>
</component1>
<component1 typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="16" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="備考4"/>
        <value xsi:type="ED">J2.22</value>
        <!-- @@J2.22: 備考4 -->
    </observationEvent>
</component1>
</adverseEventAssessment>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="additionalDocumentsAvailable"/>
        <value xsi:type="BL" value="true"/>
        <!-- C.1.6.1: Are Additional Documents Available? -->
    </observationEvent>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="23" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="localCriteriaForExpedited"/>
        <value xsi:type="BL" value="true"/>
        <!-- C.1.7: Does This Case Fulfil the Local Criteria for an Expedited Report? -->
    </observationEvent>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="36" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="summaryAndComment"/>
        <value xsi:type="ED" language="H.5.r.1b">H.5.r.1a</value>
        <!-- H.5.r.1a: Case Summary and Reporter's Comments Text #1 -->
        <!-- H.5.r.1b: Case Summary and Reporter's Comments Language #1 -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="reporter"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="36" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="summaryAndComment"/>
        <value xsi:type="ED" language="H.5.r.1b">H.5.r.1a</value>
        <!-- H.5.r.1a: Case Summary and Reporter's Comments Text #2 -->
        <!-- H.5.r.1b: Case Summary and Reporter's Comments Language #2 -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="reporter"/>
            </assignedEntity>
        </author>
    </observationEvent>
</component>
<outboundRelationship typeCode="SPRT">
    <relatedInvestigation classCode="INVSTG" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="initialReport"/>
        <subjectOf2 typeCode="SUBJ">
            <controlActEvent classCode="CACT" moodCode="EVN">
                <author typeCode="AUT">
                    <assignedEntity classCode="ASSIGNED">
                        <code code="C.1.8.2" codeSystem="2.16.840.1.113883.3.989.2.1.1.3" codeSystemVersion="2.0"/>
                        <!-- C.1.8.2: First Sender of This Case -->
                    </assignedEntity>
                </author>
            </controlActEvent>
        </subjectOf2>
    </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
    <relatedInvestigation classCode="INVSTG" moodCode="EVN">
        <code nullFlavor="NA"/>
        <subjectOf2 typeCode="SUBJ">
            <controlActEvent classCode="CACT" moodCode="EVN">
                <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>

```

```

        <!-- C. 1. 10. r: Identification Number of the Report Which Is Linked to This Report (repeat as necessary) #1 -->
        </controlActEvent>
        </subjectOf2>
    </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
    <relatedInvestigation classCode="INVSTG" moodCode="EVN">
        <code nullFlavor="NA"/>
        <subjectOf2 typeCode="SUBJ">
            <controlActEvent classCode="CACT" moodCode="EVN">
                <id extension="C. 1. 10. r" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 2"/>
                <!-- C. 1. 10. r: Identification Number of the Report Which Is Linked to this Report (repeat as necessary) #2 -->
            </controlActEvent>
        </subjectOf2>
    </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
    <priorityNumber value="1"/>
    <!-- C. 2. r. 5: Primary Source for Regulatory Purposes #1 -->
    <relatedInvestigation classCode="INVSTG" moodCode="EVN">
        <code code="2" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 22" codeSystemVersion="1.0" displayName="sourceReport"/>
        <subjectOf2 typeCode="SUBJ">
            <controlActEvent classCode="CACT" moodCode="EVN">
                <author typeCode="AUT">
                    <assignedEntity classCode="ASSIGNED">
                        <addr>
                            <streetAddressLine>C. 2. r. 2. 3</streetAddressLine>
                            <!-- C. 2. r. 2. 3: Reporter's Street #1 -->
                            <city>C. 2. r. 2. 4</city>
                            <!-- C. 2. r. 2. 4: Reporter's City #1 -->
                            <state>C. 2. r. 2. 5</state>
                            <!-- C. 2. r. 2. 5: Reporter's State or Province #1 -->
                            <postalCode>C. 2. r. 2. 6</postalCode>
                            <!-- C. 2. r. 2. 6: Reporter's Postcode #1 -->
                        </addr>
                        <telecom value="tel:C. 2. r. 2. 7"/>
                        <!-- C. 2. r. 2. 7: Reporter's Telephone #1 -->
                    <assignedPerson classCode="PSN" determinerCode="INSTANCE">
                        <name>
                            <prefix>C. 2. r. 1. 1</prefix>
                            <!-- C. 2. r. 1. 1: Reporter's Title #1 -->
                            <given>C. 2. r. 1. 2</given>
                            <!-- C. 2. r. 1. 2: Reporter's Given Name #1 -->
                            <given>C. 2. r. 1. 3</given>
                            <!-- C. 2. r. 1. 3: Reporter's Middle Name #1 -->
                            <family>C. 2. r. 1. 4</family>
                            <!-- C. 2. r. 1. 4: Reporter's Family Name #1 -->
                        </name>
                        <asQualifiedEntity classCode="QUAL">
                            <code code="C. 2. r. 4" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 6" codeSystemVersion="2.0"/>
                            <!-- C. 2. r. 4: Qualification #1 -->
                        </asQualifiedEntity>
                        <asLocatedEntity classCode="LOCE">
                            <location classCode="COUNTRY" determinerCode="INSTANCE">
                                <code code="C. 2. r. 3" codeSystem="1. 0. 3166. 1. 2. 2"/>
                                <!-- C. 2. r. 3: Reporter's Country Code #1 -->
                            </location>
                        </asLocatedEntity>
                    </assignedPerson>
                    <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                        <name>C. 2. r. 2. 2</name>
                        <!-- C. 2. r. 2. 2: Reporter's Department #1 -->
                        <assignedEntity classCode="ASSIGNED">
                            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                                <name>C. 2. r. 2. 1</name>
                                <!-- C. 2. r. 2. 1: Reporter's Organisation #1 -->
                            </representedOrganization>
                            </assignedEntity>
                        </representedOrganization>
                    </assignedEntity>
                </author>
                </controlActEvent>
            </subjectOf2>
        </relatedInvestigation>
    </outboundRelationship>
    <outboundRelationship typeCode="SPRT">
        <relatedInvestigation classCode="INVSTG" moodCode="EVN">
            <code code="2" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 22" codeSystemVersion="1.0" displayName="sourceReport"/>
            <subjectOf2 typeCode="SUBJ">
                <controlActEvent classCode="CACT" moodCode="EVN">
                    <author typeCode="AUT">
                        <assignedEntity classCode="ASSIGNED">
                            <addr>
                                <streetAddressLine>C. 2. r. 2. 3</streetAddressLine>

```

```

<!-- C. 2. r. 2.3: Reporter's Street #2 -->
<city>C. 2. r. 2.4</city>
<!-- C. 2. r. 2.4: Reporter's City #2 -->
<state>C. 2. r. 2.5</state>
<!-- C. 2. r. 2.5: Reporter's State or Province #2 -->
<postalCode>C. 2. r. 2.6</postalCode>
<!-- C. 2. r. 2.6: Reporter's Postcode #2 -->
</addr>
<telecom value="tel:C. 2. r. 2.7"/>
<!-- C. 2. r. 2.7: Reporter's Telephone #2 -->
<assignedPerson classCode="PSN" determinerCode="INSTANCE">
    <name>
        <prefix>C. 2. r. 1.1</prefix>
        <!-- C. 2. r. 1.1: Reporter's Title #2 -->
        <given>C. 2. r. 1.2</given>
        <!-- C. 2. r. 1.2: Reporter's Given Name #2 -->
        <given>C. 2. r. 1.3</given>
        <!-- C. 2. r. 1.3: Reporter's Middle Name #2 -->
        <family>C. 2. r. 1.4</family>
        <!-- C. 2. r. 1.4: Reporter's Family Name #2 -->
    </name>
    <asQualifiedEntity classCode="QUAL">
        <code code="C. 2. r. 4" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 6" codeSystemVersion="2. 0"/>
        <!-- C. 2. r. 4: Qualification #2 -->
    </asQualifiedEntity>
    <asLocatedEntity classCode="LOCE">
        <location classCode="COUNTRY" determinerCode="INSTANCE">
            <code code="C. 2. r. 3" codeSystem="1. 0. 3166. 1. 2. 2"/>
            <!-- C. 2. r. 3: Reporter's Country Code #2 -->
        </location>
    </asLocatedEntity>
</assignedPerson>
<representedOrganization classCode="ORG" determinerCode="INSTANCE">
    <name>C. 2. r. 2.2</name>
    <!-- C. 2. r. 2.2: Reporter's Department #2 -->
    <assignedEntity classCode="ASSIGNED">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
            <name>C. 2. r. 2.1</name>
            <!-- C. 2. r. 2.1: Reporter's Organisation #2 -->
        </representedOrganization>
    </assignedEntity>
    <representedOrganization>
    </representedOrganization>
    <author>
        </controlActEvent>
    </author>
    </subjectOf2>
</relatedInvestigation>
</outboundRelationship>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="C. 3. 1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 7" codeSystemVersion="2. 0"/>
                <!-- C. 3. 1: Sender Type -->
                <addr>
                    <streetAddressLine>C. 3. 4.1</streetAddressLine>
                    <!-- C. 3. 4.1: Sender's Street Address -->
                    <city>C. 3. 4.2</city>
                    <!-- C. 3. 4.2: Sender's City -->
                    <state>C. 3. 4.3</state>
                    <!-- C. 3. 4.3: Sender's State or Province -->
                    <postalCode>C. 3. 4.4</postalCode>
                    <!-- C. 3. 4.4: Sender's Postcode -->
                </addr>
                <telecom value="tel:C. 3. 4.6"/>
                <!-- C. 3. 4.6: Sender's Telephone -->
                <telecom value="fax:C. 3. 4.7"/>
                <!-- C. 3. 4.7: Sender's Fax -->
                <telecom value="mailto:C. 3. 4.8"/>
                <!-- C. 3. 4.8: Sender's E-mail Address -->
            <assignedPerson classCode="PSN" determinerCode="INSTANCE">
                <name>
                    <prefix>C. 3. 3.2</prefix>
                    <!-- C. 3. 3.2: Sender's Title -->
                    <given>C. 3. 3.3</given>
                    <!-- C. 3. 3.3: Sender's Given Name -->
                    <given>C. 3. 3.4</given>
                    <!-- C. 3. 3.4: Sender's Middle Name -->
                    <family>C. 3. 3.5</family>
                    <!-- C. 3. 3.5: Sender's Family Name -->
                </name>
            </assignedPerson>
            <asLocatedEntity classCode="LOCE">
                <location classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="C. 3. 4.5" codeSystem="1. 0. 3166. 1. 2. 2"/>

```

```

        <!-- C. 3.4.5: Sender's Country Code -->
        </location>
        </asLocatedEntity>
    </assignedPerson>
    <representedOrganization classCode="ORG" determinerCode="INSTANCE">
        <name>C. 3. 1</name>
        <!-- C. 3.3.1: Sender's Department -->
        <assignedEntity classCode="ASSIGNED">
            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                <name>C. 3. 2</name>
                <!-- C. 3.2: Sender's Organisation -->
            </representedOrganization>
        </assignedEntity>
    </representedOrganization>
    </assignedEntity>
</author>
<primaryInformationRecipient typeCode="PRCP">
    <assignedEntity classCode="ASSIGNED">
        <assignedPerson classCode="PSN" determinerCode="INSTANCE">
            <name>
                <prefix>J2. 18. 2</prefix>
                <!-- @@J2. 18. 2: 受信者 肩書き -->
                <family>J2. 18. 3</family>
                <!-- @@J2. 18. 3: 受信者 姓 -->
                <given>J2. 18. 4</given>
                <!-- @@J2. 18. 4: 受信名 名 -->
            </name>
        </assignedPerson>
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
            <name>J2. 18. 1</name>
            <!-- @@J2. 18. 1: 受信者 組織名 -->
        </representedOrganization>
    </assignedEntity>
</primaryInformationRecipient>
</controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <id assigningAuthorityName="C. 1. 9. 1. r. 1" extension="C. 1. 9. 1. r. 2" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 3"/>
        <!-- C. 1.9.1.r.1: Source(s) of the Case Identifier (repeat as necessary) #1 -->
        <!-- C. 1.9.1.r.2 Case Identifier(s) #1 -->
    </controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <id assigningAuthorityName="C. 1. 9. 1. r. 1" extension="C. 1. 9. 1. r. 2" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 3"/>
        <!-- C. 1.9.1.r.1: Source(s) of the Case Identifier (repeat as necessary) #2 -->
        <!-- C. 1.9.1.r.2 Case Identifier(s) #2 -->
    </controlActEvent>
</subjectOf1>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName="ichReportType"/>
        <value xsi:type="CE" code="C. 1. 3" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 2" codeSystemVersion="2. 0"/>
        <!-- C. 1.3 Type of Report -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName="otherCaseIds"/>
        <value xsi:type="BL" value="true"/>
        <!-- C. 1.9.1 Other Case Identifiers in Previous Transmissions -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName="nullificationAmendmentCode"/>
        <value xsi:type="CE" code="C. 1. 11. 1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 5" codeSystemVersion="2. 0"/>
        <!-- C. 1.11.1: Report Nullification / Amendment -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName="nullificationAmendmentReason"/>
        <value xsi:type="CE">
            <originalText>C. 1. 11. 2</originalText>
            <!-- C. 1.11.2: Reason for Nullification / Amendment -->
        </value>
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">

```

```

<code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="識別番号（報告分類）"/>
<value xsi:type="CE" code="J2.1a" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.1" codeSystemVersion="1.1"/>
<!-- @@@J2.1a: 識別番号（報告分類） -->
</investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告起算日"/>
        <value xsi:type="TS" value="20130107"/>
        <!-- @@@J2.2.1: 報告起算日 -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告起算日に関するコメント" />
        <value xsi:type="ED">J2.2.2</value>
        <!-- @@@J2.2.2: 報告起算日に関するコメント -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="即時報告フラグ"/>
        <value xsi:type="CE" code="J2.3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.2" codeSystemVersion="1.1"/>
        <!-- @@@J2.3: 即時報告フラグ -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外フラグ"/>
        <value xsi:type="CE" code="J2.8.1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.6" codeSystemVersion="1.1"/>
        <!-- @@@J2.8.1: 報告対象外フラグ -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外の理由"/>
        <value xsi:type="ED">J2.8.2</value>
        <!-- @@@J2.8.2: 報告対象外の理由 -->
    </investigationCharacteristic>
</subjectOf2>
</investigationEvent>
</subject>
</controlActProcess>
</PORR_IN049016UV>
<!-- Message #1 -->
<!-- Message #2 -->
<!-- PORR_IN049016UV -->
<!-- /PORR_IN049016UV -->
<!-- Message #2 -->
<receiver typeCode="RCV">
    <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.1.4" root="2.16.840.1.113883.3.989.2.1.3.14"/>
        <!-- N.1.4: Batch Receiver Identifier -->
    </device>
</receiver>
<sender typeCode="SND">
    <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.1.3" root="2.16.840.1.113883.3.989.2.1.3.13"/>
        <!-- N.1.3: Batch Sender Identifier -->
    </device>
</sender>
</MCCL_IN200100UV01>

```

XML参照インスタンス（医薬部外品・化粧品用）

```
<?xml version="1.0" encoding="UTF-8"?>
<MCCI_IN200100UV01 ITSType="XML_1" xsi:schemaLocation="urn:h17-org:v3 MCCI_IN200100UV01.xsd" xmlns="urn:h17-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <id extension="N. 1.2" root="2.16.840.1.113883.3.989.2.1.3.22"/>
  <!-- N. 1.2: Batch Number -->
  <creationTime value="20101214151617"/>
  <!-- N. 1.5: Date of Batch Transmission -->
  <responseModeCode code="D"/>
  <interactionId extension="MCCI_IN200100UV01" root="2.16.840.1.113883.1.6"/>
  <name code="N. 1.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.1" codeSystemVersion="2.0"/>
  <!-- N. 1.1: Type of Messages in Batch -->
  <!-- Message #1 -->
  <PORR_IN049016UV>
    <id extension="N. 2. r. 1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
    <!-- N. 2. r. 1: Message Identifier -->
    <creationTime value="20101214151617"/>
    <!-- N. 2. r. 4: Date of Message Creation -->
    <interactionId extension="PORR_IN049016UV" root="2.16.840.1.113883.1.6"/>
    <processingCode code="P"/>
    <processingModeCode code="T"/>
    <acceptAckCode code="AL"/>
    <receiver typeCode="RCV">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N. 2. r. 3" root="2.16.840.1.113883.3.989.2.1.3.12"/>
        <!-- N. 2. r. 3: Message Receiver Identifier -->
      </device>
    </receiver>
    <sender typeCode="SND">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N. 2. r. 2" root="2.16.840.1.113883.3.989.2.1.3.11"/>
        <!-- N. 2. r. 2: Message Sender Identifier -->
      </device>
    </sender>
    <controlActProcess classCode="CACT" moodCode="EVN">
      <code code="PORR_TE049016UV" codeSystem="2.16.840.1.113883.1.18"/>
      <!-- HL7 Trigger Event ID -->
      <effectiveTime value="20101214151617"/>
      <!-- C. 1.2: Date of Creation -->
      <subject typeCode="SUBJ">
        <investigationEvent classCode="INVSTG" moodCode="EVN">
          <id extension="C. 1.1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
          <!-- C. 1.1: Sender's (case) Safety Report Unique Identifier -->
          <id extension="C. 1.8.1" root="2.16.840.1.113883.3.989.2.1.3.2"/>
          <!-- C. 1.8.1: Worldwide Unique Case Identification Number -->
          <id extension="J2.1b" root="2.16.840.1.113883.3.989.5.1.3.2.3.1"/>
          <!-- @@J2.1b: 識別番号(番号) -->
          <code code="PAT_ADV_EVNT" codeSystem="2.16.840.1.113883.5.4"/>
          <text>H.1</text>
          <!-- H.1: Case Narrative Including Clinical Course, Therapeutic Measures, Outcome and Additional Relevant Information -->
          <statusCode code="active"/>
          <!-- @@J2.7.1 完了、未完了区分 -->
          <effectiveTime>
            <low value="20090101"/>
            <!-- C. 1.4: Date Report Was First Received from Source -->
          </effectiveTime>
          <availabilityTime value="20090101"/>
          <!-- C. 1.5: Date of Most Recent Information for This Report -->
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
              <title>C. 1.6.1.r.1</title>
              <!-- C. 1.6.1.r.1: Documents Held by Sender (repeat as necessary) #1 -->
              <text mediaType="application/pdf" representation="B64">C. 1.6.1.r.2</text>
              <!-- C. 1.6.1.r.2: Included Documents #1 -->
            </document>
          </reference>
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
              <title>C. 1.6.1.r.1</title>
              <!-- C. 1.6.1.r.1: Documents Held by Sender (repeat as necessary) #2 -->
              <text mediaType="image/jpeg" representation="B64" compression="DF">C. 1.6.1.r.2</text>
              <!-- C. 1.6.1.r.2: Included Documents #2 -->
            </document>
          </reference>
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
              <title>J2.17.r</title>
              <!-- @@J2.17.r 試験／研究の分類 #1 -->
              <text mediaType="application/pdf" representation="B64">C. 4.r.2</text>
              <!-- C. 4.r.2: Included Documents #1 -->
              <bibliographicDesignationText>C. 4.r.1</bibliographicDesignationText>
              <!-- C. 4.r.1: Literature Reference(s) #1 -->
            </document>
          </reference>
        </investigationEvent>
      </controlActProcess>
    </PORR_IN049016UV>
```

```

<participation typeCode="AUT">
    <assignedEntity classCode="ASSIGNED">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
            <asLocatedEntity classCode="LOCE">
                <location classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="J2.15.r" codeSystem="1.0.3166.1.2.2"/>
                    <!-- @@J2.15.r 公表国 #1 -->
                </location>
            </asLocatedEntity>
        </representedOrganization>
    </assignedEntity>
</participation>
</document>
</reference>
<reference typeCode="REFR">
    <document classCode="DOC" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
        <title>J2.17.r</title>
        <!-- @@J2.17.r 試験／研究の分類 #2 -->
        <text mediaType="application/pdf" representation="B64">C.4.r.2</text>
        <!-- C.4.r.2: Included Documents #2 -->
        <bibliographicDesignationText>C.4.r.1</bibliographicDesignationText>
        <!-- C.4.r.1: Literature Reference(s) #2 -->
        <participation typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                    <asLocatedEntity classCode="LOCE">
                        <location classCode="COUNTRY" determinerCode="INSTANCE">
                            <code code="J2.15.r" codeSystem="1.0.3166.1.2.2"/>
                            <!-- @@J2.15.r 公表国 #2 -->
                        </location>
                    </asLocatedEntity>
                </representedOrganization>
            </assignedEntity>
        </participation>
    </document>
</reference>
<component typeCode="COMP">
    <adverseEventAssessment classCode="INVSTG" moodCode="EVN">
        <subject1 typeCode="SBJ">
            <primaryRole classCode="INVSBJ">
                <player1 classCode="PSN" determinerCode="INSTANCE">
                    <name>D.1</name>
                    <!-- D.1: Patient (name or initials) -->
                    <administrativeGenderCode code="D.5" codeSystem="1.0.5218"/>
                    <!-- D.5 Sex -->
                    <role classCode="PRS">
                        <code code="PRN" codeSystem="2.16.840.1.113883.5.111"/>
                        <associatedPerson classCode="PSN" determinerCode="INSTANCE">
                            </associatedPerson>
                        <subject0f2 typeCode="SBJ">
                            <organizer classCode="CATEGORY" moodCode="EVN">
                                <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugHistory"/>
                                </organizer>
                            </subject0f2>
                        </role>
                    </player1>
                    <subject0f1 typeCode="SBJ">
                        <researchStudy classCode="CLNTRL" moodCode="EVN">
                            <id extension="C.5.3" root="2.16.840.1.113883.3.989.2.1.3.5"/>
                            <!-- C.5.3: Sponsor Study Number -->
                            <code code="C.5.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.8" codeSystemVersion="2.0"/>
                            <!-- C.5.4: Study Type Where Reaction(s) / Event(s) Were Observed -->
                            <title>C.5.2</title>
                            <!-- C.5.2: Study Name -->
                            <authorization typeCode="AUTH">
                                <studyRegistration classCode="ACT" moodCode="EVN">
                                    <id extension="C.5.1.r.1" root="2.16.840.1.113883.3.989.2.1.3.6"/>
                                    <!-- C.5.1.r.1: Study Registration Number #1 -->
                                    <author typeCode="AUT">
                                        <territorialAuthority classCode="TERR">
                                            <governingPlace classCode="COUNTRY" determinerCode="INSTANCE">
                                                <code code="C.5.1.r.2" codeSystem="1.0.3166.1.2.2"/>
                                                <!-- C.5.1.r.2: Study Registration Country #1 -->
                                            </governingPlace>
                                        </territorialAuthority>
                                    </author>
                                </studyRegistration>
                            </authorization>
                            <authorization typeCode="AUTH">
                                <studyRegistration classCode="ACT" moodCode="EVN">
                                    <id extension="C.5.1.r.1" root="2.16.840.1.113883.3.989.2.1.3.6"/>
                                    <!-- C.5.1.r.1 Study Registration Number #2 -->
                                </studyRegistration>
                            </authorization>
                        </researchStudy>
                    </subject0f1>
                </primaryRole>
            </subject1>
        </adverseEventAssessment>
    </component>

```

```

        <author typeCode="AUT">
            <territorialAuthority classCode="TERR">
                <governingPlace classCode="COUNTRY" determinerCode="INSTANCE">
                    <code code="C.5.1.r.2" codeSystem="1.0.3166.1.2.2"/>
                    <!-- C.5.1.r.2: Study Registration Country #2 -->
                </governingPlace>
            </territorialAuthority>
        </author>
    </studyRegistration>
</authorization>
</researchStudy>
</subjectOf1>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="age"/>
        <value xsi:type="PQ" value="10" unit="D.2.2b"/>
        <!-- D.2.2a: Age at Time of Onset of Reaction / Event (number) -->
        <!-- D.2.2b: Age at Time of Onset of Reaction / Event (unit) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="gestationPeriod"/>
        <value xsi:type="PQ" value="10" unit="D.2.2.1b"/>
        <!-- D.2.2.1a: Gestation Period When Reaction / Event Was Observed in the Foetus (number) -->
        <!-- D.2.2.1b: Gestation Period When Reaction / Event Was Observed in the Foetus (unit) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="ageGroup"/>
        <value xsi:type="CE" code="D.2.3" codeSystem="2.16.840.1.113883.3.989.2.1.1.9" codeSystemVersion="2.0"/>
        <!-- D.2.3: Patient Age Group (as per reporter) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="7" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="bodyWeight"/>
        <value xsi:type="PQ" value="48.2" unit="kg"/>
        <!-- D.3: Body Weight (kg) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="17" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="height"/>
        <value xsi:type="PQ" value="152" unit="cm"/>
        <!-- D.4: Height (cm) -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <code code="17" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" displayName="lastMenstrualPeriodDate" />
        <value xsi:type="CE" code="J2.28" codeSystemVersion="1.0" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.16" />
        <!-- @@J2.28: 妊娠の有無 -->
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="relevantMedicalHistoryAndConcurrentConditions"/>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="D.7.1.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.7.1.r.1a"/>
                <!-- D.7.1.r.1a: MedDRA Version for Medical History #1 -->
                <!-- D.7.1.r.1b: Medical History (disease / surgical procedure / etc.) (MedDRA code) #1 -->
            </observation>
            <inboundRelationship typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="continuing"/>
                    <value xsi:type="BL" value="true"/>
                    <!-- D.7.1.r.3: Continuing #1 -->
                </observation>
            </inboundRelationship>
        </component>
        <component typeCode="COMP">
            <observation classCode="OBS" moodCode="EVN">
                <code code="D.7.1.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.7.1.r.1a"/>
                <!-- D.7.1.r.1a: MedDRA Version for Medical History #2 -->
                <!-- D.7.1.r.1b: Medical history (disease / surgical procedure / etc.) (MedDRA code) #2 -->
            </observation>
        </component>
    </organizer>

```

```

<inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="continuing"/>
        <value xsi:type="BL" value="true"/>
        <!-- D. 7.1.r.3: Continuing #2 -->
    </observation>
</inboundRelationship>
</observation>
</component>
<component typeCode="COMP">
    <observation classCode="OBS" moodCode="EVN">
        <code code="18" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName=
historyAndConcurrentConditionText"/>
        <value xsi:type="ED">D. 7.2</value>
        <!-- D.7.2: Text for Relevant Medical History and Concurrent Conditions (not including reaction /
event) -->
    </observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <organizer classCode="CATEGORY" moodCode="EVN">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugHistory"
/>
    <component typeCode="COMP">
        <substanceAdministration classCode="SBADM" moodCode="EVN">
            <consumable typeCode="CSM">
                <instanceOfKind classCode="INST">
                    <kindOfProduct classCode="MMAT" determinerCode="KIND">
                        <name>D. 8. r. 1</name>
                        <!-- D.8.r.1: Name of Drug as Reported #1 -->
                    </kindOfProduct>
                </instanceOfKind>
            </consumable>
            <outboundRelationship2 typeCode="CAUS">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="reaction"/>
                    <value xsi:type="CE" code="D. 8. r. 7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="
D. 8. r. 7a"/>
                    <!-- D. 8. r. 7a: MedDRA Version for Reaction #1 -->
                    <!-- D. 8. r. 7b: Reaction (MedDRA code) #1 -->
                </observation>
            </outboundRelationship2>
        </substanceAdministration>
    </component>
    <component typeCode="COMP">
        <substanceAdministration classCode="SBADM" moodCode="EVN">
            <consumable typeCode="CSM">
                <instanceOfKind classCode="INST">
                    <kindOfProduct classCode="MMAT" determinerCode="KIND">
                        <name>D. 8. r. 1</name>
                        <!-- D. 8. r. 1: Name of Drug as Reported #2 -->
                    </kindOfProduct>
                </instanceOfKind>
            </consumable>
            <outboundRelationship2 typeCode="CAUS">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="reaction"/>
                    <value xsi:type="CE" code="D. 8. r. 7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="
D. 8. r. 7a"/>
                    <!-- D. 8. r. 7a: MedDRA Version for Reaction #2 -->
                    <!-- D. 8. r. 7b: Reaction (MedDRA code) #2 -->
                </observation>
            </outboundRelationship2>
        </substanceAdministration>
    </component>
    </organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
    <observation classCode="OBS" moodCode="EVN">
        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <effectiveTime xsi:type="IVL_TS">
            <low value="20090101"/>
            <!-- E.i.4: Date of Start of Reaction / Event #1 -->
            <high value="20090102"/>
            <!-- E.i.5: Date of End of Reaction / Event #1 -->
        </effectiveTime>
        <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
            <!-- E.i.2.1a: MedDRA Version for Reaction / Event #1 -->

```

```

<!-- E. i. 2. 1b: Reaction / Event (MedDRA code) #1 -->
<originalText>E. i. 1. 1a</originalText>
<!-- E. i. 1a: Reaction / Event as Reported by the Primary Source in Native Language #1 -->
</value>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
    <value xsi:type="CE" code="E. i. 7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.

0"/>
    <!-- E. i. 7: Outcome of Reaction / Event at the Time of Last Observation #1 -->
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="

"未知・既知"/>
    <value xsi:type="CE" code="J2.26.i" codeSystemVersion="1.0" codeSystem="2.16.840.1.113883.3.989.5.1.3.

2.1.14" />
    <!-- @@J2.26.i 重篤性等 #1 -->
  </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

<effectiveTime xsi:type="IVL_TS">
  <low value="20090101"/>
  <!-- E. i. 4: Date of Start of Reaction / Event #2 -->
</effectiveTime>
<value xsi:type="CE" code="E. i. 2. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E. i. 2. 1a">
  <!-- E. i. 2. 1a: MedDRA Version for Reaction / Event #2 -->
  <!-- E. i. 2. 1b: Reaction / Event (MedDRA code) #2 -->
  <originalText>E. i. 1. 1a</originalText>
  <!-- E. i. 1a: Reaction / Event as Reported by the Primary Source in Native Language #2 -->
</value>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
    <value xsi:type="CE" code="E. i. 7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.

0"/>
    <!-- E. i. 7: Outcome of Reaction / Event at the Time of Last Observation #2 -->
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="11" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="

"未知・既知"/>
    <value xsi:type="CE" code="J2.26.i" codeSystemVersion="1.0" codeSystem="2.16.840.1.113883.3.989.5.1.3.

2.1.14" />
    <!-- @@J2.26.i 重篤性等 #2 -->
  </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

<effectiveTime xsi:type="IVL_TS">
  <high value="20101201"/>
  <!-- E. i. 5: Date of End of Reaction / Event #3 -->
</effectiveTime>
<value xsi:type="CE" code="E. i. 2. 1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E. i. 2. 1a">
  <!-- E. i. 2. 1a: MedDRA Version for Reaction / Event #3 -->
  <!-- E. i. 2. 1b: Reaction / Event (MedDRA code) #3 -->
  <originalText>E. i. 1. 1a</originalText>
  <!-- E. i. 1. 1a: Reaction / Event as Reported by the Primary Source in Native Language #3 -->
</value>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
    <value xsi:type="CE" code="E. i. 7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.

0"/>
    <!-- E. i. 7: Outcome of Reaction / Event at the Time of Last Observation #3 -->
  </observation>
</outboundRelationship2>

```

```

        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
            <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

            <effectiveTime xsi:type="SXPR_TS">
                <comp xsi:type="IVL_TS">
                    <low value="20090101"/>
                    <!-- E.i.4: Date of Start of Reaction / Event #4 -->
                    <high value="20101201"/>
                    <!-- E.i.5: Date of End of Reaction / Event #4 -->
                </comp>
                <comp xsi:type="IVL_TS" operator="A">
                </comp>
            </effectiveTime>
            <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
                <!-- E.i.2.1a: MedDRA Version for Reaction / Event #4 -->
                <!-- E.i.2.1b: Reaction / Event (MedDRA code) #4 -->
                <originalText>E.i.1.1a</originalText>
                <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #4 -->
            </value>
            <outboundRelationship2 typeCode="PERT">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
0"/>
                <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #4 -->
            </observation>
        </outboundRelationship2>
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
            <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

            <effectiveTime xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- E.i.4: Date of Start of Reaction / Event #5 -->
            </effectiveTime>
            <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
                <!-- E.i.2.1a: MedDRA Version for Reaction / Event #5 -->
                <!-- E.i.2.1b: Reaction / Event (MedDRA code) #5 -->
                <originalText>E.i.1.1a</originalText>
                <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #5 -->
            </value>
            <outboundRelationship2 typeCode="PERT">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
0"/>
                <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #5 -->
            </observation>
        </outboundRelationship2>
    </observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
            <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>

            <effectiveTime xsi:type="IVL_TS">
                <high value="20090101"/>
                <!-- E.i.4: Date of Start of Reaction / Event #6 -->
            </effectiveTime>
            <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
                <!-- E.i.2.1a: MedDRA Version for Reaction / Event #6 -->
                <!-- E.i.2.1b: Reaction / Event (MedDRA code) #6 -->
                <originalText>E.i.1.1a</originalText>
                <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #6 -->
            </value>
            <outboundRelationship2 typeCode="PERT">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="

outcome"/>
0"/>
                <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #6 -->
            </observation>
        </outboundRelationship2>
    </observation>

```

```

        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
            <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
            <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
                <!-- E.i.2.1a: MedDRA Version for Reaction / Event #7 -->
                <!-- E.i.2.1b: Reaction / Event (MedDRA code) #7 -->
                <originalText>E.i.1.1a</originalText>
                <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #7 -->
            </value>
            <outboundRelationship2 typeCode="PERT">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
                    <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0" outcome"/>
                    <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #7 -->
                </observation>
            </outboundRelationship2>
        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <observation classCode="OBS" moodCode="EVN">
            <id root="a15be092-8070-426d-af04-6863263443e0"/>
            <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
            <effectiveTime xsi:type="SXPR_TS">
                <comp xsi:type="IVL_TS">
                    <low value="20090101"/>
                    <!-- E.i.4: Date of Start of Reaction / Event #8 -->
                </comp>
                <comp xsi:type="IVL_TS" operator="A">
                    <high value="20101201"/>
                    <!-- E.i.5: Date of End of Reaction / Event #8 -->
                </comp>
            </effectiveTime>
            <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
                <!-- E.i.2.1a: MedDRA Version for Reaction / Event #8 -->
                <!-- E.i.2.1b: Reaction / Event (MedDRA code) #8 -->
                <originalText>E.i.1.1a</originalText>
                <!-- E.i.1.1a: Reaction / Event as Reported by the Primary Source in Native Language #8 -->
            </value>
            <outboundRelationship2 typeCode="PERT">
                <observation classCode="OBS" moodCode="EVN">
                    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
                    <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="2.0" outcome"/>
                    <!-- E.i.7: Outcome of Reaction / Event at the Time of Last Observation #8 -->
                </observation>
            </outboundRelationship2>
        </observation>
    </subjectOf2>
    <subjectOf2 typeCode="SBJ">
        <organizer classCode="CATEGORY" moodCode="EVN">
            <code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugInformation"/>
            <!-- G.k Drug(s) Information (repeat as necessary) #1 -->
            <component typeCode="COMP">
                <substanceAdministration classCode="SBADM" moodCode="EVN">
                    <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
                    <consumable typeCode="CSM">
                        <instanceOfKind classCode="INST">
                            <kindOfProduct classCode="MMAT" determinerCode="KIND">
                                <name>G.k.2.2</name>
                                <!-- G.k.2.2: Medicinal Product Name as Reported by the Primary Source #1 -->
                                <formCode code="J2.24.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.13" codeSystemVersion="1.0" />
                                <!-- @@@J2.24.k 製品種別 #1 -->
                            <asManufacturedProduct classCode="MANU">
                                <subjectOf typeCode="SBJ">
                                    <approval classCode="CNTRCT" moodCode="EVN">
                                        <id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
                                        <!-- G.k.3.1: Authorisation / Application Number #1 -->
                                        <holder typeCode="HLD">
                                            <role classCode="HLD">
                                                <playingOrganization classCode="ORG" determinerCode="INSTANCE">
                                                    <name>G.k.3.3</name>
                                                    <!-- G.k.3.3: Name of Holder / Applicant #1 -->
                                                </playingOrganization>
                                            </role>
                                        </holder>
                                    </approval>
                                </subjectOf>
                            </asManufacturedProduct>
                        </instanceOfKind>
                    </consumable>
                </substanceAdministration>
            </component>
        </organizer>
    </subjectOf2>

```

```

        </holder>
        <author typeCode="AUT">
            <territorialAuthority classCode="TERR">
                <territory classCode="NAT" determinerCode="INSTANCE">
                    <code code="G.k.3.2" codeSystem="1.0.3166.1.2.2"/>
                    <!-- G.k.3.2: Country of Authorisation / Application #1 -->
                </territory>
            </territorialAuthority>
        </author>
    </approval>
</subjectOf>
<subjectOf typeCode="SBJ">
    <characteristic classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10">
            <value xsi:type="CE" code="J2.4.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.>
                <!-- @@@J2.4.k: 新医薬品等の状況区分 #1 -->
            </value>
        </characteristic>
    </subjectOf>
</asManufacturedProduct>
<asNamedEntity>
    <name xml:lang="ja">J2.23.k</name>
    <!-- @@@J2.23.k 愛称 #1 -->
    <assigningTerritory>
        <code code="JP" codeSystem="1.0.3166.1.2.2"/>
    </assigningTerritory>
</asNamedEntity>
<ingredient classCode="ACTI">
    <quantity>
        <numerator/>
        <denominator value="1"/>
    </quantity>
    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <name>G.k.2.3.r.1</name>
        <!-- G.k.2.3.r.1: Substance / Specified Substance Name #1-1 -->
        <asSpecializedKind classCode="GEN">
            <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                <code code="J2.25.k.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.17">
                    <!-- @@@J2.25.k.r 成分の区分 #1-1 -->
                </code>
            </generalizedMaterialKind>
        </asSpecializedKind>
    </ingredientSubstance>
</ingredient>
<ingredient classCode="ACTI">
    <quantity>
        <numerator/>
        <denominator value="1"/>
    </quantity>
    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
        <name>G.k.2.3.r.1</name>
        <!-- G.k.2.3.r.1: Substance / Specified Substance Name #1-2 -->
        <asSpecializedKind classCode="GEN">
            <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                <code code="J2.25.k.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.17">
                    <!-- @@@J2.25.k.r 成分の区分 #1-2 -->
                </code>
            </generalizedMaterialKind>
        </asSpecializedKind>
    </ingredientSubstance>
</ingredient>
</kindOfProduct>
</instanceOfKind>
</consumable>
<outboundRelationship2 typeCode="COMP">
    <!-- G.k.4.r: Dosage and Relevant Information (repeat as necessary) #1-1 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G.k.4.r.8</text>
        <!-- G.k.4.r.8: Dosage Text #1-1 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G.k.4.r.3"/>
                <!-- G.k.4.r.2: Number of Units in the Interval #1-1 -->
                <!-- G.k.4.r.3: Definition of the Time Interval Unit #1-1 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G.k.4.r.4: Date and Time of Start of Drug #1-1 -->
                <high value="20090101"/>
                <!-- G.k.4.r.5: Date and Time of Last Administration #1-1 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">

```

```

<originalText>G. k. 4. r. 10.1</originalText>
<!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-1 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #1-1 -->
<!-- G. k. 4. r. 1b: Dose (unit) #1-1 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<!-- G. k. 4.r: Dosage and Relevant Information (repeat as necessary) #1-2 -->
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G. k. 4. r. 8</text>
<!-- G. k. 4.r.8: Dosage Text #1-2 -->
<effectiveTime xsi:type="SXR_TS">
<comp xsi:type="PIVL_TS">
<period value="10" unit="G. k. 4. r. 3"/>
<!-- G. k. 4.r.2: Number of Units in the Interval #1-2 -->
<!-- G. k. 4.r.3: Definition of the Time Interval Unit #1-2 -->
</comp>
<comp xsi:type="IVL_TS" operator="A">
<low value="20090101"/>
<!-- G. k. 4.r.4: Date and Time of Start of Drug #1-2 -->
<high value="20090101"/>
<!-- G. k. 4.r.5: Date and Time of Last Administration #1-2 -->
</comp>
</effectiveTime>
<routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
<originalText>G. k. 4. r. 10.1</originalText>
<!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-2 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #1-2 -->
<!-- G. k. 4. r. 1b: Dose (unit) #1-2 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<!-- G. k. 4.r: Dosage and Relevant Information (repeat as necessary) #1-3 -->
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G. k. 4. r. 8</text>
<!-- G. k. 4.r.8: Dosage Text #1-3 -->
<effectiveTime xsi:type="SXR_TS">
<comp xsi:type="PIVL_TS">
<period value="10" unit="G. k. 4. r. 3"/>
<!-- G. k. 4.r.2: Number of Units in the Interval #1-3 -->
<!-- G. k. 4.r.3: Definition of the Time Interval Unit #1-3 -->
</comp>
<comp xsi:type="IVL_TS" operator="A">
<low value="20090101"/>
<!-- G. k. 4.r.4: Date and Time of Start of Drug #1-3 -->
</comp>
</effectiveTime>
<routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
<originalText>G. k. 4. r. 10.1</originalText>
<!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-3 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #1-3 -->
<!-- G. k. 4. r. 1b: Dose (unit) #1-3 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<!-- G. k. 4.r: Dosage and Relevant Information (repeat as necessary) #1-4 -->
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G. k. 4. r. 8</text>
<!-- G. k. 4.r.8: Dosage Text #1-4 -->
<effectiveTime xsi:type="SXR_TS">
<comp xsi:type="PIVL_TS">
<period value="10" unit="G. k. 4. r. 3"/>
<!-- G. k. 4.r.2: Number of Units in the Interval #1-4 -->
<!-- G. k. 4.r.3: Definition of the Time Interval Unit #1-4 -->
</comp>
<comp xsi:type="IVL_TS" operator="A">
<high value="20090101"/>
<!-- G. k. 4.r.5: Date and Time of Last Administration #1-4 -->
</comp>
</effectiveTime>
<routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
<originalText>G. k. 4. r. 10.1</originalText>
<!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-4 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #1-4 -->
<!-- G. k. 4. r. 1b: Dose (unit) #1-4 -->
</substanceAdministration>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #1-5 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #1-5 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #1-5 -->
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #1-5 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-5 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #1-5 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #1-5 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #1-6 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #1-6 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #1-6 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #1-6 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #1-6 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #1-6 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-6 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #1-1 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #1-1 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #1-7 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #1-7 -->
        <effectiveTime xsi:type="SXPRTS">
            <comp xsi:type="IVL_TS">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #1-7 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #1-7 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #1-7 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #1-7 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #1-7 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1">
            <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="2.0"/>

```

```

<!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #1, Reaction #1 -->
<outboundRelationship1 typeCode="REFR">
    <actReference classCode="OBS" moodCode="EVN">
        <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
    </actReference>
</outboundRelationship1>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1"
displayName="recurrenceOfReaction"/>
        <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16"
codeSystemVersion="2.0"/>
        <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #1, Reaction #2 -->
        <outboundRelationship1 typeCode="REFR">
            <actReference classCode="OBS" moodCode="EVN">
                <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
            </actReference>
        </outboundRelationship1>
    </observation>
    </outboundRelationship2>
</substanceAdministration>
</component>
<!-- G. k Drug(s) Information (repeat as necessary) #2 -->
<component typeCode="COMP">
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
        <consumable typeCode="CSM">
            <instanceOfKind classCode="INST">
                <kindOfProduct classCode="MMAT" determinerCode="KIND">
                    <name>G. k. 2. 2</name>
                    <!-- G. k. 2.2: Medicinal Product Name as Reported by the Primary Source #2 -->
                    <formCode code="J2.24.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.13"
codeSystemVersion="1.0" />
                    <!-- @@@J2.24.k 製品種別 #2 -->
                    <asManufacturedProduct classCode="MANU">
                        <subjectOf typeCode="SBJ">
                            <approval classCode="CNTRCT" moodCode="EVN">
                                <id extension="G. k. 3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
                                <!-- G. k. 3.1: Authorisation / Application Number #2 -->
                                <holder typeCode="HLD">
                                    <role classCode="HLD">
                                        <playingOrganization classCode="ORG" determinerCode="INSTANCE">
                                            <name>G. k. 3.3</name>
                                            <!-- G. k. 3.3: Name of Holder / Applicant #2 -->
                                        </playingOrganization>
                                    </role>
                                </holder>
                                <author typeCode="AUT">
                                    <territorialAuthority classCode="TERR">
                                        <territory classCode="NAT" determinerCode="INSTANCE">
                                            <code code="G. k. 3.2" codeSystem="1.0.3166.1.2.2"/>
                                            <!-- G. k. 3.2: Country of Authorisation / Application #2 -->
                                        </territory>
                                    </territorialAuthority>
                                </author>
                            </approval>
                        </subjectOf>
                    <subjectOf typeCode="SBJ">
                        <characteristic classCode="OBS" moodCode="EVN">
                            <code code="1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10"
codeSystemVersion="1.0" displayName="新医薬品等の状況区分"/>
                            <value xsi:type="CE" code="J2.4.k" codeSystem="2.16.840.1.113883.3.989.5.1.3.
2.1.3" codeSystemVersion="1.1"/>
                            <!-- @@@J2.4.k: 新医薬品等の状況区分 #2 -->
                        </characteristic>
                    </subjectOf>
                    </asManufacturedProduct>
                    <asNamedEntity>
                        <name xml:lang="ja">J2.23.k</name>
                        <!-- @@@J2.23.k 愛称 #2 -->
                        <assigningTerritory>
                            <code code="JP" codeSystem="1.0.3166.1.2.2" />
                        </assigningTerritory>
                    </asNamedEntity>
                    <ingredient classCode="ACTI">
                        <quantity>
                            <numerator/>
                            <denominator value="1"/>
                        </quantity>
                        <ingredientSubstance classCode="MMAT" determinerCode="KIND">
                            <name>G. k. 2.3.r.1</name>
                            <!-- G. k. 2.3.r.1: Substance / Specified Substance Name #2-1 -->
                        </ingredientSubstance>
                    </ingredient>
                </substanceAdministration>
            </component>
        <!-- G. k. 2.3.r.1: Substance / Specified Substance Name #2-1 -->
    </observation>
    </outboundRelationship2>
</substanceAdministration>
</component>

```

```

<asSpecializedKind classCode="GEN">
    <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
        <code code="J2. 25. k. r" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 17">
            codeSystemVersion="1. 0" />
                <!-- @@@J2. 25. k. r 成分の区分 #2-1 -->
                </generalizedMaterialKind>
                    </asSpecializedKind>
                        </ingredientSubstance>
                            </ingredient>
                                <ingredient classCode="ACTI">
                                    <quantity>
                                        <numerator/>
                                        <denominator value="1"/>
                                    </quantity>
                                    <ingredientSubstance classCode="MMAT" determinerCode="KIND">
                                        <name>G. k. 2. 3. r. 1</name>
                                            <!-- G. k. 2. 3. r. 1: Substance / Specified Substance Name #2-2 -->
                                            <asSpecializedKind classCode="GEN">
                                                <generalizedMaterialKind classCode="MAT" determinerCode="KIND">
                                                    <code code="J2. 25. k. r" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 17">
                                                        codeSystemVersion="1. 0" />
                                                            <!-- @@@J2. 25. k. r 成分の区分 #2-2 -->
                                                            </generalizedMaterialKind>
                                                                </asSpecializedKind>
                                                                    </ingredientSubstance>
                            </ingredient>
                            </kindOfProduct>
                            </instanceOfKind>
                        </consumable>
                        <outboundRelationship2 typeCode="COMP">
                            <!-- G. k. 4. r : Dosage and Relevant Information (repeat as necessary) #2-1 -->
                            <substanceAdministration classCode="SBADM" moodCode="EVN">
                                <text>G. k. 4. r. 8</text>
                                <!-- G. k. 4. r. 8: Dosage Text #2-1 -->
                                <effectiveTime xsi:type="IVL_TS">
                                    <low value="20090101"/>
                                    <!-- G. k. 4. r. 4: Date and Time of Start of Drug #2-1 -->
                                    <high value="20090101"/>
                                    <!-- G. k. 4. r. 5: Date and Time of Last Administration #2-1 -->
                                </effectiveTime>
                                <routeCode codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14">
                                    <originalText>G. k. 4. r. 10. 1</originalText>
                                    <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #2-1 -->
                                </routeCode>
                                <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
                                <!-- G. k. 4. r. 1a Dose (number) #2-1 -->
                                <!-- G. k. 4. r. 1b: Dose (unit) #2-1 -->
                            </substanceAdministration>
                        </outboundRelationship2>
                        <outboundRelationship2 typeCode="COMP">
                            <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-2 -->
                            <substanceAdministration classCode="SBADM" moodCode="EVN">
                                <text>G. k. 4. r. 8</text>
                                <!-- G. k. 4. r. 8: Dosage Text #2-2 -->
                                <effectiveTime xsi:type="IVL_TS">
                                    <low value="20090101"/>
                                    <!-- G. k. 4. r. 4: Date and Time of Start of Drug #2-2 -->
                                </effectiveTime>
                                <routeCode codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14">
                                    <originalText>G. k. 4. r. 10. 1</originalText>
                                    <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #2-2 -->
                                </routeCode>
                                <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
                                <!-- G. k. 4. r. 1a Dose (number) #2-2 -->
                                <!-- G. k. 4. r. 1b: Dose (unit) #2-2 -->
                            </substanceAdministration>
                        </outboundRelationship2>
                        <outboundRelationship2 typeCode="COMP">
                            <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-3 -->
                            <substanceAdministration classCode="SBADM" moodCode="EVN">
                                <text>G. k. 4. r. 8</text>
                                <!-- G. k. 4. r. 8: Dosage Text #2-3 -->
                                <effectiveTime xsi:type="IVL_TS">
                                    <high value="20090101"/>
                                    <!-- G. k. 4. r. 5: Date and Time of Last Administration #2-3 -->
                                </effectiveTime>
                                <routeCode codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 14">
                                    <originalText>G. k. 4. r. 10. 1</originalText>
                                    <!-- G. k. 4. r. 10. 1: Route of Administration (free text) #2-3 -->
                                </routeCode>
                                <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
                                <!-- G. k. 4. r. 1a Dose (number) #2-3 -->
                                <!-- G. k. 4. r. 1b: Dose (unit) #2-3 -->
                            </substanceAdministration>
                        </outboundRelationship2>

```

```

</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-4 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #2-4 -->
        <effectiveTime xsi:type="SXR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #2-4 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #2-4 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <low value="20090101"/>
                <!-- G. k. 4. r. 4: Date and Time of Start of Drug #2-4 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-4 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #2-4 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #2-4 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-5 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #2-5 -->
        <effectiveTime xsi:type="SXR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #2-5 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #2-5 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
                <high value="20090101"/>
                <!-- G. k. 4. r. 5: Date and Time of Last Administration #2-5 -->
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-5 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #2-5 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #2-5 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-6 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #2-6 -->
        <effectiveTime xsi:type="SXR_TS">
            <comp xsi:type="PIVL_TS">
                <period value="10" unit="G. k. 4. r. 3"/>
                <!-- G. k. 4. r. 2: Number of Units in the Interval #2-6 -->
                <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #2-6 -->
            </comp>
            <comp xsi:type="IVL_TS" operator="A">
            </comp>
        </effectiveTime>
        <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
            <originalText>G. k. 4. r. 10.1</originalText>
            <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-6 -->
        </routeCode>
        <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
        <!-- G. k. 4. r. 1a Dose (number) #2-6 -->
        <!-- G. k. 4. r. 1b: Dose (unit) #2-6 -->
    </substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-7 -->
    <substanceAdministration classCode="SBADM" moodCode="EVN">
        <text>G. k. 4. r. 8</text>
        <!-- G. k. 4. r. 8: Dosage Text #2-7 -->
        <effectiveTime xsi:type="PIVL_TS">
            <period value="10" unit="G. k. 4. r. 3"/>
            <!-- G. k. 4. r. 2: Number of Units in the Interval #2-7 -->
            <!-- G. k. 4. r. 3: Definition of the Time Interval Unit #2-7 -->
        </effectiveTime>

```

```

<routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
    <originalText>G. k. 4. r. 10.1</originalText>
    <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-7 -->
</routeCode>
<doseQuantity value="10" unit="G. k. 4. r. 1b"/>
<!-- G. k. 4. r. 1a Dose (number) #2-7 -->
<!-- G. k. 4. r. 1b: Dose (unit) #2-7 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-8 -->
<substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G. k. 4. r. 8</text>
    <!-- G. k. 4. r. 8: Dosage Text #2-8 -->
    <effectiveTime xsi:type="IVL_TS">
        <low value="20090101"/>
        <!-- G. k. 4. r. 4: Date and Time of Start of Drug #2-8 -->
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
        <originalText>G. k. 4. r. 10.1</originalText>
        <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-8 -->
    </routeCode>
    <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
    <!-- G. k. 4. r. 1a Dose (number) #2-8 -->
    <!-- G. k. 4. r. 1b: Dose (unit) #2-8 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-9 -->
<substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G. k. 4. r. 8</text>
    <!-- G. k. 4. r. 8: Dosage Text #2-9 -->
    <effectiveTime xsi:type="IVL_TS">
        <high value="20090101"/>
        <!-- G. k. 4. r. 5: Date and Time of Last Administration #2-9 -->
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
        <originalText>G. k. 4. r. 10.1</originalText>
        <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-9 -->
    </routeCode>
    <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
    <!-- G. k. 4. r. 1a Dose (number) #2-9 -->
    <!-- G. k. 4. r. 1b: Dose (unit) #2-9 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
    <!-- G. k. 4. r: Dosage and Relevant Information (repeat as necessary) #2-10 -->
<substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G. k. 4. r. 8</text>
    <!-- G. k. 4. r. 8: Dosage Text #2-10 -->
    <effectiveTime xsi:type="IVL_TS">
    </effectiveTime>
    <routeCode codeSystem="2.16.840.1.113883.3.989.2.1.1.14">
        <originalText>G. k. 4. r. 10.1</originalText>
        <!-- G. k. 4. r. 10.1: Route of Administration (free text) #2-10 -->
    </routeCode>
    <doseQuantity value="10" unit="G. k. 4. r. 1b"/>
    <!-- G. k. 4. r. 1a Dose (number) #2-10 -->
    <!-- G. k. 4. r. 1b: Dose (unit) #2-10 -->
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="recurrenceOfReaction"/>
        <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="2.0"/>
        <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #2, Reaction #1 -->
        <outboundRelationship1 typeCode="REFR">
            <actReference classCode="OBS" moodCode="EVN">
                <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
            </actReference>
        </outboundRelationship1>
    </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
    <observation classCode="OBS" moodCode="EVN">
        <code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="recurrenceOfReaction"/>
        <value xsi:type="CE" code="G. k. 9. i. 4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="2.0"/>
        <!-- G. k. 9. i. 4: Did Reaction Recur on Re-administration? Drug #2, Reaction #2 -->
        <outboundRelationship1 typeCode="REFR">
            <actReference classCode="OBS" moodCode="EVN">

```

```

                <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
                </actReference>
                </outboundRelationship1>
            </observation>
            </outboundRelationship2>
        </substanceAdministration>
    </component>
</organizer>
</subjectOf2>
</primaryRole>
</subject1>
<component typeCode="COMP">
    <causalityAssessment classCode="OBS" moodCode="EVN">
        <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="" interventionCharacterization"/>
        <!-- G. k. 1: Characterisation of Drug Role Drug #1 -->
        <subject2 typeCode="SUBJ">
            <productUseReference classCode="SBADM" moodCode="EVN">
                <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
            </productUseReference>
        </subject2>
    </causalityAssessment>
</component>
<component typeCode="COMP">
    <causalityAssessment classCode="OBS" moodCode="EVN">
        <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="" interventionCharacterization"/>
        <!-- G. k. 1: Characterisation of Drug Role Drug #2 -->
        <subject2 typeCode="SUBJ">
            <productUseReference classCode="SBADM" moodCode="EVN">
                <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
            </productUseReference>
        </subject2>
    </causalityAssessment>
</component>
<component typeCode="COMP">
    <observationEvent classCode="OBS" moodCode="EVN">
        <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
        <value xsi:type="ED">H. 2</value>
        <!-- H. 2: Reporter's Comments -->
        <author typeCode="AUT">
            <assignedEntity classCode="ASSIGNED">
                <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="" sourceReporter"/>
                </assignedEntity>
            </author>
        </observationEvent>
    </component1>
    <component1 typeCode="COMP">
        <observationEvent classCode="OBS" moodCode="EVN">
            <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
            <value xsi:type="ED">H. 4</value>
            <!-- H. 4: Sender's Comments -->
            <author typeCode="AUT">
                <assignedEntity classCode="ASSIGNED">
                    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
                </assignedEntity>
            </author>
        </observationEvent>
    </component1>
    <component1 typeCode="COMP">
        <observationEvent classCode="OBS" moodCode="EVN">
            <code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="未完了に対するコメント"/>
            <value xsi:type="ED">J2. 7. 2</value>
            <!-- @@J2. 7. 2: 未完了に対するコメント -->
        </observationEvent>
    </component1>
    <component1 typeCode="COMP">
        <observationEvent classCode="OBS" moodCode="EVN">
            <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="今後の対応"/>
            <value xsi:type="ED">J2. 10</value>
            <!-- @@J2. 10: 今後の対応 -->
        </observationEvent>
    </component1>
    <component1 typeCode="COMP">
        <observationEvent classCode="OBS" moodCode="EVN">
            <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="その他参考事項等"/>
            <value xsi:type="ED">J2. 11</value>
            <!-- @@J2. 11: その他参考事項等 -->
        </observationEvent>
    </component1>

```

```

</component1>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="12" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.10" codeSystemVersion="1.0" displayName="報告内容の要点"/>
    <value xsi:type="ED">J2.16</value>
    <!-- @@@J2.16: 報告内容の要点 -->
  </observationEvent>
</component1>
</adverseEventAssessment>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="additionalDocumentsAvailable"/>
    <value xsi:type="BL" value="true"/>
    <!-- C.1.6.1: Are Additional Documents Available? -->
  </observationEvent>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="23" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="localCriteriaForExpedited"/>
    <value xsi:type="BL" value="true"/>
    <!-- C.1.7: Does This Case Fulfil the Local Criteria for an Expedited Report? -->
  </observationEvent>
</component>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="initialReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <code code="C.1.8.2" codeSystem="2.16.840.1.113883.3.989.2.1.1.3" codeSystemVersion="2.0"/>
            <!-- C.1.8.2: First Sender of This Case -->
          </assignedEntity>
        </author>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code nullFlavor="NA"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
        <!-- C.1.10.r: Identification Number of the Report Which Is Linked to This Report (repeat as necessary) #1 -->
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code nullFlavor="NA"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
        <!-- C.1.10.r: Identification Number of the Report Which Is Linked to this Report (repeat as necessary) #2 -->
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="sourceReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <assignedPerson classCode="PSN" determinerCode="INSTANCE">
              <asIdentifiedEntity classCode="IDENT">
                <code code="J2.27.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.15" codeSystemVersion="1.0" />
                <!-- @@@J2.27.r 日付フラグ #1-->
              </asIdentifiedEntity>
              <asIdentifiedEntity classCode="IDENT">
                <code code="J2.29.r" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.9" codeSystemVersion="1.0" />
                <!-- @@@J2.29.r 情報入手元 #1 -->
              </asIdentifiedEntity>
              <asLocatedEntity classCode="LOCE">
                <location classCode="COUNTRY" determinerCode="INSTANCE">
                  <code code="C.2.r.3" codeSystem="1.0.3166.1.2.2"/>
                  <!-- C.2.r.3: Reporter's Country Code #1 -->
                </location>
              </asLocatedEntity>
            </assignedPerson>
          </assignedEntity>
        </author>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>

```

```

        </location>
    </asLocatedEntity>
</assignedPerson>
</assignedEntity>
</author>
</controlActEvent>
</subjectOf2>
</relatedInvestigation>
</outboundRelationship>
</outboundRelationship typeCode="SPRT">
    <relatedInvestigation classCode="INVSTG" moodCode="EVN">
        <code code="2" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 22" codeSystemVersion="1.0" displayName="sourceReport"/>
        <subjectOf2 typeCode="SUBJ">
            <controlActEvent classCode="CACT" moodCode="EVN">
                <author typeCode="AUT">
                    <assignedEntity classCode="ASSIGNED">
                        <assignedPerson classCode="PSN" determinerCode="INSTANCE">
                            <asIdentifiedEntity classCode="IDENT">
                                <code code="J2. 27. r" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 15" codeSystemVersion="1.0" />
                                <!-- @@J2. 27. r 日付フラグ #2-->
                            </asIdentifiedEntity>
                            <asIdentifiedEntity classCode="IDENT">
                                <code code="J2. 29. r" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 9" codeSystemVersion="1.0" />
                                <!-- @@J2. 29. r 情報入手元 #2 -->
                            </asIdentifiedEntity>
                            <asLocatedEntity classCode="LOCE">
                                <location classCode="COUNTRY" determinerCode="INSTANCE">
                                    <code code="C. 2. r. 3" codeSystem="1. 0. 3166. 1. 2. 2"/>
                                    <!-- C. 2. r. 3: Reporter's Country Code #2 -->
                                </location>
                            </asLocatedEntity>
                        </assignedPerson>
                    </assignedEntity>
                </author>
            </controlActEvent>
        </subjectOf2>
        </relatedInvestigation>
    </outboundRelationship>
    <subjectOf1 typeCode="SUBJ">
        <controlActEvent classCode="CACT" moodCode="EVN">
            <author typeCode="AUT">
                <assignedEntity classCode="ASSIGNED">
                    <code code="C. 3. 1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 7" codeSystemVersion="2.0"/>
                    <!-- C. 3. 1: Sender Type -->
                    <addr>
                        <streetAddressLine>C. 3. 4. 1</streetAddressLine>
                        <!-- C. 3. 4. 1: Sender's Street Address -->
                        <city>C. 3. 4. 2</city>
                        <!-- C. 3. 4. 2: Sender's City -->
                        <state>C. 3. 4. 3</state>
                        <!-- C. 3. 4. 3: Sender's State or Province -->
                        <postalCode>C. 3. 4. 4</postalCode>
                        <!-- C. 3. 4. 4: Sender's Postcode -->
                    </addr>
                    <telecon value="tel:C. 3. 4. 6"/>
                    <!-- C. 3. 4. 6: Sender's Telephone -->
                    <telecon value="fax:C. 3. 4. 7"/>
                    <!-- C. 3. 4. 7: Sender's Fax -->
                    <assignedPerson classCode="PSN" determinerCode="INSTANCE">
                        <name>
                            <prefix>C. 3. 3. 2</prefix>
                            <!-- C. 3. 3. 2: Sender's Title -->
                            <given>C. 3. 3. 3</given>
                            <!-- C. 3. 3. 3: Sender's Given Name -->
                            <given>C. 3. 3. 4</given>
                            <!-- C. 3. 3. 4: Sender's Middle Name -->
                            <family>C. 3. 3. 5</family>
                            <!-- C. 3. 3. 5: Sender's Family Name -->
                        </name>
                    </assignedPerson>
                    <asLocatedEntity classCode="LOCE">
                        <location classCode="COUNTRY" determinerCode="INSTANCE">
                            <code code="C. 3. 4. 5" codeSystem="1. 0. 3166. 1. 2. 2"/>
                            <!-- C. 3. 4. 5: Sender's Country Code -->
                        </location>
                    </asLocatedEntity>
                </assignedPerson>
            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                <assignedEntity classCode="ASSIGNED">
                    <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                        <name>C. 3. 2</name>
                        <!-- C. 3. 2: Sender's Organisation -->
                    </representedOrganization>
                </assignedEntity>
            </representedOrganization>
        </assignedPerson>
    </representedOrganization>

```

```

        </assignedEntity>
    </author>
<primaryInformationRecipient typeCode="PRCP">
    <assignedEntity classCode="ASSIGNED">
        <assignedPerson classCode="PSN" determinerCode="INSTANCE">
            <name>
                <prefix>J2. 18. 2</prefix>
                <!-- @@@J2. 18. 2: 受信者 肩書き -->
                <family>J2. 18. 3</family>
                <!-- @@@J2. 18. 3: 受信者 姓 -->
                <given>J2. 18. 4</given>
                <!-- @@@J2. 18. 4: 受信名 名 -->
            </name>
        </assignedPerson>
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
            <name>J2. 18. 1</name>
            <!-- @@@J2. 18. 1: 受信者 組織名 -->
        </representedOrganization>
    </assignedEntity>
</primaryInformationRecipient>
</controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <id assigningAuthorityName="C. 1. 9. 1. r. 1" extension="C. 1. 9. 1. r. 2" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 3"/>
        <!-- C. 1. 9. 1. r. 1: Source(s) of the Case Identifier (repeat as necessary) #1 -->
        <!-- C. 1. 9. 1. r. 2 Case Identifier(s) #1 -->
    </controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
        <id assigningAuthorityName="C. 1. 9. 1. r. 1" extension="C. 1. 9. 1. r. 2" root="2. 16. 840. 1. 113883. 3. 989. 2. 1. 3. 3"/>
        <!-- C. 1. 9. 1. r. 1: Source(s) of the Case Identifier (repeat as necessary) #2 -->
        <!-- C. 1. 9. 1. r. 2 Case Identifier(s) #2 -->
    </controlActEvent>
</subjectOf1>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName="ichReportType"/>
        <value xsi:type="CE" code="C. 1. 3" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 2" codeSystemVersion="2. 0"/>
        <!-- C. 1. 3 Type of Report -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName="otherCaseIds"/>
        <value xsi:type="BL" value="true"/>
        <!-- C. 1. 9. 1 Other Case Identifiers in Previous Transmissions -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="3" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName="nullificationAmendmentCode"/>
        <value xsi:type="CE" code="C. 1. 11. 1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 5" codeSystemVersion="2. 0"/>
        <!-- C. 1. 11. 1: Report Nullification / Amendment -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="4" codeSystem="2. 16. 840. 1. 113883. 3. 989. 2. 1. 1. 23" codeSystemVersion="1. 0" displayName=""/>
    </investigationCharacteristic>
    <value xsi:type="CE">
        <originalText>C. 1. 11. 2</originalText>
        <!-- C. 1. 11. 2: Reason for Nullification / Amendment -->
    </value>
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="1" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 12" codeSystemVersion="1. 0" displayName="識別番号 (報告分類) "/>
        <value xsi:type="CE" code="J2. 1a" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 1" codeSystemVersion="1. 1"/>
        <!-- @@@J2. 1a: 識別番号 (報告分類) -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="2" codeSystem="2. 16. 840. 1. 113883. 3. 989. 5. 1. 3. 2. 1. 12" codeSystemVersion="1. 0" displayName="報告起算日"/>
        <value xsi:type="TS" value="20130107"/>
        <!-- @@@J2. 2. 1: 報告起算日 -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">

```

```

<code code="3" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告起算日に関するコメント"/>
    <value xsi:type="ED">J2.2.2</value>
    <!-- @@@J2.2: 報告起算日に関するコメント -->
</investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="5" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外フラグ"/>
        <value xsi:type="CE" code="J2.8.1" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.6" codeSystemVersion="1.1"/>
        <!-- @@@J2.8.1: 報告対象外フラグ -->
    </investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
    <investigationCharacteristic classCode="OBS" moodCode="EVN">
        <code code="6" codeSystem="2.16.840.1.113883.3.989.5.1.3.2.1.12" codeSystemVersion="1.0" displayName="報告対象外の理由"/>
        <value xsi:type="ED">J2.8.2</value>
        <!-- @@@J2.8.2: 報告対象外の理由 -->
    </investigationCharacteristic>
</subjectOf2>
</investigationEvent>
</subject>
</controlActProcess>
</PORR_IN049016UV>
<!-- Message #1 -->
<!-- Message #2 -->
<!-- PORR_IN049016UV -->
<!-- /PORR_IN049016UV -->
<!-- Message #2 -->
<receiver typeCode="RCV">
    <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.1.4" root="2.16.840.1.113883.3.989.2.1.3.14"/>
        <!-- N.1.4: Batch Receiver Identifier -->
    </device>
</receiver>
<sender typeCode="SND">
    <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.1.3" root="2.16.840.1.113883.3.989.2.1.3.13"/>
        <!-- N.1.3: Batch Sender Identifier -->
    </device>
</sender>
</MCCI_IN200100UV01>

```